

[2016-Jun-NEW70-461 PDF Dumps 179q Free Offered by Braindump2go[NQ51-NQ60]

2016 June Microsoft Official: 70-461 Exam Questions New Updated Today! 100% Exam Pass Promised by Braindump2go.com!

NEW QUESTION 51 - NEW QUESTION 60: QUESTION 51 You are writing a set of queries against a FILESTREAM-enabled database. You create a stored procedure that will update multiple tables within a transaction. You need to ensure that if the stored procedure raises a run-time error, the entire transaction is terminated and rolled back. Which Transact-SQL statement should you include at the beginning of the stored procedure? A. SET TRANSACTION ISOLATION LEVEL SERIALIZABLE B. SET XACT_ABORT OFF C. SET TRANSACTION ISOLATION LEVEL SNAPSHOT D. SET IMPLICIT_TRANSACTIONS ON E. SET XACT_ABORT ON F. SET IMPLICIT_TRANSACTIONS OFF Answer: E Explanation:

<http://msdn.microsoft.com/en-us/library/ms188792.aspx> QUESTION 52 You develop a Microsoft SQL Server 2012 database. The database is used by two web applications that access a table named Products. You want to create an object that will prevent the applications from accessing the table directly while still providing access to the required data. You need to ensure that the following requirements are met: - Future modifications to the table definition will not affect the applications' ability to access data. - The new object can accommodate data retrieval and data modification. You need to achieve this goal by using the minimum amount of changes to the applications. What should you create for each application? A. Synonyms B. Common table expressions C. Views D. Temporary tables Answer: C Explanation: <http://msdn.microsoft.com/en-us/library/ms190174.aspx> QUESTION 53 You administer a Microsoft SQL Server 2012 database named ContosoDb. Tables are defined as shown in the exhibit. (Click the Exhibit button.)



You need to display rows from the Orders table for the Customers row having the CustomerId value set to 1 in the following XML format. Which Transact-SQL query should you use? A. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML RAW B. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers=CustomerId = 1 FOR XML RAW, ELEMENTS C. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTO D. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTO, ELEMENTS E. SELECT Name, Country, OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTO F. SELECT Name, Country, OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTO, ELEMENTS G. SELECT Name AS '@Name', Country AS '@Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML PATH ('Customers') H. SELECT Name AS 'Customers/Name', Country AS 'Customers/Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML PATH ('Customers') Answer: C Explanation:

<http://msdn.microsoft.com/en-us/library/bb510464.aspx> QUESTION 54 You administer a Microsoft SQL Server 2012 database named ContosoDb. Tables are defined as shown in the exhibit. (Click the Exhibit button.) You need to display rows from the Orders table for the Customers row having the CustomerId value set to 1 in the following XML format: <CUSTOMERS Name="Customer A" Country="Australia"><ORDERS OrderID="1" OrderDate="2001-01-01" Amount="3400.00" /><ORDERS OrderID="2" OrderDate="2002-01-01" Amount="4300.00" /></CUSTOMERS> Which Transact-SQL query should you use?



A. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId =

Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML RAWB. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML RAW, ELEMENTSC. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTOD. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTO, ELEMENTSE. SELECT Name, Country, OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML AUTO, ELEMENTSG. SELECT Name AS '@Name', Country AS '@Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML PATH ('Customers')H. SELECT Name AS'Customers/Name', Country AS 'Customers/Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML PATH ('Customers')

Answer: E QUESTION 55 You administer a Microsoft SQL Server 2012 database named ContosoDb. Tables are defined as shown in the exhibit. (Click the Exhibit button.)



You need to display rows from the Orders table for the Customers row having the CustomerId value set to 1 in the following XML format.

```
<Orders>
  <OrderId>1</OrderId>
  <OrderDate>2000-01-01T00:00:00</OrderDate>
  <Amount>3400.00</Amount>
  <Customers>
    <Name>Customer A</Name>
    <Country>Australia</Country>
  </Customers>
</Orders>
<Orders>
  <OrderId>2</OrderId>
  <OrderDate>2001-01-01T00:00:00</OrderDate>
  <Amount>4300.00</Amount>
  <Customers>
    <Name>Customer A</Name>
    <Country>Australia</Country>
  </Customers>
</Orders>
```

Which Transact-SQL query should you use? A. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML RAWB. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML RAW, ELEMENTSC. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId = 1 FOR XML AUTOD. SELECT OrderId, OrderDate, Amount, Name, Country FROM Orders INNER JOIN Customers ON Orders.CustomerId = Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML AUTO, ELEMENTSE. SELECT Name, Country, OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId- 1 FOR XML AUTO, ELEMENTSG. SELECT Name AS '@Name', Country AS '@Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML PATH ('Customers')H. SELECT Name AS'Customers/Name', Country AS 'Customers/Country', OrderId, OrderDate, Amount FROM Orders INNER JOIN Customers ON Orders.CustomerId= Customers.CustomerId WHERE Customers.CustomerId= 1 FOR XML PATH ('Customers')

Answer: D QUESTION 56 You develop a Microsoft SQL Server 2012 server database that supports an application. The application contains a table that has the following definition: CREATE TABLE Inventory (ItemID int NOT NULL PRIMARY KEY, ItemsInStore int NOT NULL, ItemsInWarehouse

int NOT NULL) You need to create a computed column that returns the sum total of the ItemsInStore and ItemsInWarehouse values for each row. The new column is expected to be queried heavily, and you need to be able to index the column. Which Transact-SQL statement should you use? A. ALTER TABLE Inventory ADD TotalItems AS ItemsInStore + ItemsInWarehouse B. ALTER TABLE Inventory ADD TotalItems AS ItemsInStore + ItemsInWarehouse PERSISTED C. ALTER TABLE Inventory ADD TotalItems AS SUM(ItemsInStore, ItemsInWarehouse) PERSISTED D. ALTER TABLE Inventory ADD TotalItems AS SUM(ItemsInStore, ItemsInWarehouse) Answer: B Explanation: <http://msdn.microsoft.com/en-us/library/ms174979.aspx> QUESTION 57 You develop a Microsoft SQL Server 2012 database that contains a table named Customers. The Customers table has the following definition: You need to create an audit record only when either the MobileNumber or HomeNumber column is updated. Which Transact-SQL query should you use?

```
CREATE TABLE [dbo].[Customers] (
  [CustomerId] [bigint] NOT NULL,
  [MobileNumber] [nvarchar](25) NOT NULL,
  [HomeNumber] [nvarchar](25) NULL,
  [Name] [nvarchar](50) NOT NULL,
  CONSTRAINT [PK_Customers] PRIMARY KEY CLUSTERED
  (
    [CustomerId] ASC
  ) ON [PRIMARY]
) ON [PRIMARY]
```

- A. CREATE TRIGGER TrgPhoneNumberChangeON Customers FOR UPDATE AS IF COLUMNS_UPDATED (HomeNumber, MobileNumber) - - Create Audit Records
 - B. CREATE TRIGGER TrgPhoneNumberChangeON Customers FOR UPDATE AS IF EXISTS (SELECT HomeNumber FROM inserted) OR EXISTS (SELECT MobileNumber FROM inserted) - - Create Audit Records
 - C. CREATE TRIGGER TrgPhoneNumberChangeON Customers FOR UPDATE AS IF COLUMNS_CHANGED (HomeNumber, MobileNumber) - - Create Audit Records
 - D. CREATE TRIGGER TrgPhoneNumberChangeON Customers FOR UPDATE AS IF UPDATE (HomeNumber) OR UPDATE (MobileNumber) - - Create Audit Records
- Answer: D Explanation:

<http://msdn.microsoft.com/en-us/library/bb510663.aspx> <http://msdn.microsoft.com/en-us/library/ms186329.aspx> QUESTION 58 You develop a Microsoft SQL Server 2012 database that has two tables named SavingAccounts and LoanAccounts. Both tables have a column named AccountNumber of the nvarchar data type. You use a third table named Transactions that has columns named TransactionId, AccountNumber, Amount, and TransactionDate. You need to ensure that when multiple records are inserted in the Transactions table, only the records that have a valid AccountNumber in the SavingAccounts or LoanAccounts are inserted. Which Transact-SQL statement should you use?

```
A. CREATE TRIGGER TrgValidateAccountNumber
ON Transactions
INSTEAD OF INSERT
AS
BEGIN
  INSERT INTO Transactions
  SELECT TransactionId, AccountNumber, Amount, TransactionDate FROM inserted
  WHERE AccountNumber IN
  (SELECT AccountNumber FROM LoanAccounts
  UNION SELECT AccountNumber FROM SavingAccounts)
END

B. CREATE TRIGGER TrgValidateAccountNumber
ON Transactions
FOR INSERT
AS
BEGIN
  INSERT INTO Transactions
  SELECT TransactionId, AccountNumber, Amount, TransactionDate FROM inserted
  WHERE AccountNumber IN
  (SELECT AccountNumber FROM LoanAccounts
  UNION SELECT AccountNumber FROM SavingAccounts)
END

C. CREATE TRIGGER TrgValidateAccountNumber
ON Transactions
FOR INSERT
AS
BEGIN
  IF EXISTS (
    SELECT AccountNumber FROM inserted EXCEPT
    (SELECT AccountNumber FROM LoanAccounts
    UNION SELECT AccountNumber FROM SavingAccounts))
  BEGIN
    ROLLBACK TRAN
  END
END

D. CREATE TRIGGER TrgValidateAccountNumber
ON Transactions
FOR INSERT
AS
BEGIN
  IF EXISTS (
    SELECT AccountNumber FROM inserted EXCEPT
    (SELECT AccountNumber FROM LoanAccounts
    UNION SELECT AccountNumber FROM SavingAccounts))
  BEGIN
    ROLLBACK TRAN
  END
END
```

- A. Option A
 - B. Option B
 - C. Option C
 - D. Option D
- Answer: A QUESTION 59 You develop a Microsoft SQL Server 2012 database. You create a view that performs the following tasks:- Joins 8 tables that contain up to 500,000 records each. - Performs aggregations on 5 fields. - The view is frequently used in several reports. You need to improve the performance of the reports. What should you do? A. Convert the view into a table-valued function. B. Convert the view into a Common Table Expression (CTE). C. Convert the view into an indexed view. D. Convert the view into a stored procedure and retrieve the result from the stored procedure into a temporary table. Answer: C Explanation:
- <http://msdn.microsoft.com/en-us/library/ms191432.aspx>
- QUESTION 60

You are a database developer of a Microsoft SQL Server 2012 database. The database contains a table named Customers that has the following definition: You need to ensure that the CustomerId column in the Orders table contains only values that exist in the CustomerId column of the Customer table. Which Transact-SQL statement should you use?

```
CREATE TABLE Customer  
(CustomerId INT NOT NULL PRIMARY KEY,  
CustomerName VARCHAR(255) NOT NULL,  
CustomerAddress VARCHAR(1000) NOT NULL)
```

```
CREATE TABLE Orders  
(OrderID INT NOT NULL PRIMARY KEY,  
CustomerID INT NOT NULL,  
OrderDescription VARCHAR(2000))
```

A. ALTER TABLE Orders ADD CONSTRAINT FX_Orders_CustomerID FOREIGN KEY (CustomerId) REFERENCES Customer (CustomerId) B. ALTER TABLE Customer ADD CONSTRAINT FK_Customer_CustomerID FOREIGN KEY (CustomerId) REFERENCES Orders (CustomerId) C. ALTER TABLE Orders ADD CONSTRAINT CK_Corders_CustomerID CHECK (CustomerId IN (SELECT CustomerId FROM Customer)) D. ALTER TABLE Customer ADD OrderId INT NOT NULL; ALTER TABLE Customer ADD CONSTRAINT FK_Customer_OrderID FOREIGN KEY (CustomerId) REFERENCES Orders (OrderID); E. ALTER TABLE Orders ADD CONSTRAINT PK_Orders_CustomerId PRIMARY KEY (CustomerId) Answer: A
Explanation: <http://msdn.microsoft.com/en-us/library/ms189049.aspx> 2016 Valid Microsoft 70-461 Exam Study Materials: 1. | Latest 70-461 PDF and VCE Dumps 179q Instant Download: <http://www.braindump2go.com/70-461.html> [100% Exam Pass Guaranteed!] 2. | New 70-461 Exam Questions and Answers - Google Drive: https://drive.google.com/folderview?id=0B9YP8B9sF_gNU0hUb3EzNDNuNVU&usp=sharing 3. | More 70-461 Practice Test: <https://drive.google.com/folderview?id=0B75b5xYLjSSNflp4NUtxTHJkb0hXTWtYMmdnbjBpVjNqUVV3NjNDcW1qOWVLMUQ3cUpENU0&usp=sharing> MORE Practice is the Most Important IF You want to PASS 70-461 Exam 100%!????? Braindump2go.com????? Pass All IT Exams at the first Try!