

[2016-Sep.-NewBraindump2go Microsoft 70-341 Exam Dumps 261q Free Share[NQ123-NQ130]

2016/09 New 70-341:Microsoft Core Solutions of Microsoft Exchange Server 2013 Exam Questions and Answers Updated Today!
Free Instant Download 70-341 Exam Dumps (PDF & VCE) 261Q&As from Braindump2go.com Today!100% Real Exam Questions! 100% Exam Pass Guaranteed!1.|2016/09 New 70-341 Exam Dumps (PDF & VCE) 261Q&As Download: <http://www.braindump2go.com/70-341.html> 2.|2016/09 New 70-341 Exam Questions & Answers: <https://drive.google.com/folderview?id=0B75b5xYLjSSNbTQ2eEI5ZkrZUVE&usp=sharing> QUESTION 123You need to configure the address books to meet the business goal for the finance department.Which four cmdlets should you use? A. Set-MailUser, New-OfflineAddressBook, New-AddressBookPolicy, and New-GlobalAddressListB. Set-MailUser, New-OfflineAddressBook, New-GlobalAddressList, and New-AddressListC. Set-Mailbox, New-DistributionGroup, New-AddressBookPolicy. and New-AddressListD. Set-Mailbox, New-AddressBookPolicy, New-GlobalAddressList, and New-AddressList Answer: DExplanation:Set-Mailbox must be used to assign the Address Book Policy, therefore D is correct [http://technet.microsoft.com/en-us/library/jj657455\(v=exchg.150\).aspx](http://technet.microsoft.com/en-us/library/jj657455(v=exchg.150).aspx)Step 1: Install and configure the Address Book Policy Routing agent Step 2: Divide your virtual organizationsStep 3: Create the address lists, GALs, and OABsWhen you create the address lists and global address lists do not use "IncludedRecipient" and "ConditionalX" parameters, such as ConditionalCompany and ConditionalCustomAttribute5. You should use a recipient filter instead. You must use the Shell to create recipient filters. For more information about Recipient Filters, see Recipient FilteringIn creating the ABP, you will create multiple address lists based on how you want your users to view the address lists in Outlook or Outlook Web App. This organization has four address lists: AL_FAB_Users_DGsAL_FAB_ContactsAL_TAIL_Users_DGsAL_TAIL_ContactsThis example creates the address list AL_TAIL_Users_DGs. The address list contains all users and distribution groups where CustomAttribute15 equals TAIL.
New-AddressList -Name "AL_TAIL_Users_DGs" -RecipientFilter {((RecipientType -eq 'UserMailbox') -or(RecipientType -eq "MailUniversalDistributionGroup") -or (RecipientType -eq "DynamicDistributionGroup")) -and (CustomAttribute15 -eq "TAIL")}
For more information about creating address lists by using recipient filters, see Create an Address List By Using Recipient Filters.In order to create an ABP, you have to provide a room address list. If your organization doesn't have resource mailboxes such as room or equipment mailboxes, we suggest that you create a blank room address list. The following example creates a blank room address list because there are no room mailboxes in the organization.
New-AddressList -Name AL_BlankRoom -RecipientFilter {(Alias -ne \$null) -and ((RecipientDisplayType -eq 'ConferenceRoomMailbox') -or (RecipientDisplayType -eq 'SyncedConferenceRoomMailbox'))}
However, in this scenario, Fabrikam and Contoso both have room mailboxes. This example creates room list for Fabrikam by using a recipient filter where CustomAttribute15 equals FAB.
New-AddressList -Name AL_FAB_Room -RecipientFilter {(Alias -ne \$null) -and (CustomAttribute15 -eq "FAB") -and (RecipientDisplayType -eq 'ConferenceRoomMailbox') -or (RecipientDisplayType -eq 'SyncedConferenceRoomMailbox')}
The global address list used in an ABP must be a superset of the address lists. Do not create a GAL with fewer objects than exists in any or all of the address lists in the ABP. This example creates the global address list for Tailspin Toys that includes all of the recipients that exists in the address lists and room address list.
New-GlobalAddressList -Name "GAL_TAIL" -RecipientFilter {(CustomAttribute15 -eq "TAIL")}
For more information, see Create a Global Address List. When you create the OAB you should include the appropriate GAL when providing the AddressLists parameter of New-or Set-OfflineAddressBook to ensure no entry is unexpectedly missed. Basically, you can customize the set of entries that a user will see or reduce the download size of the OAB by specifying a list of AddressLists in AddressLists of New/Set-OfflineAddressBook. However, if you want users to see the full set of GAL entries in OAB, make sure that you include the GAL in the AddressLists.This example creates the OAB for Fabrikam named OAB_FAB. New-OfflineAddressBook -Name "OAB_FAB" -AddressLists "GAL_FAB" For more information, see Create an Offline Address Book.Step 4: Create the ABPsAfter you've created all of the required objects you can then create the ABP. This example creates the ABP named ABP_TAIL.
New-AddressBookPolicy -Name "ABP_TAIL" -AddressLists "AL_TAIL_Users_DGs"," AL_TAIL_Contacts" -OfflineAddressBook "OAB_TAIL" -GlobalAddressList "GAL_TAIL" -RoomList"AL_TAIL_Rooms"
For more information, see Create an Address Book Policy.Step 5: Assign the ABPs to the mailboxesAssigning the ABP to the user is the last step in the process. ABPs take effect when a user's application connects to the Microsoft Exchange Address Book service on the Client Access server. If the user is already connected to Outlook or Outlook Web App when the ABP is applied to their account, they will need to close and restart the client application before they can see their new address lists and GAL.This example assigns ABP_FAB to all mailboxes where CustomAttribute15 equals "FAB".
Get-Mailbox -resultsizes unlimited | where {\$_.CustomAttribute15 -eq "TAIL"} | Set-Mailbox -AddressBookPolicy "ABP_TAIL" QUESTION 124Hotspot QuestionYou need to ensure that the help desk application

can use EX4 as an SMTP relay to send email messages. The solution must ensure that the sender of the email messages is displayed as Help Desk. What authentication and permission group should you configure for the Receive Connector? (To answer, configure the appropriate options in the answer area.)

Answer Area

Authentication:

Permission group:

Answer: **Answer Area**

Authentication:

Permission group:

QUESTION 125 Drag and Drop Question You are evaluating the implementation of the address rewrite feature in the Fabrikam forest. You need to recommend a solution for the Trey Research forest and the Fabrikam forest to share the SMTP domain name of treyresearch.com. Which actions should you recommend performing in each forest? (To answer, drag the appropriate actions to the correct forests. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content)

Actions	Answer Area
Create mail-enabled users.	Trey Research forest: Action
Create mail-enabled contacts.	Trey Research forest: Action
Create a Send connector.	Fabrikam forest: Action
Create a Receive connector.	
Configure an authoritative accepted domain.	
Configure an accepted domain as an internal relay domain.	

Answer:

Actions	Answer Area
Create mail-enabled users.	Trey Research forest: Configure an authoritative accepted domain.
Create mail-enabled contacts.	Trey Research forest: Create a Send connector.
Create a Send connector.	Fabrikam forest: Configure an accepted domain as an internal relay domain.
Create a Receive connector.	
Configure an authoritative accepted domain.	
Configure an accepted domain as an internal relay domain.	

QUESTION 126 You need to recommend a solution to resolve the issue of domain controller overuse. Which cmdlet should you include in the recommendation? A. Set-ExchangeServer B. Set-OrganizationConfig C. Set-ADServerSettings D. Set-AuthConfig

Answer: A Explanation: <http://technet.microsoft.com/en-us/library/bb123716.aspx>
<http://www.shudnow.net/2007/10/11/adaccess-errors-causing-exchange-services-to-fail/> Hard code specific DC's for a particular Exchange server: Set-ExchangeServer -identity Exch01 -DomainController dc01.domain.com
 -StaticDomainControllers `dc01.domain.com', `dc02.domain.com' -StaticGlobalCatalogs `dc01.domain.com', dc02.domain.com'
 -StaticConfigDomainController `dc01.domain.com', `dc02.domain.com' Remove the configuration above: Set-ExchangeServer

-identity Exch01 -staticDomainControllers \$NULL ?staticGlobalCatalogs \$NULL -staticConfigDomainController \$NULL
QUESTION 127 Hotspot Question You need to implement the SCL configurations to support the planned changes. Which value should you set for each SCL option? (To answer, configure the appropriate options in the dialog box in the answer area.)

Answer Area

SCLRejectThreshold	7 8 9
SCLDeleteThreshold	7 8 9
SCLQuarantineThreshold	7 8 9

Answer: Answer Area

SCLRejectThreshold	7 8 9
SCLDeleteThreshold	7 8 9
SCLQuarantineThreshold	7 8 9

QUESTION 128 Hotspot Question You need to recommend a solution to resolve the issue for the finance department users. Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)

Answer Area

Get-Mailbox
Get-MailboxFolder
Get-MailboxFolderStatistics
Get-MailboxFolderStatistics -MailboxFolderName
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics -MailboxFolderName
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics -MailboxFolderName -MailboxFolderName

Answer: Answer Area

Get-Mailbox
Get-MailboxFolder
Get-MailboxFolderStatistics
Get-MailboxFolderStatistics -MailboxFolderName
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics -MailboxFolderName
Get-MailboxFolderStatistics -MailboxFolderName -MailboxFolderStatistics -MailboxFolderName -MailboxFolderName

QUESTION 129 You need to recommend a solution to resolve the load balancing issue. Which action or actions should you recommend performing? (Each correct answer presents part of the solution. Choose all that apply.)
A. From Exchange Management Shell, import a certificate and assign the certificate to the IIS service.
B. From the settings of the hardware load balancer, enable cookie-based persistence.
C. From Exchange Admin Center, configure the Exchange Server 2013 virtual directories.
D. From DNS Manager, create new DNS records in the public DNS zone.
E. From the settings of the hardware load balancer, disable the source NAT (SNAT).
F. From EX3, generate a new certificate.
Answer: ACDE
Explanation:
<http://blogs.technet.com/b/exchange/archive/2014/03/05/load-balancing-in-exchange-2013.aspx>
NOT B: The hardware load balancer is a Layer 4 device which supports IP-Address affinity, not cookie-based persistence which is a Layer 7 feature.
NOT E: Source NAT (SNAT) is a Layer 7 feature.
NOT F: A self-signed certificate will not suffice in this instance.
QUESTION 130 Hotspot Question You create a workload management policy named EX4. You need to create a new workload policy to resolve the hardware resources issue on EX4. Which commands should you run? (To answer, select the appropriate options in the answer area.)

Answer Area


New-WorkloadPolicy IMAP -WorkloadType IMAP -WorkloadManagementPolicy EX4 IMAP -WorkloadClassification
New-WorkloadPolicy OWA -WorkloadType OWA -WorkloadManagementPolicy EX4 IMAP -WorkloadClassification

Answer: Answer Area

New-WorkloadPolicy IMAP -WorkloadType IMAP -
WorkloadManagementPolicy EX4 IMAP -WorkloadClassification

Braindump2go.com

New-WorkloadPolicy OWA -WorkloadType OWA -
WorkloadManagementPolicy EX4 IMAP -WorkloadClassification



Customer Expectation
Discretionary
Potential Upgrade
Urgent

!!!RECOMMEND!!!1.|2016/09 New 70-341 PDF & 70-341 VCE 261Q&As Download:
<http://www.braindump2go.com/70-341.html> 2.|2016/09 New 70-341 Questions & Answers:
<https://drive.google.com/folderview?id=0B75b5xYLjSSNbTQ2eEI5ZkRZUVE&usp=sharing>