

## [2017-New-Version] 1Z0-808 PDF Dumps and VCE Dumps 256q Instant Download in Braindump2go(132-141)

Braindump2go 2017 March New Oracle 1Z0-808 Exam Dumps and Exam Questions Updated Today! 1. [2017 Version 1Z0-808 Exam Dumps 256Q&As with PDF and VCE Download: <http://www.braindump2go.com/1z0-808.html> 2. [2017 Version 1Z0-808 Exam Questions & Answers Download: <https://1drv.ms/f/s!AvI7wzKf6QBjglfsG-YsMaJSy554> QUESTION 132 Given:

```
public class Seri
private boole
public void d
int num =
while (fl
if (r
num =
)
)
public stati
new Seri
)
```

What is the result? A. 2 4 6 8 10 12 B. 2 4 6 8 10 12 14 C. Compilation fails D. The program prints multiple of 2 infinite times E. The program prints nothing Answer: B QUESTION 133 Which of the following can fill in the blank in this code to make it compile?

```
interface CanFly{
    String type = "A";
    void fly();
    _____ String getType();
    return type;
}
```

A. abstract B. public C. default D. It will not compile with any as interfaces cannot have non abstract methods. E. It will compile without filling the blank. Answer: C Explanation: From Java SE 8, we can use static and/or default methods in interfaces, but they should be non abstract methods. SO in this case using default in blank is completely legal. Hence option C is correct. Option A is incorrect as given method is not abstract, so can't use abstract there. Options B and E are incorrect as we can't have non abstract method interface if they are not default or static. <https://docs.oracle.com/javase/8/tutorial/java/and/defaultmethods.html> QUESTION 134 Consider following method

```
default void print(){
}
```

Which statement is true? A. This method is invalid. B. This method can be used only in an interface. C. This method can return anything. D. This method can be used only in an interface or an abstract class. E. None of above. Answer: B Explanation: Given method is declared as default method so we can use it only inside an interface. Hence option B is correct and option D is incorrect. Option A is incorrect as it is valid method. Option C is incorrect as return type is void, which means we can't return anything. QUESTION 135 Given:

```
public class MyFor3 {
    public static void main(String[] args) {
        int[] xx = null;
        // insert code here
    }
}
```

What is the result? A. Null B. Compilation fails C. An exception is thrown at runtime D. 0 Answer: C QUESTION 136 Given:

```
1. public class TestLoop {
2.     public static void main(String[] args) {
3.         float myarray[] = {10.20r, 20.30r, 30.40r, 50.60r};
4.         int i = 0;
5.         // insert code here
6.         System.out.println(isFound);
7.     }
8. }
9.
10. }
```

Which code fragment, when inserted at line 7, enables the code print true?

```
C A) while (key == myarray[index++]) {
    isFound = true;
}
C B) while (index <= 4) {
    if (key == myarray[index]) {
        index++;
        isFound = true;
        break;
    }
}
C D) while (index < 5) {
    if (key == myarray[index]) {
        isFound = true;
        break;
    }
    index++;
}
```

A. Option AB. Option BC. Option CD. Option D Answer: A QUESTION 137 Given: class Base { public static void main(String[] args) { System.out.println("Base " + args[2]); } } public class Sub extends Base { public static void main(String[] args) { System.out.println("Overridden " + args[1]); } } And the commands: javac Sub.java java Sub 10 20 30 What is the result? A. Base 30 B. Overridden 20 C. Overridden 20 Base 30 D. Base 30 Overridden 20 Answer: B QUESTION 138 Given:

```
class SpecialException extends Exception {
    public SpecialException(String message) {
        super(message);
        System.out.println(message);
    }
}
public class ExceptionTest {
    public static void main(String[] args) {
        try {
            doSomething();
        } catch (SpecialException e) {
            // ...
        }
    }
    static void doSomething() throws SpecialException {
        int[] ages = new int[4];
        ages[4] = 17;
        doSomethingElse();
    }
    static void doSomethingElse() throws SpecialException {
        throw new SpecialException("Throw at end");
    }
}
```

What will be the output?

```
C A) SpecialException: Throw at end of doSomething() method
C B) Error in thread "main" java.lang.ArrayIndexOutOfBoundsException: 4
    Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 4
    at ExceptionTest.doSomethingElse(ExceptionTest.java:13)
    at ExceptionTest.doSomething(ExceptionTest.java:12)
    at ExceptionTest.main(ExceptionTest.java:9)
C D) SpecialException: Throw at end of doSomething() method
    at ExceptionTest.doSomethingElse(ExceptionTest.java:13)
    at ExceptionTest.doSomething(ExceptionTest.java:12)
    at ExceptionTest.main(ExceptionTest.java:9)
```

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 139 Given the code fragments:

```
interface Contract {
}
class Super implements Contract {
}
class Sub extends Super {
}
public class Ref {
    public static void main(String[] args) {
        List objs = new ArrayList();
        Contract c1 = new Super();
        objs.add(c1);
        objs.add(c2);
        objs.add(c3);
        for (Object itm: objs) {
            System.out.println(itm);
        }
    }
}
```

What is the result? A. SuperSubSub B. ContractContractSuper C. Compilation fails at line n1 D. Compilation fails at line n2 Answer: D QUESTION 140 Given:

```
public class Test {
    public static void main(String[] args) {
        Test ts = new Test();
        System.out.print(isAvailable + " ");
        isAvailable = ts.doStuff();
        public static boolean doStuff() {
            return isAvailable;
        }
        static boolean isAvailable = false;
    }
}
```

What is the result? A. true true B. true false C. false true D. false false E. Compilation fails Answer: E QUESTION 141

Given:

```
public class Msg {
    public static String doMsg(char x) {
        return "Good Day!";
    }
    public static String doMsg(int y) {
        return "Good Luck!";
    }
    public static void main(String[] args) {
        char x = 8;
        int z = '8';
        System.out.println(doMsg(x));
        System.out.print(doMsg(z));
    }
}
```

What is the result? A. Good Day!Good Luck!B. Good Day!Good Day!C. Good Luck!Good Day!D. Good Luck!Good Luck!  
E. Compilation fails Answer: E !!!RECOMMEND!!! 1.|2017 Version 1Z0-808 Exam Dumps 256Q&As with PDF and VCE  
Download:<http://www.braindump2go.com/1z0-808.html> 2.|2017 Version 1Z0-808 Study Guide Video: YouTube Video:  
[YouTube.com/watch?v=4AySfwbu6y8](https://www.youtube.com/watch?v=4AySfwbu6y8)