[2018-Latest-Version100% Exam Pass-NS0-155 Exam Dumps PDF Free from Braindump2go[23-33

2018 January New NetApp NS0-155 Exam Dumps with PDF and VCE Free Updated Today! Following are some new NS0-155 Real Exam Questions: 1. 2018 New NetApp NS0-155 Exam Dumps (PDF & VCE) 195Q&As Download:

https://www.braindump2go.com/ns0-155.html2.|2018 New NetApp NS0-155 Real Exam Question & Answers Download: https://drive.google.com/drive/folders/1MxkLZN5KA1zypVTo9BJ6WLvLiN2Rnad8?usp=sharingQUESTION 34Which command displays the statistics for Ethernet network interfaces?A. ifconfigB. ifstatC. sysconfigD. sysstatAnswer: BExplanation: https://library.netapp.com/ecmdocs/ECMP1196890/html/man1/na ifstat.1.html ifstat - display device-level statistics for network interfacesQUESTION 35Which command is used to set the configuration of an Ethernet network interface?A. ifconfigB. ifstatC. netstat - iD. sysconfig - vAnswer: AExplanation:

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_ifconfig.1.html</mark>ifconfig - Configures network interface parameters.QUESTION 36What are three true statements about physical reallocation of data added in ONTAP 7.3? (Choose three.)A. Use reallocate -p pathname to run the physical reallocate.B. Use aggr reallocate -p pathname to run the physical reallocate.C. Reinitialize any SnapMirror relationship for the new physical geometry.D. Volume Snapshots do not need to be deleted for the reallocate to run effectively.E. Dont run it on files, volumes, and LUNs that are in an aggregate created by a version of ONTAP earlier than 7.2.Answer: ADEExplanation:

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_reallocate.1.html The -p option requests that reallocation of user data take place on the physical blocks in the aggregate, but the logical block locations within a flexible volume are preserved. Aggregate reallocation is not supported on aggregates created prior to Data ONTAP 7.2. Using the -p option may reduce the extra storage requirements in a flexible volume when reallocation is run on a volume with snapshots. It may also reduce the amount of data that needs to be transmitted by SnapMirror on its next update after reallocation is performed on a SnapMirror source volume.QUESTION 37Physical Reallocation of a SnapMirror source volume increases the amount of data to transfer for the next SnapMirror update.A. TrueB. FalseAnswer: BExplanation:

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_reallocate.1.html Using the -p option may reduce the extra storage requirements in a flexible volume when reallocation is run on a volume with snapshots. It may also reduce the amount of data that needs to be transmitted by SnapMirror on its next update after reallocation is performed on a SnapMirror source volume.QUESTION 38A snapshot is a frozen, read-only image of the entire Data ONTAP active file system that reflects the state of the _______ at the time the snapshot was created.A. qtreesB. volumeC. directoryD. storage systemAnswer: B Explanation:http://backdrift.org/man/netapp/man1/na_snap.1.htmlSnapshots can be made of volumes or aggregates; most commonly the former. The question refers to a file system, or more specifically a volume.You cannot snapshot directories or qtrees alone.QUESTION 39Data ONTAP uses inodes in an active file system to reference ______.A. qtreesB. disk blocksC. file segmentsD. Snapshot copiesAnswer: BExplanation:All data, whether file or block-based, resides in 4KB blocks on disk. A group of related blocks make up a file. To accommodate different file sizes, the WAFL filesystem describes each file with reference pointers called inodes.https://communities.netapp.com/servlet/JiveServlet/previewBody/5027-102-1-

on a volume called flexvol1?A. cifs shares -change flexvol1 -nosnapB. snap access flexvol1 offC. vol options flexvol1 nosnapdir onD. vol options flexvol1 snapdir offE. vol options flexvol1 snapdir onAnswer: CQUESTION 41When Data ONTAP creates a weekly, nightly, or hourly snapshot, the value of n (as shown by the snap list command) is adjusted for all the weekly.n, nightly.n, or hourly.n Snapshot copies. The higher the value of n, the ______ the snapshot.A. olderB. newerC. more importantD. least importantAnswer: AExplanation:where n is an integer. The most recent weekly Snapshot copy is weekly.0, weekly.1 is the next most recent weekly Snapshot copy, and so on.

https://library.netapp.com/ecmdocs/ECMP1113957/html/GUID-1D3B0C7D-D94E-43A3-9091- 5E76003E16EB.htmlQUESTION 42A SnapVault secondary volume can contain up to _____ Snapshot copies for data protection.A. 125B. 251C. 255D. Depends on capacity and number of disk drivesAnswer: BQUESTION 43Which three are pre-requisites for using SnapRestore? (Choose three.)A. The volume to be reverted must be offline.B. The volume to be reverted must not be a SnapMirror destination.C. You must enter the SnapRestore license code before you can use it.D. Snapshot copies must exist on the storage system so that you can select a snapshot for the reversion.Answer: BCDExplanation:You must meet certain prerequisites before using SnapRestore:-SnapRestore must be licensed on your storage system.- There must be at least one Snapshot copy on the system that you can select to revert.- The volume to be reverted must be online.- The volume to be reverted must not be in use for data replication.

This page was exported from - <u>Braindump2go Free Exam Dumps with PDF and VCE Collection</u> Export date: Thu Nov 21 20:55:22 2024 / +0000 GMT

http://hd.kvsconsulting.us/netappdoc/733docs/html/ontap/onlinebk/GUID-A14081A3-9270-47EE-

A1C1-EC52D3ABDBD0.htmlQUESTION 44Which command or procedure would you use to undo a volume SnapRestore operation?A. snap restore -r volB. snap revert -s volC. snap restore undo volD. You cannot undo a SnapRestore operation at the volume level.Answer: D!!!RECOMMEND!!!1.|2018 New NetApp NS0-155 Exam Dumps (PDF & VCE) 195Q&As Download: https://www.braindump2go.com/ns0-155.html2.|2018 New NetApp NS0-155 Study Guide Video: YouTube Video: YouTube.com/watch?v=G74lQEevDwI