

[2018-May-NewExam Pass 100% !Braindump2go 70-767 Dumps in PDF and VCE 287Q Instant Download[146-156

2018 May New Microsoft 70-767 Exam Dumps with PDF and VCE Just Updated Today! Following are some new 70-767 Real Exam Questions:1.2018 Latest 70-767 Exam Dumps (PDF & VCE) 287Q

Download:<https://www.braindump2go.com/70-767.html>2.2018 Latest 70-767 Exam Questions & Answers

Download:<https://drive.google.com/drive/folders/0B75b5xYLjSSNN1RSdIN6Z0VwRjg?usp=sharing>QUESTION 146You are developing a SQL Server Integration Services (SSIS) project that contains a project Connection Manager and multiple packages.All packages in the project must connect to the same database. The server name for the database must be set by using a parameter named ServerParam when any package in the project is executed. You need to develop this project with the least amount of development effort. What should you do? (Each correct answer presents part of the solution. Choose all that apply.)A. Set the Sensitive property of the parameter to True.B. Edit each package Connection Manager. Set the ServerName property to @[Project::ServerParam].C.

Edit the project Connection Manager in Solution Explorer. Set the ServerName property to @[Project::ServerParam].D. Create a project parameter named ServerName.E. Create a package parameter named ServerName in each package.F. Set the Required property of the parameter to True.**Answer:** CDF**Explanation:**C: From Question: " The server name for the database must be set by using a parameter named ServerParam when any package in the project is executed."D: SSIS 2012 has introduced the concept of Project level connection managers. An SSIS project is generally more than one package. To simplify lives, the SSIS team now allows for the sharing of common resources across projects, connection managers being one of those resources.F: When a parameter is marked as required, a server value or execution value must be specified for that parameter. Otherwise, the corresponding package does not execute. Although the parameter has a default value at design time, it will never be used once the project is deployed.**Note:**-

Integration Services (SSIS) parameters allow you to assign values to properties within packages at the time of package execution. You can create project parameters at the project level and package parameters at the package level. Project parameters are used to supply any external input the project receives to one or more packages in the project. Package parameters allow you to modify package execution without having to edit and redeploy the package.**Reference:** Integration Services (SSIS) ParametersQUESTION 147You are completing the installation of the Data Quality Server component of SQL Server Data Quality Services (DQS). You need to complete the post-installation configuration. What should you do?A. Install the Analysis Services OLE DB Provider.B.

Run the DQSInstaller.exe command.C. Run the Configuration component in the Data Quality Client.D. Make the data available for DQS operations.**Answer:** BQUESTION 148You are developing a SQL Server Integration Services (SSIS) project by using the Project Deployment Model, The project will be deployed to an SSIS catalog folder where Environments have already been created. You need to deploy the project. What should you do?A. Use an event handler for OnError for the package.B. Use an event handler for OnError for each data flow task.C. Use an event handler for OnTaskFailed for the package.D. View the job history for the SQL Server Agent job.E. View the All Messages subsection of the All Executions report for the package.F. Store the System::SourceID variable in the custom log table.G. Store the System::ServerExecutionID variable in the custom log table.H.

Store the System::ExecutionInstanceGUID variable in the custom log table.I. Enable the SSIS log provider for SQL Server for OnError in the package control flow.J. Enable the SSIS log provider for SQL Server for OnTaskFailed in the package control flow, K. Deploy the project by using dtutil.exe with the /COPY DTS option.L. Deploy the project by using dtutil.exe with the /COPY SQL option.M. Deploy the .ispac file by using the Integration Services Deployment Wizard.N. Create a SQL Server Agent job to execute the SSISDB.catalog.validate_project stored procedure.O. Create a SQL Server Agent job to execute the SSISDB.catalog.validate_package stored procedure.P. Create a SQL Server Agent job to execute the SSISDB.catalog.create_execution and SSISDB.catalog.start_execution stored procedures.Q. Create a table to store error information. Create an error output on each data flow destination that writes OnError event text to the table.R. Create a table to store error information. Create an error output on each data flow destination that writes OnTaskFailed event text to the table.

Answer: MQUESTION 149You are developing a SQL Server Integration Services (SSIS) package to load data into a data warehouse. The package consists of several data flow tasks. The package experiences intermittent errors in the data flow tasks. If any data flow task fails, all package error information must be captured and written to a SQL Server table by using an OLE DB connection manager.You need to ensure that the package error information is captured and written to the table.What should you do?A. Use an event handler for OnError for the package.B. Use an event handler for OnError for each data flow task.C. Use an event handler for OnTaskFailed for the package.D. View the job history for the SQL Server Agent job.E. View the All Messages subsection of the All Executions report for the package.F. Store the System::SourceID variable in the custom log table.G. Store the System::ServerExecutionID variable in the custom log table.H. Store the System::ExecutionInstanceGUID variable in the

custom log table.I. Enable the SSIS log provider for SQL Server for OnError in the package control flow.J. Enable the SSIS log provider for SQL Server for OnTaskFailed in the package control flow.K. Deploy the project by using dtutil.exe with the /COPY DTS option.L. Deploy the project by using dtutil.exe with the /COPY SQL option.M. Deploy the .ispac file by using the Integration Services Deployment Wizard.N. Create a SQL Server Agent job to execute the SSISDB.catalog.validate_project stored procedure.O. Create a SQL Server Agent job to execute the SSISDB.catalog.validate_package stored procedure.P. Create a SQL Server Agent job to execute the SSISDB.catalog.create_execution and SSISDB.catalog.start_execution stored procedures.Q. Create a table to store error information. Create an error output on each data flow destination that writes OnError event text to the table.R. Create a table to store error information. Create an error output on each data flow destination that writes OnTaskFailed event text to the table.**Answer: I**QUESTION 150You are developing a SQL Server Integration Services (SSIS) project to read and write data from a Windows Azure SQL Database database to a server that runs SQL Server 2012. The connection will be used by data flow tasks in multiple SSIS packages. The address of the target Windows Azure SQL Database database will be provided by a project parameter. You need to create a solution to meet the requirements by using the least amount of administrative effort and maximizing data flow performance. What should you do?A. Use an SSIS Script task that uses the custom assembly to parse the text data when inserting it.B. Use an SSIS Script transformation that uses the custom assembly to parse the text data when inserting it.C. Create a SQL Common Language Runtime (SQLCLR) function that uses the custom assembly to parse the text data, deploy it in the Windows Azure SQL Database database, and use it when inserting data.D. Create a SQL Common Language Runtime (SQLCLR) stored procedure that uses the custom assembly to parse the text data, deploy it in the Windows Azure SQL Database database, and use it when inserting data.**Answer: A**QUESTION 151You develop a SQL Server Integration Services (SSIS) project by using the Package Deployment Model. A package in the project extracts data from a Windows Azure SQL Database database. The package is deployed to SQL Server.The package is not producing the desired results.You need to generate the .mdmp and .tmp debug files in order to troubleshoot the issues.What should you do?A. Execute the catalog.add_data_tap stored procedure with the package execution_id.B. Execute the catalog.create_execution_dump stored procedure with the package execution_id.C. Run the DTEXEC utility with the /DumpOnError option.D. Run the DTEXEC utility with the /Reporting V option.**Answer: C**QUESTION 152You are developing a SQL Server Integration Services (SSIS) project that contains a project Connection Manager and multiple packages.All packages in the project must connect to the same database. The server name for the database must be set by using a parameter named ParamConnection when any package in the project is executed.You need to develop this project with the least amount of development effort. What should you do? (Each answer presents a part of the solution. Choose all that apply.)A. Create a package parameter named ConnectionName in each package.B. Edit each package Connection Manager. Set the ConnectionName property to @[\$Project::ParamConnection].C. Edit the project Connection Manager in Solution Explorer. Set the ConnectionName property to @ [\$Project::ParamConnection].D. Set the Sensitive property of the parameter to True.E. Create a project parameter named ConnectionName.F. Set the Required property of the parameter to True.**Answer: CEF****Explanation:**C: From Question " The server name for the database must be set by using a parameter named ParamConnection when any package in the project is executed."E: SSIS 2012 has introduced the concept of Project level connection managers. An SSIS project is generally more than one package. To simplify lives, the SSIS team now allows for the sharing of common resources across projects, connection managers being one of those resources. F: When a parameter is marked as required, a server value or execution value must be specified for that parameter. Otherwise, the corresponding package does not execute. Although the parameter has a default value at design time, it will never be used once the project is deployed.**Note:-** Integration Services (SSIS) parameters allow you to assign values to properties within packages at the time of package execution. You can create project parameters at the project level and package parameters at the package level. Project parameters are used to supply any external input the project receives to one or more packages in the project. Package parameters allow you to modify package execution without having to edit and redeploy the package.**Reference:** Integration Services (SSIS) ParametersQUESTION 153You are developing a SQL Server Integration Services (SSIS) package. The package sources data from an HTML web page that lists product stock levels. You need to implement a data flow task that reads the product stock levels from the HTML web page. Which data flow source should you use?A. Raw File sourceB. XML sourceC. Custom source componentD. Flat File source**Answer: C**QUESTION 154You are deploying a new SQL Server Integration Services (SSIS) package to five servers.The package must meet the following requirements:- .NET Common Language Runtime (CLR) integration in SQL Server must not be enabled.- The Connection Managers used in the package must be configurable without editing and redeploying the package.- The deployment procedure must be automated as much as possible.- Performance must be maximized.You need to set up a deployment strategy that meets the requirements.What should you do?A. Add an OnError event handler to the SSIS project.B. Use an msi file to deploy the package on the server.C. Open a command prompt and run the gacutil command.D. Open a command prompt and run the dtutil/copy

command.E. Open a command prompt and run the dtexec/rep/conn command.F. Open a command prompt and run the dtexec/dumperror/conn command.G. Open a command prompt and execute the package by using the SQL Log provider and running the dtexecui.exe utility.H. Create a reusable custom logging component and use it in the SSIS project.I. Configure the SSIS solution to use the Project Deployment Model.J. Configure the output of a component in the package data flow to use a data tap.K. Run the dtutil command to deploy the package to the SSIS catalog and store the configuration in SQL Server.**Answer: D**

QUESTION 155 Drag and Drop Questions You are maintaining a SQL Server Integration Services (SSIS) package. The package uses custom functionality that is implemented in Microsoft Visual C. The implementation of the custom functionality changes overtime. The design of the package allows you to deploy new releases of the custom functionality without redeploying the entire package. You need to implement and deploy an update to the custom functionality without requiring package redeployment. Which three actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.) Answer: **QUESTION 156** Hotspot Questions You are the data steward at your company. Duplicate customers exist in a Microsoft Excel workbook. You create a Data Quality Services (DQS) knowledge base and matching policy to identify these duplicate customers. You need to identify the duplicate customers. Which option should you use? (To answer, select the appropriate option in the answer area.) Answer: **!!!RECOMMEND!!!** 1. |2018 Latest 70-767 Exam Dumps (PDF & VCE) 287Q Download: <https://www.braindump2go.com/70-767.html> 2. |2018 Latest 70-767 Study Guide Video: YouTube Video: [YouTube.com/watch?v=Pg-qUuxOpNU](https://www.youtube.com/watch?v=Pg-qUuxOpNU)