

70-337 Dumps PDF New Published Today By Braindump2go From Microsoft Exam Center! (21-30)

MICROSOFT NEWS: 70-337 Exam Questions has been Updated Today! Get Latest 70-337 VCE and 70-337 PDF Instantly! Welcome to Download the Newest Braindump2go 70-337 VCE&70-337 PDF Dumps:

<http://www.braindump2go.com/70-337.html> (117 Q&As) Real Latest 70-337 Exam Questions Updated By Official Microsoft Exam Center! Braindump2go Offers 70-337 Dumps sample questions for free download now! You also can visit our website, download our premium Microsoft 70-337 Exam Real Answers, 100% Exam Pass Guaranteed! Exam Code: 70-337 Exam Name: Enterprise Voice & Online Services with Microsoft Lync Server 2013 Certification Provider: Microsoft Corresponding Certifications: MCSE, MCSE: Communication 70-337 Dumps, 70-337 PDF, 70-337 VCE, 70-337 Book, 70-337 Braindump, 70-337 Exam Prep, 70-337 Study Guide, 70-337 Study Materials, 70-337 Practice Exam, 70-337 Test Perp, 70-337 Exam Prep, 70-337 Practice Test, 70-337 Exam Questions

Microsoft Enterprise Voice & Online Services with Microsoft Lync Server 2013: 70-337



Product Description Exam Number/Code: 70-337
Exam Number/Code: 70-337

"Microsoft Enterprise Voice & Online Services with Microsoft Lync Server 2013", also known as 70-337 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 117 Q&As to your 70-337 Exam preparation. In the 70-337 exam resources, you will cover every field and category in Microsoft MCITP helping to ready you for your successful Microsoft Certification.

Questions and Answers : 117 Q&As
 Updated: Dec 12, 2015
 \$429.99 **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Free Demo Download

Braindump2go offers free demo for 70-337 exam (Microsoft Enterprise Voice & Online Services with Microsoft Lync Server 2013). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

Printable PDF Premium VCE + VCE Simulator

QUESTION 21 You have a Lync Server 2013 infrastructure. You need to prevent the users in the legal department from forwarding calls. Other users must be able to forward calls. Which two cmdlets should you run? (Each correct answer presents part of the solution. Choose two.) A. Grant-CsMobilityPolicy B. New-CsVoicePolicy C. Grant-CsVoicePolicy D. New-CsMobilityPolicy E. Set-CsVoicePolicy Answer: BC

QUESTION 22 Hotspot Question Your company has two offices. The offices are located in New York and Amsterdam. The dialing habits of the users in each office are shown in the following table.

Office	Phone number range	Dialing
New York	+1 212 555 1000 - 3000	<ul style="list-style-type: none"> Local PSTN: 10-digit phone number Long distance calls within digit phone number
Amsterdam	+31 20 1234 500 - 510	<ul style="list-style-type: none"> Local PSTN: 7-digit phone number Long distance calls within digit phone number International: 00 + phone number

You need to create a dial plan for the users in the New York office. Which match patterns should you use in the normalization rules? To answer, select the appropriate match patterns in the answer area.

Answer Area

Local PSTN: ^(d{7})\$
^(d{10})\$
^+1(d{10})\$
^10\d{10}\$
^7(d{212})\$

Long Distance within North America: ^+1(3\d{7})\$
^1(d{10})\$
^1(d{11})\$
^011(d{6}\d+)\$

International outside North America: ^(00\d{7})\$
^+0(d{11})\$
^*(d{011})\$
^(011\d{*})\$
^011(d{6}\d+)\$

Answer:

Answer Area

Local PSTN:

Long Distance within North America:

International outside North America:

Explanation: Note:- (d{10})\$ Translates 10-digit numbers in the United States (local PSTN)- 1(d{10})\$ Translates numbers with long distance prefixes in the United States- 011(d*)\$ (similar) Translates numbers with international prefixes in the United States

QUESTION 23 You have a Lync Server 2013 infrastructure that has Enterprise Voice enabled. You need to ensure that users can place a call on hold, and can then retrieve the call later by dialing a number from any phone. The solution must ensure that if a call is on hold for four minutes, the call is automatically forwarded to the receptionist. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

A. Create a Call Park orbit.
 B. Modify the global voice policy.
 C. Modify the global dial plan.
 D. Modify the Call Park settings.
 E. Create a static route.

Answer: AD

Explanation: <http://technet.microsoft.com/en-us/library/gg398283.aspx> <http://technet.microsoft.com/en-us/library/gg425886.aspx> <http://technet.microsoft.com/en-us/library/gg398283.aspx> <http://technet.microsoft.com/en-us/library/gg412721.aspx> is where we see that you need to set the Call Park Service settings in order to change the timeout from the default 1:30 to 4:00 <http://technet.microsoft.com/en-us/library/gg398283.aspx> Although Call Park needs to be enabled as well. See <http://technet.microsoft.com/en-us/library/gg182611.aspx>


Edit Voice Policy - Global

Scope: Global
 Name: Global
 Description:

Calling Features

- Enable call forwarding
- Enable delegation
- Enable call transfer
- Enable call park
- Enable simultaneous ringing of phones
- Enable team call
- Enable PSTN reroute
- Enable bandwidth policy override
- Enable multiconf call tracing

QUESTION 24 Drag and Drop Question You have a Lync Server 2013 infrastructure and a Microsoft Exchange Server 2010 Service Pack 2 (SP2) organization. All users are enabled for Enterprise Voice and Unified Messaging (UM). Lync Server and Exchange Server are configured to use DTMF only. Your company owns a phone number range of 1 (425) 555-5001 to 1 (425) 555-5999. You have normalization rules that transform four-digit and 10-digit numbers. You need to ensure that when callers call the company's main phone number, the following occurs:- If a caller dials 0, the call is transferred to the receptionist. If a caller dials 1, the call is transferred to extension number 5001. - If a caller waits on the line without dialing a number, the call is automatically transferred to the receptionist. Which settings should you configure? To answer, drag the appropriate settings to the correct caller actions in the answer area. Each setting may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.



Explanation: Note:- Operator Extension Enter the extension you want callers to connect with when they press zero. Could be an Auto Attendant, a specific person, or an external- Dial-in conferencing users can press keys on the telephone keypad to perform dual-tone multifrequency (DTMF) commands. DTMF commands enable users who dial in to a conference to control conference settings (such as muting and unmuting themselves or locking and unlocking the conference) by using the keypad on their telephone. You can use cmdlets to modify the keys used for the DTMF commands. number.- A dialing rule entry is used to define the telephone numbers and number masks for incountry/ region and international calls that can be made by UM-enabled users who are associated with a UM mailbox policy. Each dialing rule determines the types of calls that users within a dialing rule group can make.

QUESTION 25 Your company has a Lync Server 2013 infrastructure and a Microsoft Exchange Server 2010 Service Pack 2 (SP2) organization. The Lync Server 2013 infrastructure has Enterprise Voice enabled and uses a global four-digit dial plan. The Exchange Server organization has Unified Messaging (UM) enabled and uses a four-digit UM dial plan named DialPlan1. All dialing restrictions are set to allow All. You need to ensure that only the users in the research department can use the Play on Phone feature. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Modify the default UM mailbox policy. B. Modify DialPlan1. C. Create a new hunt group. D. Create a new UM mailbox policy. E. Create a new UM dial plan. Answer: ADE Explanation: <http://lync70337.freeforums.org/play-on-phone-feature-t14.html>

QUESTION 26 You are the administrator of a Lync Server 2013 infrastructure. You need to add a private line for an Enterprise Voice-enabled user. Which cmdlet should you run? A. Grant-CsVoicePolicy B. Set-CsUser C. Enable-CsUser D. New-CSAnalogDevice Answer: B Explanation: <http://technet.microsoft.com/en-us/library/gg398510.aspx>

QUESTION 27 Hotspot Question Your company has two offices. The offices are located in New York and Amsterdam. The dialing habits of the users in each office are shown in the following table.

Office	Phone number range	Dialing habit
New York	+1 212 555 1000 - 3000	<ul style="list-style-type: none"> Local PSTN: 10-digit phone number Long distance calls within North America: 1 + 10-digit phone number International: 00 + phone number
Amsterdam	+31 20 1234 500 - 510	<ul style="list-style-type: none"> Local PSTN: 7-digit phone number Long distance calls within the Netherlands: 0 + 9-digit phone number International: 00 + phone number

You need to create a dial plan for the users in the Amsterdam office. Which match patterns should you use in the normalization rules? To answer, select the appropriate match patterns in the answer area.

Answer Area

Local PSTN:

Long Distance within the Netherlands:

International:

Answer:

Answer Area

Local PSTN:

Long Distance within the Netherlands:

International:

Explanation: Note:- (d{7})\$local seven-digit number- 0(d{9})\$Long distance within Netherlands. Add prefix 0.- International. Add prefix 00


QUESTION 28 Drag and Drop Question You have a Lync Server 2013 infrastructure. You have one Enterprise Edition pool named pool.contoso.com. Enterprise Voice is enabled for all users. You have a PSTN gateway named mg1.contoso.com that does not support secure signaling. The Encryption support level of the global trunk configuration is set to Not Supported. You add a second PSTN gateway named mg2.contoso.com. The SIP General parameters for mg2.contoso.com are configured as shown in the following table.

Setting	Value
SIP Transport Type	TLS
SIP UDP Local Port	5,060
SIP TCP Local Port	5,060
SIP TLS Local Port	5,067
Enable SIPS	Disable

On mg2.contoso.com, you generate and install a certificate from an internal certification authority (CA). You need to ensure that Lync Server 2013 can use both PSTN gateways to make calls on the PSTN. Which four actions should you perform? To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.




Answer:




Explanation:Note:- When defining a PSTN gateway in Topology Builder, you must define a root trunk to successfully add the PSTN gateway to your topology. The root trunk cannot be removed until the associated PSTN gateway is removed. QUESTION 29 You have a Lync Server 2013 infrastructure and a Microsoft Exchange Server 2013 organization. Enterprise Voice and Unified Messaging (UM) are enabled for all users. You plan to hire several new employees. You need to configure a personal auto attendant for the new employees. Which cmdlet should run? A. New-InboxRule B. New-UmAutoAttendant C. New-UMMailboxPolicy D. New-UMCallAnsweringRule Answer: B QUESTION 30 Drag and Drop Question Your company has an Active Directory forest named contoso.com. All users log in to the forest by using their UPN. You have a Microsoft Exchange Server 2010 Service Pack 2 (SP2) organization. You purchase a Microsoft Office 365 subscription. You need to enable Microsoft Lync Online to meet the following requirements:- Users must use the same credentials for on-premises Exchange Server and Office 365. - Users must be able to invite other company users to online meetings by using Microsoft Outlook 2010. What should you deploy? To answer, drag the appropriate technology to the correct requirement in the answer area. Each technology may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Explanation:Note:- Active Directory Federation Services (AD FS) 2.0 helps simplify access to applications and other systems with an open and interoperable claims-based model.- ADFS or Active directory Federation Service is to deploy a new AD FS 2.0 infrastructure to provide your Active Directory users, who are logged on to computers located physically on the corporate network or that are logged on remotely to the corporate network, with single sign-on access to Office 365 services using their corporate



Answer:




Explanation:Note:- Active Directory Federation Services (AD FS) 2.0 helps simplify access to applications and other systems with an open and interoperable claims-based model.- ADFS or Active directory Federation Service is to deploy a new AD FS 2.0 infrastructure to provide your Active Directory users, who are logged on to computers located physically on the corporate network or that are logged on remotely to the corporate network, with single sign-on access to Office 365 services using their corporate

domain credentials. Once you have deployed your AD FS 2.0 production environment on-premises, you will need to establish a relying party trust relationship between the AD FS 2.0 federation server farm and Office 365. This relying party trust acts as a secure channel where authentication tokens can safely pass between your organization and Office 365 in order to facilitate single sign-on access to Office 365.- The Microsoft Online Services Directory Synchronization tool is an application that runs Active Directory synchronization for Microsoft Office 365 for enterprises. An administrator should install this tool and run it on only one computer on your company's local network.- With the Microsoft Conferencing Add-in for Microsoft Office Outlook, you can do the following without leaving the Office Outlook messaging and collaboration client:Schedule a meeting in the same way that you book a conference room and invite attendees to other meetings.Set Live Meeting service Meeting OptionsSchedule a conference call

Braindump2go is one of the Leading 70-337 Exam Preparation Material Providers Around the World! We Offer 100% Money Back Guarantee on All Products! Feel Free In Downloading Our New Released 70-337 Real Exam Questions!

Microsoft Enterprise Voice & Online Lync Server 2013: 70-337



Product Description Ex

Exam Number/Code: 70-337

*Microsoft Enterprise Voice & Online Lync Server 2013: 70-337 exam, is a Microsoft Certified exam. Braindump2go has assembled the best practice questions in the 70-337 exam resources, you can use them to help you preparing for your success.

Questions and Answers : 117 Q&As

Updated: Dec 12, 2015

~~\$429.99~~ **\$99.99**

PDF DEMO

CHECK OUT

Free Demo Download

Braindump2go offers free demo questions and answers with Microsoft Lync Server 2013: 70-337 exam. You can use them to help you preparing for your success. We have also prepared our practice exams before you.

Printable PDF Premium

FREE DOWNLOAD: NEW UPDATED 70-337 PDF Dumps & 70-337 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-337.html> (117 Q&As)