


Braindump2go 70-481 Dumps PDF Free Download (111-122)

MICROSOFT OFFICIAL: New Updated 70-481 Exam Questions from Braindump2go 70-481 PDF Dumps and 70-481 VCE Dumps! Welcome to Download the Newest Braindump2go 70-481 VCE&PDF Dumps:
<http://www.braindump2go.com/70-481.html> (122 Q&As)70-481 Exam Questions are updated recently by Microsoft Official! Braindump2go has already got all the latest 70-481 Exam Questions and provides latest 70-481 Dumps for free download Now!70-481 PDF and 70-481 VCE are available for download now! You can get the latest updated 70-481 Practice Tests and 70-481 Practice Exams! Pass 70-481 Certification Exam Now! Exam Code: 70-481Exam Name: Essentials of Developing Windows Store Apps Using HTML5 and JavaScriptCertification Provider: MicrosoftCorresponding Certifications: MCSD, MCSD: Windows Store AppsKeywords:70-481 Dumps,70-481 Free Exam Questions,70-481 VCE,70-481 Dumps PDF,70-481 Study Guide,70-481 Essentials of Developing Windows Store Apps Using HTML5 and JavaScript

Microsoft Essentials of Developing Windows Store Apps Using HTML5 and JavaScript: 70-481



Product Description Exam Number/Code: 70-481

Exam Number/Code: 70-481

"Microsoft Essentials of Developing Windows Store Apps using HTML5 and JavaScript" known as 70-481 exam, is a Microsoft Certification. With the complete and answers, Braindump2go has assembled to take you through 122 Exam preparation. In the 70-481 exam resources, you will cover every Microsoft Others Microsoft Certification helping to ready you for your s Certification.

Free Demo Download

Braindump2go offers free demo for 70-481 exam (Microsoft Essential Store Apps using HTML5 and JavaScript). You can check out the int usability of our practice exams before you decide to buy it.

Printable PDF Premium VCE + VCE Simulator

Questions and Answers : 122 Q&As

Updated: Sep 14, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

QUESTION 111 You are developing a Windows Store app by using JavaScript. The app will be used to retrieve data from a web service. The app must retrieve the current date and time in UTC format from the web service by using the URL <http://www.treyresearch.net/GetDateTimeinUTC.aspx>. Errors must be handled. You must ensure that data is retrieved successfully. Which code segment should you use?

```
A. WinJS.xhr({ url: "http://www.treyresearch.net/GetDateTimeinUTC.aspx" })  
    .then(function complete(result) {  
        ...  
    });  
  
B. WinJS.xhr({ type: "POST", url: "http://www.treyresearch.net/GetDateTimeinUTC.aspx" })  
    .done(function complete(result) {  
        ...  
    },  
    function error(result) {  
        ...  
    });  
  
C. WinJS.xhr({ url: "http://www.treyresearch.net/GetDateTimeinUTC.aspx" })  
    .done(function complete(result) {  
        ...  
    });  
  
D. WinJS.xhr({ url: "http://www.treyresearch.net/GetDateTimeinUTC.aspx" })  
    .done(function complete(result) {  
        ...  
    },  
    function error(result) {  
        ...  
    });
```


A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 112 Drag and Drop Question You are developing a Windows Store alarm clock app. When an alarm is triggered, the app must present a toast notification that plays a repeating audio alert until dismissed. You need to ensure that the repeating audio alert is played. How should you define the toast notification? (To answer, drag the appropriate code segments to the correct locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```
audio.setAttribute("loop", "true");  
audio.setAttribute("repeat", "true");  
toast.setAttribute("duration", "long");  
toast.setAttribute("duration", "extended");  
  
function buildToast() {  
    var toast = toastNotificationManager.getTemplateContent(templateId);  
    toast.setAttribute("text", toastText);  
    toast.setAttribute("duration", "long");  
    toast.setAttribute("duration", "extended");  
    var audio = xml.createElement("audio");  
    audio.setAttribute("src", "ms-winsoundevent:Notification.Looping.Alarm");  
    toast.appendChild(audio);  
    return toast;  
}
```


Answer:

```
audio.setAttribute("loop", "true");  
audio.setAttribute("repeat", "true");  
toast.setAttribute("duration", "long");  
toast.setAttribute("duration", "extended");  
  
function buildToast() {  
    var toast = toastNotificationManager.getTemplateContent(templateId);  
    toast.setAttribute("text", toastText);  
    toast.setAttribute("duration", "long");  
    var audio = xml.createElement("audio");  
    audio.setAttribute("src", "ms-winsoundevent:Notification.Looping.Alarm");  
    toast.appendChild(audio);  
    return toast;  
}
```

QUESTION 113 Hotspot Question You are developing a Windows Store app. The app must use toast notifications to alert users when the app is operating in the background. You need configure the app to support toast notifications. Which tab in Visual Studio should you use? (To answer, select the appropriate tab in the answer area.)



Answer:



QUESTION 114 You are developing a Windows Store app by using HTML5 and JavaScript. You need to list all the keyboard, stylus, mouse, and touch input devices that are connected to the local computer system. Which Windows library should you use? A. Windows.UI.InputB. Windows.Media.DevicesC. Windows.Devices.EnumerationD. Windows.Devices.Input Answer: D

QUESTION 115 You are developing a Windows Store app by using HTML5 and JavaScript. The app will be used to monitor road traffic conditions. The app must support live tile notifications, in accordance with the following requirements:- Update the tile every five minutes when the app is in the running state. - Update the tile once in the morning and once in the evening when the app is in the suspended state.- Implement updates to tiles to optimize the power and resource consumption when the app is suspended or not otherwise running. You need to implement delivery notifications to ensure that the requirements are met. How should you use delivery notifications? A. Use the Periodic delivery notification when the app is running, and use the Scheduled delivery notification when the app is suspended.B. Use the Push delivery notification when the app is running, and use the Local delivery notification when the app is suspended.C. Use the Local delivery notification when the app is running, and use the Push delivery notification when the app is suspended.D. Use the Scheduled delivery notification when the app is running, and use the Push delivery notification when the app is suspended. Answer: C

QUESTION 116 Hotspot Question You are developing a Windows Store app by using HTML5 and JavaScript. The app defines the following objects:- InkManager is an object to process and manipulate the ink-related data from the stylus.- InkContext is an object to hold the surface context. - CurrentPenId is an object to restrict input processing to one stroke at a time. The app must support the following requirements:- Support the use of a stylus input device.- Begin capturing input when the stylus first touches the screen.- Render stylus movements in real time. You need to ensure that the requirements are met. Which code segments should you use? (To answer, select the correct option from each drop-down list in the answer area.

```
Work Area

function onStylusDown(evt) {
    var current=evt.currentPoint;

    InkContext.beginPath();
    InkContext.stroke();
    InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.moveTo(current.x,current.y);
    InkContext.moveTo(current.x,current.y);

    InkContext.beginPath();
    InkContext.stroke();
    InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.moveTo(current.x,current.y);
    InkContext.moveTo(current.x,current.y);

    InkManager.processPointerDown(current);
}

function onStylusMove(evt) {
    if (evt.pointerId==currentPenId) {
        var current=evt.currentPoint;

        InkContext.beginPath();
        InkContext.stroke();
        InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.moveTo(current.x,current.y);
        InkContext.moveTo(current.x,current.y);

        InkContext.beginPath();
        InkContext.stroke();
        InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.moveTo(current.x,current.y);
        InkContext.moveTo(current.x,current.y);

        InkManager.processPointerUpdate(current);
    }
}
```

Answer:

```
Work Area

function onStylusDown(evt) {
    var current=evt.currentPoint;

    InkContext.beginPath();
    InkContext.stroke();
    InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.moveTo(current.x,current.y);
    InkContext.moveTo(current.x,current.y);

    InkContext.beginPath();
    InkContext.stroke();
    InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
    InkManager.moveTo(current.x,current.y);
    InkContext.moveTo(current.x,current.y);

    InkManager.processPointerDown(current);
}

function onStylusMove(evt) {
    if (evt.pointerId==currentPenId) {
        var current=evt.currentPoint;

        InkContext.beginPath();
        InkContext.stroke();
        InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.moveTo(current.x,current.y);
        InkContext.moveTo(current.x,current.y);

        InkContext.beginPath();
        InkContext.stroke();
        InkContext.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.lineTo(current.rawPosition.x,current.rawPosition.y);
        InkManager.moveTo(current.x,current.y);
        InkContext.moveTo(current.x,current.y);

        InkManager.processPointerUpdate(current);
    }
}
```

QUESTION 117 Drag and Drop question You develop a Windows Store app that uses several new user interface features. You need to declare capabilities in the application manifest so that you can submit the app to the Windows Store. How should you complete the relevant markup? (To answer, drag the appropriate markup segments to the correct locations in the answer area. Each markup segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```
Name="internetClient" />  
Name="bookmarksLibrary" />  
Name="mediaStream" />  
  
<Capabilities>  
<Capability Name="picturesLibrary" />  
<Capability Name="musicLibrary" />  
<DeviceCapability Name="proximity" />  
<DeviceCapability Name="location" />  
</Capabilities>
```

Answer:

```
Name="bookmarksLibrary" />  
Name="mediaStream" />  
  
<Capabilities>  
<Capability Name="picturesLibrary" />  
<DeviceCapability Name="webcam" />  
<DeviceCapability Name="proximity" />  
<DeviceCapability Name="location" />  
</Capabilities>
```

QUESTION 118 You are creating a Windows Store app for a retail business. You must enumerate the available human interface devices (HIDs) on the client computer. You need to use the Windows.Devices.HumanInterfaceDevice namespace to detect the available devices. What types of devices can you detect? A. an internal camera device B. a remote networked 3D printer C. a wireless router D. a Bluetooth-enabled joystick that uses a native Windows 8.1 device driver Answer: A Explanation:


QUESTION 119 You are developing a line-of-business Windows Store app that will interact with a magnetic stripe reader. Your company distributes the magnetic stripe reader to an end user. You need to activate the magnetic stripe reader. Which method should you use? A. RetrieveStatisticsAsync B. CheckHealthAsync C. FromIdAsync D. GetSupportedProfiles Answer: A Explanation:

QUESTION 120 You are developing a Windows Store app that will access a device's webcam. All necessary device capabilities have been declared in the app manifest. The app must not throw an error if the user has declined or revoked permission to the webcam. You need to identify whether the app has permission to use the webcam. What should you do? A. Using the CameraCaptureUI class, test for the value returned by the CaptureFileAsync method. B. Using the CameraCaptureUI class, test for the value returned by the videoSettings property. C. Using the MediaCapture class, test for the value returned by the async method. D. Using the MediaCapture class, test for the value returned by the MediaCaptureSettings property. Answer: C Explanation:

QUESTION 121 You are developing a Windows Store app by using HTML5. The app will be optimized for accessibility. The app must meet the following accessibility requirements: - Provide support for navigating all user interface elements. - Provide support for invoking default functionality on the user interface. - Provide support for use of a computer keyboard. You need to ensure that the app meets the accessibility requirements. Which actions should you perform? (Each correct answer presents part of the solution. Choose all that apply.) A. Set the tabIndex attribute for interactive elements. Dynamically manage the tabIndex attribute for composite elements. B. Set the aria-live attribute of user interface elements to polite for important content that changes dynamically. C. Ensure that visible text has a minimum luminosity contrast ratio of 1:1 against the background. D. Implement event handlers for invoking default functionality. Answer: AB

QUESTION 122 You are developing a Windows Store app by using HTML5 and JavaScript. The app has HEADER, NAV, and SECTION elements. The SECTION element displays a list of records. The app will allow users to sort records multiple times. The app must meet the following requirements: - Each time the user performs a sort, replace the content in the SECTION element with the sorted records. - Animate the updated content by sliding the sorted records into the SECTION element. You need to use the WinJS library to apply the animation to the SECTION element. Which function should you use? A. enterPage() B. enterContent() C. createExpandAnimation() D. createPeekAnimation() Answer: B
Braindump2go Guarantee: Pass-Certification 70-481 offers absolute risk free investment opportunity, values your time and money! Braindump2go latest 70-481 Real Exam Dumps - Your success in 70-481 Exam is certain! Your belief in our 70-481 Exam Dumps is further strengthened with 100% Money Back Promise from Braindump2go!

Microsoft Essentials of Developing Windows Store Apps using HTML5 and JavaScript: 70-481



Product Description Exam Number/Code: 70-481

Exam Number/Code: 70-481

"Microsoft Essentials of Developing Windows Store Apps using HTML5 and JavaScript", also known as 70-481 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 122 Q&As to your 70-481 Exam preparation. In the 70-481 exam resources, you will cover every field and category in Microsoft Others Microsoft Certification helping to ready you for your successful Microsoft Certification.

Questions and Answers : 122 Q&As

Updated: Sep 14, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Free Demo Download

Braindump2go offers free demo for 70-481 exam (Microsoft Essentials of Developing Windows Store Apps using HTML5 and JavaScript). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

Printable PDF **Premium VCE + VCE Simulator**

FREE DOWNLOAD: Latest 70-481 PDF Dumps & VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-481.html>(122Q&As)