

[Braindump2go 70-511 Training Material Free Download (181-190)]

MICROSOFT NEWS: 70-511 Exam Questions has been Updated Today! Get Latest 70-511 VCE and 70-511 PDF Instantly!
Welcome to Download the Newest Braindump2go 70-511 VCE&70-511 PDF Dumps:

<http://www.braindump2go.com/70-511.html> (300 Q&As) Important News: Microsoft 70-511 Exam Questions are been updated recently! The Microsoft 70-511 Practice Exam is a very hard exam to successfully pass your exam. Here you will find Free Braindump2go Microsoft Practice Sample Exam Test Questions that will help you prepare in passing the 70-511 exam. Braindump2go Guarantees you 100% PASS exam 70-511! Exam Code: 70-511 Exam Name: TS: Windows Applications Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Windows Applications [70-511 Dumps PDF, 70-511 PDF, 70-511 VCE, 70-511 eBook, 70-511 Study Guide, 70-511 Certification, 70-511 Exam Questions, 70-511 Book, 70-511 Dump, 70-511 eBook PDF, 70-511 Exam Preparation, 70-511 Dumps Free, 70-511 Braindumps, 70-511 Practice Tests, 70-511 Practice Exam, 70-511 Practice Test Free, 70-511 TS: Windows Applications Development with Microsoft .NET Framework 4](#)

TS: Windows Applications

Framework 4: 70-511



Questions and Answers : 300
Q&As
Updated: Nov 2, 2015
\$429.99 **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

QUESTION 181 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You add a TreeView control to show the hierarchical structure of orders and order details. Each order contains an ObservableCollection named OrderDetails. You write the following code fragment. (Line numbers are included for reference only.) You need to ensure that the TreeView control meets the following requirements:- Each order is shown as a TreeView node.- The order nodes have order detail nodes as children.- The order detail nodes have no children. Which code fragment should you insert at line 07?

```
01 <Grid>
02   <Grid.Resources>
03     <src:Orders x:Key="OrderTemplate" DataTemplate="{StaticResource OrderDetailTemplate}" />
04   <DataTemplate x:Key="OrderTemplate" ItemsSource="{Binding Path=OrderDetails}" ItemTemplate="{StaticResource OrderDetailTemplate}" />
05   <TextBlock Text="{Binding Path=OrderDetails.Count}" />
06   <TreeView DataTemplate="{StaticResource OrderTemplate}" ItemsSource="{Binding Path=Orders}" ItemTemplate="{StaticResource OrderTemplate}" />
07   <TextBlock Text="{Binding Path=OrderDetails.Count}" />
08 </Grid>
09 <TreeView DataTemplate="{StaticResource OrderTemplate}" ItemsSource="{Binding Path=Orders}" ItemTemplate="{StaticResource OrderTemplate}" />
10 </Grid>
```

A. `<HierarchicalDataTemplate x:Key="OrderTemplate" DataType="Order" ItemTemplate="{StaticResource OrderDetailTemplate}" /> <TextBlock Text="{Binding Path=.}" /></HierarchicalDataTemplate>`
B. `<HierarchicalDataTemplate x:Key="OrderTemplate" ItemsSource="{Binding Path=OrderDetails}" ItemTemplate="{StaticResource OrderDetailTemplate}" /> <TextBlock Text="{Binding Path=.}" /></HierarchicalDataTemplate>`
C. `<HierarchicalDataTemplate x:Key="OrderTemplate" ItemsSource="{Binding Path=orders}" ItemTemplate="{StaticResource OrderDetailTemplate}" /> <TextBlock Text="{Binding Path=.}" /></HierarchicalDataTemplate>`
D. `<HierarchicalDataTemplate x:Key="OrderTemplate" ItemsSource="{Binding Path=orders}" DataType="Order" /> <TextBlock Text="{Binding Path=.}" /></HierarchicalDataTemplate>`

Answer: B **QUESTION 182** You are developing a Windows Presentation Foundation (WPF) application that displays opportunities from List (Of T) named Leads, where T is a class named Lead. The Lead class contains the properties Title and Revenue. You add a DataGrid control named dgQualifiedLeads to the MainWindow.xaml file. You set the ItemSource property of dgQualifiedLeads to Leads as follows. (Line numbers are included for reference only.) You need to ensure that CollectionViewSource is used to filter the

list to display only Lead objects with revenue of more than \$1,000. What should you do?

```
01 Dim Leads As ICollectionView
02 Public Sub New()
03
04     InitializeComponent()
05     Leads = CollectionViewSource.GetDefaultView(
06         New List(Of Lead) (
07             New Lead() With {
08                 .Title = "Title1", .Revenue = 1250.78), _
09                 New Lead() With (
10                     .Title = "Title2", .Revenue = 500.0), _
11                 New Lead() With (
12                     .Title = "Title3", .Revenue = 2300.33), _
13                 New Lead() With (
14                     .Title = "Title4", .Revenue = 2989.09), _
15                 New Lead() With (
16                     .Title = "Title5", .Revenue = 1500.21) _
17             )
18         )
19     }
20 }
21 dgQualifiedLeads.ItemsSource = Leads
22
23 End Sub
```

A. Insert the following code at line 22. `Leads.Filter = New Predicate(Of Object)(AddressOf FilterOut)` Add the following code segment to the code-behind of the MainWindow.xaml file. `Public Function FilterOut(ByVal item As Object) As Boolean Dim lead As Lead = TryCast(item, Lead) Return IIf(lead.Revenue < 1000D, True, False) End Function` B. Insert the following code at line 22. `Leads.Filter = New Predicate(Of Object)(AddressOf FilterOut)` Add the following code segment to the code-behind of the MainWindow.xaml file. `Public Function FilterOut(ByVal item As Object) As Boolean Dim lead As Lead TryCast(item, Lead) Return IIf(lead.Revenue > 1000D, False, True) End Function` C. Insert the following code at line 22. `Leads.Filter = New Predicate(Of Object)(Function(s) DirectCast(s, Lead).Revenue > 1000D)` D. Insert the following code at line 22. `Leads.SortDescriptions.Add(New SortDescription("Revenue", ListSortDirection.Ascending))` Answer: C QUESTION 183 You are developing a Windows Presentation Foundation (WPF) application that displays pricing and inventory information. A list box's ItemsSource property has decimal and string types. Decimals represent price and strings represent messages such as "Discontinued". The following markup is defined as follows. (Line numbers are included for reference only.) You need to ensure that data templates are used to format the strings without changes and the decimals as currency. Which markup segment should you insert at line 05?

```
01 <Window
02     xmlns:
03     <ListB
04     <DataT
05
06     </Li
07     </List
08 </Window
```

A. `<DataTemplate x:Key="clr:String"><TextBlock Text="{Binding StringFormat=Item Error: {0}}"/></DataTemplate>`
`<DataTemplate x:Key="clr:Decimal"><TextBlock Text="{Binding StringFormat=Item Price: {0:C}}"/></DataTemplate>` B.
`<DataTemplate x:Key="String" Template="clr:String"><TextBlock Text="{Binding StringFormat=Item Error: {0}}"/>`
`</DataTemplate><DataTemplate x:Key="Decimal" Template="clr:Decimal"><TextBlock Text="{Binding StringFormat=Item`
`Price: {0:C}}"/></DataTemplate>` C. `<DataTemplate DataType="{x:Type clr:String}"><TextBlock Text="{Binding`
`StringFormat=Item Error: {0}}"/></DataTemplate><DataTemplate DataType="{x:Type clr:Decimal}"><TextBlock`
`Text="{Binding StringFormat=Item Price: {0:C}}"/></DataTemplate>` D. `<DataTemplate DataType="clr:String"><TextBlock`
`Text="{Binding StringFormat=Item Error: {0}}"/></DataTemplate><DataTemplate DataType="clr:Decimal"><TextBlock`
`Text="{Binding StringFormat=Item Price: {0:C}}"/></DataTemplate>` Answer: B QUESTION 184 You use Microsoft Visual
Studio 2010 and Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You create a WPF
window in the application. You add the following code segment to the application. The DataContext property of the window is set to
an instance of the ViewModel class. The Data property of the ViewModel instance is initialized with a collection of BusinessObject
objects. You add a TextBox control to the window. You need to bind the Text property of the TextBox control to the Name property
of the current item of the CollectionView of the DataContext object. You also need to ensure that when a binding error occurs, the
Text property of the TextBox control is set to N/A. Which binding expression should you use?

```
Public Class ViewModel
    Public Property Data() As ICollectionView
        Get
        End Get
        Set
        End Set
    End Property
End Class
Public Class BusinessObject
    Public Property Name() As String
        Get
        End Get
        Set
        End Set
    End Property
End Class
```

A. {Binding Path=Data/Name, FallbackValue='N/A' }B. {Binding Path=Data.Name, FallbackValue='N/A' }C. {Binding Path=Data/Name, TargetNullValue='N/A' }D. {Binding Path=Data.Name, TargetNullValue='N/A' } Answer: A QUESTION 185
You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code segment. (Line numbers are included for reference only.)

```
01 Public Class Contact
02 Private _contactName As String
03
04 Public Property ContactName() As String
05     Get
06         Return _contactName
07     End Get
08     Set
09         _contactName = value
10     End Set
11 End Property
12
13 End Class
```

You add the following code fragment within a WPF window control.

```
<TextBox>
    <TextBox.Text>
        <Binding Path="ContactName" UpdateSourceTrigger="PropertyChanged">
            <Binding.ValidationRules>
                <Rule>
                    <Binding>
                </Binding>
            </Rule>
        </Binding>
    </TextBox.Text>
</TextBox>
```

You need to ensure that the Contact class contains a business rule to ensure that the ContactName property is not empty or NULL. You also need to ensure that the TextBox control validates the input data. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two).

A. Replace line 01 with the following code segment. Public Class Contact Implements IDataErrorInfo

B. Replace line 01 with the following code segment. Public Class Contact Inherits ValidationRuleC.

Replace line 01 with the following code segment. Public Class Contact Implements INotifyPropertyChangingD. Add the following code segment at line 03. Public Event PropertyChanging As PropertyChangingEventHandler Modify line 08 with the following code segment: SetIf Me.PcpropertyChanging <> Nothing Then Proper:tyChanging(Me, New PropertyChangingEventArgs("ContactName")) End If If String. IsNull OrEmpty(value) Then Throw New ApplicationExceptionf"Contact name is required") End If contactNaroe = valueEnd SetE. Add the following code segment at line 12. Public Readonly Property [Error] ()As StringGetThrow New Exception(string.Empty)End Get End PropertyPublic Default Readonly Property Item(columnName As String) As String Get If columnName = "ContactName" AndAlso String.IsNullOrEmpty(Me.ContactName) Then Return "Contact name is re quired"End If Return NothingEnd GetEnd Property Answer: AE QUESTION 186

You are developing a Windows Presentation Foundation (WPF) application. This application will be used to display customer data to customer service representatives. Phone numbers are stored as ten-digit numbers in the database. The markup is as follows. <TextBlock Text="{Binding Path=PhoneNumber, ConvertersStaticResource PhoneFormatConverter}" /> You need to ensure that phone numbers are displayed in the following format: (###) ### - #### Which markup segment should you use?

A. Public Function Convert(ByVal value As Object, ByVal targetType As Type, ByVal parameter As Object, ByVal culture As CultureInfo) As ObjectReturn String.Format("{0:(###)###-####}>", CLng(parameter))End Function

B. Public Function Convert(ByVal value As Object, ByVal targetType As Type, ByVal parameter As Object, ByVal culture As CultureInfo) As ObjectReturn String.Format("{0:(###)###-####}", CLng(value))End Function

C. Public Function ConvertBackfByVal value As Object, ByVal targetType As Type, ByVal parameter As Object, ByVal culture As CultureInfo) As ObjectReturn

String.Format("{0:[###]###-####}",CLng(parameter))End FunctionD. Public Function ConvertBack(ByVal value As Object, ByVal targetType As Type,ByVal parameter As Object, ByVal culture As CultureInfo) As ObjectReturn String.Format("{0:[###]###-####>",CLng(value))End Function Answer: B QUESTION 187You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application.You add a ListBox control to the application. The ListBox control is data-bound to an instance of a custom collection class of the Product objects named ProductList. You need to ensure that changes to ProductList are automatically reflected in the ListBox control.What should you do? A. Implement the INotifyPropertyChanged interface in the Product class.B. Implement the IQueryable<Product> interface in the ProductList class.C. Extend the DependencyObject class in the Product class.D. Extend the ObservableCollection<Product> class in the ProductList class. Answer: D QUESTION 188You are developing a Windows Presentation Foundation (WPF) application. You need to display HTML content from a Web page on the WPF form.What should you do? A. Add a FlowDocumentReader control to the design surface. Then create a FlowDocument control.B. Add a DocumentViewer control to the design surface. Then create a FixedDocument control.C. Add a WebBrowser control to the design surface. Then use the Navigate method to navigate the URI object.D. Add a ContentControl control to the design surface. Then reference a WebClient object to return an HTML string. Answer: C QUESTION 189You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You need to ensure that the application meets the following requirements:- Displays a menu that is specific to the control selected by the user.- Displays the menu next to the control.Which control should you use? A. MenuB. PopupC. ListBoxD. ContextMenu Answer: D QUESTION 190You use Microsoft .NET Framework 4 to create a Windows Forms application. You need to allow the user interface to use the currently configured culture settings in the Control Panel.Which code segment should you use? A. Thread.CurrentThread.CurrentUICulture = Thread.CurrentThread.CurrentCultureB. Thread.CurrentThread.CurrentCulture = Thread.CurrentThread.CurrentUICultureC. Thread.CurrentThread.CurrentUICulture = CultureInfo.InstalledUICultureD. Thread.CurrentThread.CurrentCulture = CultureInfo.InstalledUICulture Answer: A Thanks For Trying Braindump2go Latest Microsoft 70-511 Dumps Questions! Braindump2go Exam Dumps ADVANTAGES:? 100% Pass Guaranteed Or Full Money Back! ? Instant Download Access After Payment!? One Year Free Updation!? Well Formated: PDF,VCE,Exam Software!? Multi-Platform capabilities ? Windows, Laptop, Mac, Android, iPhone, iPod, iPad.? Professional, Quick,Patient IT Expert Team 24/7/3300 Onlinen Help You!? We served more than 35,000 customers all around the world in last 5 years with 98.99% PASS RATE!? Guaranteed Secure Shopping! Your Transcations are protected by Braindump2go all the time!? Pass any exams at the FIRST try!

TS: Windows Appli
Framework 4: 70-5



Questions and Answers : 300
Q&As
Updated: Nov 2, 2015
~~\$120.00~~ **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

FREE DOWNLOAD: NEW UPDATED 70-511 PDF Dumps & 70-511 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-511.html> (300 Q&A)