

[Braindump2go 70-513 Exam PDF Free Download (121-130)]

MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly! Welcome to Download the Newest Braindump2go 70-513 VCE&70-513 PDF Dumps:

<http://www.braindump2go.com/70-513.html> (341 Q&As) We never believe in second chances and Braindump2go brings you the best 70-513 Exam Preparation Materials which will make you pass in the first attempt. We guarantee all questions and answers in our 70-513 Dumps are the latest released, we check all exam dumps questions from time to time according to Microsoft Official Center, in order to guarantee you can read the latest questions! Exam Code: 70-513 Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications 70-513 Dumps PDF, 70-513 eBook, 70-513 VCE, 70-513 PDF, 70-513 Latest Dumps, 70-513 Certification, 70-513 Training Kit PDF, 70-513 Braindump, 70-513 Exam Dumps, 70-513 Exam Book, 70-513 Exam PDF, 70-513 Exam Book, 70-513 Exam Preparation, 70-513 Dumps VCE, 70-513 Practice Test, 70-513 Practice Exam, 70-513 Preparation Book

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513



Product Description

Exam Number/Code: 70-513

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513 exam, is a PDF VCE file containing all questions and answers, Braindump2go provides the best quality Exam preparation. In the 70-513 exam, Braindump2go provides the best quality Microsoft MCPD helping to re

Questions and Answers : 341
Q&As
Updated: Nov 13, 2015
\$429.99 **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Printable PDF Pre

QUESTION 121 You are hosting a Windows Communication Foundation (WCF) service under Microsoft Internet Information Services (IIS) 7.0. You have set up a web site in IIS Manager. The physical path is c:\wwwroot\Calendar. There is a Calendar.svc file in the c:\wwwroot\Calendar folder. It contains the following directive: <% @ServiceHost Language="C#" Debug="true" Service="Calendar.Calendar" CodeBehind="CalendarSvc.cs" %> The CalendarSvc.cs file contains the source for the Calendar class in the Calendar namespace. You compile this code into the Calendar.dll file. You need to deploy your service to the web site. What should you do? A. Copy the Calendar.dll file to the c:\wwwroot\Calendar\code folder B. Copy the Calendar.dll file to the c:\wwwroot\Calendar\bin folder C. Copy the Calendar.svc.cs file to the c:\wwwroot\Calendar\bin folder D. Copy the Calendar.svc.cs file to the c:\wwwroot\Calendar\code folder Answer: B

QUESTION 122 You are creating a Windows Communication Foundation (WCF) service that accepts messages from clients when they are started. The message is defined as follows: [MessageContract] public class Agent { public string CodeName { get; set; } public string SecretHandshake { get; set; } } You have the following requirements: - The CodeName property must be sent in clear text. - The service must be able to verify that the property value was not changed after being sent by the client. - The SecretHandshake property must not be sent in clear text and must be readable by the service. What should you do? A. Add a MessageBodyMember attribute to the CodeName property and set the ProtectionLevel to Sign. Add a MessageBodyMember attribute to the SecretHandshake property and set the ProtectionLevel to EncryptAndSign. B. Add a DataProtectionPermission attribute to the each property and set the ProtectData property to true. C. Add an xmlText attribute to the CodeName property and set the DataType property to Signed. Add a PasswordPropertyText attribute to the SecretHandshake property and set its value to true. D. Add an ImmutableObject attribute to the CodeName property and set its value property to true. Add aBrowsable attribute to the SecretHandshake property and set its value to false. Answer: A

QUESTION 123 You implement a Windows Communication Foundation (WCF) service. You must process all of the valid SOAP messages that the service receives. What should you do? A. On the OperationContractAttribute, call the Match method. B. Call the Message.CreateMessage static method. Pass the value MessageVersion.Default as a parameter. C. On the OperationContractAttribute of a method, set the value of the Action and ReplyAction properties to *. D. On the OperationContractAttribute of a method, set the value of the Action and ReplyAction properties to ?. Answer: A

QUESTION 124 You are creating a Windows Communication Foundation (WCF) service

that implements the following service contract.`[ServiceContract]public interface IOrderProcessing {[OperationContract]void ApproveOrder(int id);}` You need to ensure that only users with the Manager role can call the ApproveOrder method. What should you do? A. In the method body, check the Rights PossessesProperty property to see if it contains ManagerB. Add a PrincipalPermission attribute to the method and set the Roles property to ManagerC. Add a SecurityPermission attribute to the method and set the SecurityAction to DemandD. In the method body, create a new instance of WindowsClaimSet. Use the FindClaims method to locate a claimType named Role with a right named Manager Answer: B QUESTION 125 You are implementing a Windows Communication Foundation (WCF) service contract named IContosoService in a class named ContosoService. The service occasionally fails due to an exception being thrown at the service. You need to send the stack trace of any unhandled exceptions to clients as a fault message. What should you do? A. In the application configuration file on the client, add the following XML segment to the system.serviceModel/behaviors configuration section group.<endpointBehaviors><behavior name="debug"><callbackDebug includeExceptionDetailInFaults="true" /></behavior></endpointBehaviors> Associate the debug behavior with any endpoints that need to return exception details. B. In the application configuration file on the service and all the clients, add the following XML segment to the system.diagnostics/sources configuration section group. <source name="System.ServiceModel" switchValue="Error" propagateActivity="true"><listeners><add name="ServiceModelTraceListener" initializeData="appntracelog.svclog" type="System.Diagnostics.XmlWriterTraceListener" /></listeners></source> C. Apply the following attribute to the ContosoService class. `[ServiceBehavior(IncludeExceptionDetailInFaults = true)]` D. For each OperationContract exposed by IContosoService, apply the following attribute. `[FaultContract(typeof(Exception))]` Answer: C QUESTION 126 A Windows Communication Foundation (WCF) solution uses two services to manage a shopping cart. Service A processes messages containing line items that total between \$0 and \$500. Service B processes messages containing line items that total more than \$500. All messages are of equal importance to the business logic. You need to route incoming messages to the appropriate services by using WCF routing. Which two message filters should you add to the router? (Each correct answer presents part of the solution. Choose two.) A. a message filter with a priority of 100 that will forward messages that total between \$0 and \$500 to Service AB. a message filter with a priority of 0 that will forward messages that total between \$0 and \$500 to Service AC. a message filter with a priority of 0 that will forward all messages to Service BD. a message filter with a priority of 100 that will forward all messages to Service B Answer: AC QUESTION 127 You develop a Windows Communication Foundation (WCF) service that contains the following code segment. (Line numbers are included for reference only.)

```
01 Uri uri = new Uri("http://localhost:8000");
02 ServiceHost serviceHost = new ServiceHost(typeof(MyService), uri);
03 serviceHost.Open();
04
```


Which code segment should you insert at line 04?

```
A serviceHost.AddServiceEndpoint(typeof(IMyService), new BasicHttpBinding(), "");  
serviceHost.Open();  
  
B serviceHost.Open();  
serviceHost.AddDefaultEndpoints();  
  
C serviceHost.Open();  
serviceHost.AddServiceEndpoint(typeof(IMyService), new BasicHttpBinding(), "");  
  
D serviceHost.AddDefaultEndpoints();  
serviceHost.Open();
```

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 128 Drag and Drop Question You are preparing to deploy a Windows Communication Foundation (WCF) service to a production environment. The service must not be vulnerable to a man-in-the-middle attack. You need to configure the service to use X.509 certificate security. Which four actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

	Answer Area
Obtain a certificate named MyRootCA from a trusted certificate authority.	
Configure the client and server to use X.509 credentials with bindings that use transport security. Set the value of the certificateValidationMode property to ChainTrust .	
Generate a certificate named MyRootCA by using the makecert tool.	
Configure the client and server to use X.509 credentials with bindings that use message security. Set the value of the certificateValidationMode property to ChainTrust .	
Generate client and server certificates from MyRootCA by using the makecert tool.	
Install the client certificate on the client computer. Install the server certificate on the server computer.	

Answer:

	Answer Area
Obtain a certificate named MyRootCA from a trusted certificate authority.	Obtain a certificate named MyRootCA from a trusted certificate authority.
Configure the client and server to use X.509 credentials with bindings that use transport security. Set the value of the certificateValidationMode property to ChainTrust .	Generate client and server certificates from MyRootCA by using the makecert tool.
Generate a certificate named MyRootCA by using the makecert tool.	Install the client certificate on the client computer. Install the server certificate on the server computer.
Configure the client and server to use X.509 credentials with bindings that use message security. Set the value of the certificateValidationMode property to ChainTrust .	Configure the client and server to use X.509 credentials with bindings that use transport security. Set the value of the certificateValidationMode property to ChainTrust .
Generate client and server certificates from MyRootCA by using the makecert tool.	
Install the client certificate on the client computer. Install the server certificate on the server computer.	

QUESTION 129 You are developing a Windows Communication Foundation (WCF) service. The service configuration file has a <System.Diagnostics> element defined. You need to ensure that all security audit information, trace logging, and message logging failures are recorded. Which configuration segment should you add to the <System.Diagnostics> element?

```
A. <sources>
  <source name="System.ServiceModel"
    switchValue="Information, ActivityTracing"
    propagateActivity="true" />
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true" />
</sources>


B. <sources>
  <source name="System.ServiceModel"
    switchValue="Information, ActivityTracing"
    propagateActivity="true" />
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true" />
</sources>
<sharedListeners>
  <add name="xml"
    type="System.Diagnostics.XmlWriterTraceListener"
    initializeData="..." />
</sharedListeners>

C. <source name="System.ServiceModel"
  switchValue="Information, ActivityTracing"
  propagateActivity="true">
  <listeners>
    <add name="xml" />
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true">
    <listeners>
      <add name="xml" />
    </listeners>
  </source>
</source>
</sharedListeners>
  <add name="xml"
    type="System.Diagnostics.XmlWriterTraceListener"
    initializeData="..." />
</sharedListeners>

D. <sources>
  <source name="System.ServiceModel"
    switchValue="Information, ActivityTracing"
    propagateActivity="true">
    <listeners>
      <add name="xml" />
    </listeners>
  </source>
  <source name="System.ServiceModel.MessageLogging"
    propagateActivity="true">
    <listeners>
      <add name="text" />
    </listeners>
  </source>
</sources>
```

A. Option AB. Option BC. Option CD. Option D Answer: C QUESTION 130 You are creating a client application and configuring it to call a Windows Communication Foundation (WCF) service. When the application is deployed, it will be configured to send all messages to a WCF routing service. You need to ensure that the application can consume the target service after the application is deployed. What should you do? A. In the client application, add a service reference to the router service. In the client binding configuration, specify the address of the router service. B. In the client application, add a service reference to the target service. In the client binding configuration, specify the address of the target service. C. In the client application, add a service reference to the router service. In the client binding configuration, specify the address of the target service. D. In the client application, add a service reference to the target service. In the client binding configuration, specify the address of the router service. Answer: D New Updated Braindump2go 70-489 Dumps Add Many New 70-489 Exam Questions, You can Download Free 70-489 PDF and 70-489 VCE from Braindump2go. Use Braindump2go 70-489 Study Guide and 70-489 Braindump2go to 100% Get 70-489 Certification.

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513



Product Description Exam Number/Code: 70-513

Exam Number/Code: 70-513

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4, also known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Questions and Answers : 341 Q&As
Updated: Nov 13, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Printable PDF Premium VCE + VCE Simulator

FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-513.html> (341 Q&A)