

Braindump2go Helps Get Microsoft 70-480 Certification Easily By Latest 70-480 Exam Dumps (81-90)

MICROSOFT OFFICIAL: New Updated 70-480 Exam Questions from Braindump2go 70-480 PDF Dumps and 70-480 VCE Dumps! Welcome to Download the Newest Braindump2go 70-480 VCE&PDF Dumps:

<http://www.braindump2go.com/70-480.html> (225 Q&As) Laest 70-480 PDF Dumps and 70-480 VCE Dumps can be downloaded from Braindump2go Now! This New Updated 70-480 Exam Dumps has 225q in all! All Braindump2go 70-480 Exam Questions and Answers are formulated and verified by experienced IT professionals! We guarantee all of you can pass 70-480 Exam successfully! Exam Code: 70-480Exam Name Programming in HTML5 with JavaScript and CSS3Certification Provider: MicrosoftCorresponding Certifications: MCSD, MCSD: SharePoint Applications, MCSD: Web Applications, MCSD: Windows Store Apps, Microsoft Specialist: Visual StudioKeywords:70-480 Dumps,70-480 Exam Questions,70-480 VCE,70-480 PDF,70-480 Practice Exams,70-480 Practice Tests,70-480 Braindump,70-480 Programming in HTML5 with JavaScript and CSS3

Programming in HTML5 with JavaScript 480



Product Description Exam N

Exam Number/Code: 70-480

"Programming in HTML5 with JavaScript
Microsoft Certification. With the complet
has assembled to take you through 225
exam resources, you will cover every fie
Certification helping to ready you for yo

Questions and Answers : 225
Q&As
Updated: Sep 14, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Free Demo Download

Braindump2go offers free demo for 70-
CSS3 Exam). You can check out the int
exams before you decide to buy it.

Printable PDF **Premium VC**

QUESTION 81 You are developing an application that analyzes population data for major cities in the United States. The application retrieves population statistics for a city by using a web service. You need to request data from the web service by using jQuery. Which code segment should you use?

```
A. $.ajax({
  url: "Services/WSAJax.asmx/GetPopulationCity?city='Boston'",
  dataType: "text", type: "POST"
});

B. $.ajax({
  url: "Services/WSAJax.asmx/GetPopulationCity",
  dataType: "text", type: "SEND", data: { city: "Boston" }
});

C. $.ajax({
  url: "Services/WSAJax.asmx/GetPopulationCity?city='Boston'",
  dataType: "text", type: "SEND"
});

D. $.ajax({
  url: "Services/WSAJax.asmx/GetPopulationCity",
  dataType: "text", type: "POST", data: { city: "Boston" }
});
```

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 82 You develop a web application by using jQuery. You develop the following jQuery code: (Line numbers are included for reference only.)

```
01 <script>
02 $(document).ready(function () {
03   $('#submit').click(function () {
04     $.ajax({
05
06       data: $('#myForm').serialize(),
07       url: "Services/WSAJax.asmx/GetPopulationCity",
08       dataType: "text", type: "SEND", data: { city: "Boston" }
09     });
10   });
11 });
12 </script>
```

The web application exposes a RESTful web API that has an endpoint of/product/create. You need to create a new product by using AJAX. Which code segment should you insert at line 05?

```
Ⓐ type: "POST",
  dataType: "xml",
  contentType: "application/x-www-form-urlencoded; charset=UTF-8",
  url: "/product/create",

Ⓑ type: "GET",
  dataType: "xml",
  contentType: "application/x-www-form-urlencoded; charset=UTF-8",
  url: "/product/create",

Ⓒ type: "POST",
  dataType: "json",
  contentType: "application/json",
  url: "/product/create/post",

Ⓓ type: "POST",
  dataType: "json",
  url: "/product/create",
```

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 83 You are modifying a blog site to improve search engine readability. You need to group relevant page content together to maximize search engine readability. Which tag should you use? A. <article> B. C. <tbody> D. <cd> Answer: A Explanation: How the Changes in HTML 5 Will Affect SEO (Search Engine Optimization)? As a SEO expert, you are most likely interested mainly in those changes in the HTML 5 specification, which will affect your work. Here is one of them: A new <article> tag. The new <article> tag is probably the best addition from a SEO point of view. The <article> tag allows to mark separate entries in an online publication, such as a blog or a magazine. It is expected that when articles are marked with the <article> tag, this will make the HTML code cleaner because it will reduce the need to use <div> tags. Also, probably search engines will put more weight on the text inside the <article> tag as compared to the contents on the other parts of the page. QUESTION 84 Drag and Drop Question You are developing a shared library to format information. The library contains a method named _private. The _private method must never be called directly from outside of the shared library. You need to implement an API for the shared library. How should you complete the relevant code? (Develop the solution by selecting the required code segments and arranging them in the correct order. You may not need all of the code segments.)

```
Formatter.prototype.parseValue =
function (input) {
  return _private(input);
}

prototype.parseValue = _private(input);

this._private = function (data) {
  return custom(data);
}

}

function getFormatter() {

var _private = function (data) {
  return custom(data);
}

this.parseValue = function (input) {
  return _private(input);
}

}

}

function getFormatter() {
  return _private(input);
}
```

Answer:

```
function getFormatter() {
  return _private(input);
}

Formatter.prototype.parseValue =
function (input) {
  return _private(input);
}

prototype.parseValue = _private(input);

this._private = function (data) {
  return custom(data);
}

}


function getFormatter() {
  return _private(input);
}
```

QUESTION 85 You develop an HTML application that contains a table that displays a list of products. The table is defined with

the following HTML markup:

```
<table>
  <thead>
    <tr>
      <th>Product</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Adjustable Race</td>
    </tr>
    <tr>
      <td>Blade</td>
    </tr>
    <tr>
      <td>Chainring</td>
    </tr>
    <tr>
      <td>Down Tube</td>
    </tr>
  </tbody>
</table>
```

You must style the table to look like the following image:



You need to implement the CSS selectors to select the rows that must have a blue background. Which CSS selector should you use? A. `thead:only-child`, `tbody:after`, `table:before` B. `tr [line | -0, 1, 3]` C. `tr:first-of-type`, `tr:last-of-type` D. `tr:first-line`, `tr:last-child` Answer: C Explanation: `tr:first-of-type` The `:first-of-type` selector matches every element that is the first child, of a particular type, of its parent. Here the first line of `table.tr`. `tr:last-of-type` The `:last-of-type` pseudo-class represents an element that is the last sibling of its type in the list of children of its parent element. QUESTION 86 You develop a webpage by using HTML5. You create the following markup: `<input type="url" name="website" required="required" />` You need to ensure that the value that the user enters contains a secure URL. What should you do? A. Add the following attribute to the input tag: `value="https://v"` B. Add the following attribute to the input tag: `pattern="https://.+"` C. Add the following attribute to the input tag: `value="ssl"` D. Add the following attribute to the input tag: `itemtype="https"` Answer: B Explanation: Note: - The pattern attribute is supported in Internet Explorer 10, Firefox, Opera, and Chrome. - The pattern attribute specifies a regular expression that the `<input>` element's value is checked against. - The pattern attribute works with the following input types: text, search, url, tel, email, and password QUESTION 87 You develop a webpage by using HTML5. You create the following markup and code: (Line numbers are included for reference only.)

```
01 <head>
02 <script>
03   function removeInvalid(input) {
04
05
06
07
08 </body>
09   Given Name: <input type="text" id="GivenName" onBlur="removeInvalid(this);" />
10   Surname: <input type="text" id="Surname" onBlur="removeInvalid(this);" />
11 </body>
```

You need to ensure that the values that users enter are only numbers, letters, and underscores, regardless of the order. Which code segment should you insert at line 04?

```
A. if (!/^[A-Za-z0-9_]+$/ .test(input.value))  
    input.value = "Invalid";  
  
B. if (!/^[^A-Za-z0-9_]/.test(input.value))  
    input.value = "Invalid";  
  
C. var regex = new RegExp("[w]");  
    if (!input.value.match(regex))  
        input.value = "Invalid";  
  
D. var regex = "[\w\d]";  
    if (!input.value.match(regex))  
        input.value = "Invalid";
```

A. Option AB. Option BC. Option CD. Option D Answer: A Explanation: Example: Sometimes situations arise when user should fill a single or more than one fields with alphabet characters (A-Z or a-z) in a HTML form. You can write a JavaScript form validation script to check whether the required field(s) in the HTML form contains only letters. - See more at:

<http://www.w3resource.com/javascript/form/all-letters-field.php#sthash.5Db50Bdm.dpuf> Javascript function to check for all letters in a field view plainprint?function allLetter(inputtxt){ var letters = /^[A-Za-z]+\$/;if(inputtxt.value.match(letters)){return true;}else{alert("message");return false;}}To get a string contains only letters (both uppercase or lowercase) we use a regular expression (/ [A-Za-z]+\$/) which allows only letters. Next the match() method of string object is used to match the said regular expression against the input value. Here is the complete web document.- See more at:

<http://www.w3resource.com/javascript/form/all-letters-field.php#sthash.5Db50Bdm.dpuf> QUESTION 88 On which panel can you see a hierarchically structured view of the DOM? A. Live DOM B. Projects C. Assets D. Device Answer: A QUESTION 89 Hotspot Question You develop an interactive scalable vector graphics (SVG) application. You write the following HTML markup that makes a rectangle rotate:

```
<svg width="200px" height="200px">  
  <g transform="translate(400, 400)" id="myImage">  
    <rect id="mySquare" x="10" y="10" width="20" height="20" color="blue" />  
  </g>  
</svg>  
<input id="speed" type="text" value="10" />  
<button id="zoom" onclick="startAnimation();">Start</button>
```

You need to control the speed of the rotating rectangle. How should you complete the relevant code? (To answer, select the appropriate option from each drop-down list in the answer area.)

```
<script>  
var squareShape;  
var myTimer;  
  
function startAnimation () {  
  
squareShape=   
document.mySquare;  
document.getElementById("myImage");  
document.getElementById("mySquare");  
  
squareShape.currentTheta = 0;  
  
myTimer=   
speed.value;  
myTimer.interval (speed.value);  
setInterval(animateImage, speed.value);  
new timer animateImage, speed.value);  
  
animateImage ();  
}  
  
function animateImage () {  
  
  
setInterval(animateImage, speed.value);  
squareShape.setAttribute("rotate", "angle(""  
squareShape.setAttribute("transform", "rotate(""  
squareShape.setAttribute("transform", "rotate(""  
squareShape.setAttribute("mySquare", "transform(""  
  
+ squareShape.currentTheta + ")");  
squareShape.currentTheta += 0.1;  
  
}  
</script>
```

Answer:

```
<script>
var squareShape;
var myTimer;

function startAnimation () {

squareShape=
document.myImage;
document.mySquare;
document.getElementById("myImage");
document.getElementById("mySquare");

squareShape.currentTheta = 0;

myTimer=
speed.value;
myTimer.interval (speed.value);
new timer (animateImage, speed.value);

animateImage ();
}

function animateImage() {

setInterval(animateImage, speed.value);
squareShape.setAttribute("rotate", "angle("
squareShape.setAttribute("transform", "angle("
squareShape.setAttribute("transform", "rotate("
squareShape.setAttribute("mySquare", "transform("

+ squareShape.currentTheta + ")");
squareShape.currentTheta += 0.1;
}
}
</script>
```

QUESTION 90 Which panel can you use to access a list of the HTML elements, controls, and media that can be added to an HTML page that is open in the artboard? A. Projects B. Assets C. Device D. Live DOM Answer: B Latest 70-480 Questions and Answers from Microsoft Exam Center Offered by Braindump2go for Free Share Now! Read and remember all Real Questions Answers, Guaranteed Pass 70-480 Real Test 100% Or Full Money Back!

Programming in HTML5 with JavaScript and CSS3 Exam 480



Questions and Answers : 225
Q&As

Updated: Sep 14, 2015

~~\$129.99~~ **\$99.99**

PDF DEMO

CHECK OUT

Product Description Exam Number/Code: 70-480

Exam Number/Code: 70-480

"Programming in HTML5 with JavaScript and CSS3 Exam", also known as Microsoft Certification. With the complete collection of questions and answers has assembled to take you through 225 Q&As to your 70-480 Exam preparation exam resources, you will cover every field and category in Microsoft Other Certification helping to ready you for your successful Microsoft Certification

Free Demo Download

Braindump2go offers free demo for 70-480 exam (Programming in HTML5, CSS3 Exam). You can check out the interface, question quality and usability exams before you decide to buy it.

Printable PDF Premium VCE + VCE Simulator

[70-480 PDF Dumps & 70-480 VCE Dumps Full Version Download\(225q\): http://www.braindump2go.com/70-480.html](http://www.braindump2go.com/70-480.html)