Braindump2go Releases New Microsoft 70-337 Exam Dumps Free Version! (101-110)

MICROSOFT NEWS: 70-337 Exam Questions has been Updated Today! Get Latest 70-337 VCE and 70-337 PDF Instantly! Welcome to Download the Newest Braindump2go 70-337 VCE&70-337 PDF Dumps:

http://www.braindump2go.com/70-337.html (117 Q&As) Important News: Microsoft 70-337 Exam Questions are been updated recently! Braindumo2go offers the latest up-to-date 70-337 Dumps for free instant download which helps you pass 70-337 Exam in a short time! Our 70-337 Exam Dumps has two version: 70-337 PDF Dumps,70-337 VCE Dumps! Choose one of them according to your own need! 100% New 70-337 Exam Questions from Microsoft Official Exam Center! 100% Pass Microsoft 70-337 Exam! Exam Code: 70-337Exam Name: Enterprise Voice & Online Services with Microsoft Lync Server 2013Certification Provider: MicrosoftCorresponding Certifications: MCSE, MCSE: Communication70-337 Dumps,70-337 PDF,70-337 VCE,70-337 Book,70-337 Braindump,70-337 Exam Prep,70-337 Study Guide,70-337 Study Materials,70-337 Practice Exam,70-337 Test Perp,70-337 Exam Prep,70-337 Practice Test,70-337 Exam Questions Microsoft Enterprise Voice & Online Services with Microsoft

Product Description Exam Number/Code: 70-337

Exam Number/Code: 70-337

Microsoft Enterprise Voice & Online Services with Microsoft Lync Server 2013, also known as 70-337 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 117 Q&As to your 70-337 Exam preparation. In the 70-337 exam resources, you will cover every field and category in Microsoft MCITP helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-337 exam (Microsoft Enterprise Voice & Online Services with Microsoft Lync Server 2013). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

Printable PDF Premium VCE + VCE Simulator

QUESTION 101Hotspot QuestionYou need to design the dial plans for the Montreal and New York offices. The plans must meet the technical requirements. What should you include in the design? (To answer, select the appropriate pattern match and translation

+1720555\$1

rule in the answer area.)

Pattern match:

(3\d{4})\$1

(3\d{4})\$1

(3\d{4})\$

(3\d{4})\$

(4)\$

(4)\$

(4)\$

(4)\$

(4)\$

(5)\$

(6)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(7)\$

(

QUESTION 102You need to recommend changes to the Lync Server 2013 infrastructure to support the planned changes for federation. Which two changes should you include in the recommendation? (Each correct answer presents part of the solution. Choose two.) A. In the public DNS zone, create a new alias (CNAME) record named sipfederation.contoso.com.B. In the public DNS zone, create a new service location (SRV) record named _sipfederationtls_tcp.contoso.com.C. Deploy a hardware load balancer to the perimeter network.D. Deploy a Director to the perimeter network. Answer: BCExplanation: - From scenario: Problem StatementsUsers from other companies report that they fail to communicate with the users at Contoso by using federation. That's because there is no DNS record for sipinternaltls in the external contoso.com DNS space.SRV _sipfederationtls_tcp.contoso.com 5061The federated partner is running OCS R2, which doesn't support DNS LB. And the requirements state that they must be able to communicate if an edge server fails. Only way around that is HLB. Also, question F7 references an HLB. QUESTION 103Drag and Drop QuestionYou need to configure the Lync Server 2013 infrastructure to meet the technical requirements for simultaneous ring. What should you include in the Windows PowerShell command? (To answer, select

AllowSimulRing

CallForwardingSimulRingUsageTyp EnableMediaRedirection OptimizeDeviceDialing

the appropriate PowerShell cmdlet and parameter in the answer area.)

New-CsClientPolicy
New-CsDiaPlan
New-CsVoicePolicy
New-CsVoiceRoutingPolicy
Parameter:


AllowPSTNReRouting



QUESTION 104Drag and Drop QuestionYou need to recommend a solution to meet the technical requirements for RG1. Which four actions should you recommend in sequence? (To answer, move the a the list of actions to the answer area and arrange them in




Answer:



QUESTION 105Drag and Drop QuestionYou need to configure the Lync Server 2013 infrastructure for the planned integration of the A.Datum users. What should you configure from the Lync Server 2013 Control Panel? (To answer, drag the appropriate names to the correct locations. Each name may be used once, more than once, or not at all. You may need to drag the split bar between

panes or scroll to view content.)



Answer:



QUESTION 106You need to recommend which ports must be configured on the hardware load balancer to meet the technical requirements. Which TCP ports should you include in the recommendation? A. 443 and 4443B. 80 and 8080C. 80, 5060, and 5061D. 135, 443, and 8080 Answer: A QUESTION 107You are evaluating the migration of 20 pilot users to Office 365. You need to recommend which actions must be performed to migrate the pilot users. The solution must ensure that the pilot users have only one SIP URI after they migrate. Which two actions should you recommend? (Each correct answer presents part of the solution. Choose two.) A. Deploy Active Directory Federation Services (AD FS).B. Add a new SIP domain to the Lync Server 2013 infrastructure of Contoso.C. Create new Office 365 accounts.D. Install the Microsoft Online Services Directory Synchronization tool.E. Remove the users from the Lync Server 2013 infrastructure of Contoso. Answer: BD QUESTION 108You install a new server named UM1 that has Exchange Server 2010 deployed. UM1 has the Unified Messaging server role installed. You need to recommend which actions must be performed to configure a certificate for UM1. Which five actions should you recommend in sequence? (To answer, move the appropriate five actions from the list of actions to the answer area and arrange them in the correct



Answer:

Run the ImportExchangeCertificate cmdlet.

Install the root certificate of CA1 in the Trusted Root Certificate Authorities store.

Install the root certificate of CA1 in the Trusted Root Certificate Authorities store.

Generate a certificate request that contains a subject name of um1.contoso.com.

Run the EnableExchangeCertificate cmdlet.


Generate a certificate request that contains a subject name of um1.contoso.com.

Run the ImportExchangeCertificate cmdlet.

Run the ImportExchangeCertificate cmdlet.

Run the ImportExchangeCertificate cmdlet.

Explanation: Note: - Enable-Exchange Certificate Use the Enable-Exchange Certificate cmdlet to enable an existing certificate in the local certificate store for Exchange services such as Internet Information Services (IIS), SMTP, POP, IMAP, and Unified Messaging (UM). The Enable-ExchangeCertificate cmdlet enables certificates by updating the metadata stored with the certificate. To enable an existing certificate to work with additional Exchange services, use the Enable-ExchangeCertificate cmdlet and specify the additional services.- Import-ExchangeCertificateUse the Import-ExchangeCertificate cmdlet to import a certificate or chain of certificates. You can use the Import-ExchangeCertificate cmdlet for the following purposes:- To import a certificate or chain of certificates from a PKCS #7 file that has been issued by a certification authority (CA).- To import an existing certificate and private key from a PKCS #12 (.pfx or .p12) file to the certificate store on the local computer. QUESTION 109Your network has Lync Server 2013 deployed. You deploy a Mediation Server, and then you configure a voice route that uses a SIP trunk. You create a test user named User1. You enable Enterprise Voice for User1. You need to verify that when User1 initiates calls to external telephone numbers, the calls are routed through the SIP trunk. Which cmdlet should you run? A. From the Lync server, run the ocssendmail.ps1 script.B. From the Lync server, run the New-CsExUmContact cmdlet.C. From the Exchange server, run the exchucutil.ps1 script.D. From the Exchange server, run the New-UMAutoAttendant cmdlet. Answer: C QUESTION 110You plan to deploy a Lync Server 2013 infrastructure that will contain the following server roles:- A Director- An Edge Server- A Front End Server- A Mediation Server You need to recommend the minimum number of Windows servers required for the planned deployment. How many servers should you recommend? A. 2B. 1C. 3D. 4 Answer: C Braindump2go is one of the Leading 70-337 Exam Preparation Material Providers Around the World! We Offer 100% Money Back Guarantee on All Products! Feel Free In Downloading Our New



FREE DOWNLOAD: NEW UPDATED 70-337 PDF Dumps & 70-337 VCE Dumps from Braindump2go: http://www.braindump2go.com/70-337.html (117 Q&As)