
Free New Updated 70-411 Practice Tests Dumps Questions and Answers from Microsoft Exam Center Braindump2go Guarantere You 100% 70-411 Pass (101-110)

MICROSOFT OFFICIAL: New Updated 70-411 Exam Questions from Braindump2go 70-411 PDF Dumps and 70-411 VCE Dumps! Welcome to Download the Newest Braindump2go 70-411 VCE&PDF Dumps:

http://www.braindump2go.com/70-411.html (322 Q&As) Braindump2go New Released 70-411 Microsoft Exam Dumps Free Download Today! All 322q 70-411 Exam Questions are the new updated from Microsoft Official Exam Center.Braindump2go Offers 70-411 PDF Dumps and 70-411 VCE Dumps for free Download Now! 100% pass 70-411 Certification Exam! Exam Code: 70-411Exam Name Administering Windows Server 2012Certification Provider: MicrosoftCorresponding Certifications: MCSA, MCSA: Windows Server 2012, MCSE, MCSE: Desktop Infrastructure, MCSE: Private Cloud, MCSE: Server Infrastructure Keywords:70-411 Dumps,70-411 Microsoft Exam Questions,70-411 VCE,70-411 PDF,70-411 Practice Exams,70-411 Practice



QUESTION 101Your network is configured as shown in the exhibit. (Click the Exhibit button.)



Server1 regularly accesses Server2. You discover that all of the connections from Server1 to Server2 are routed through Router1. You need to optimize the connection path from Server1 to Server2. Which route command should you run on Server1? A. Route add -p 10.10.10.0 MASK 255.255.255.0 10.10.10.1 METRIC 50B. Route add -p 10.10.10.0 MASK 255.255.255.0 172.23.16.2 METRIC 100C. Route add -p 10.10.10.12 MASK 255.255.255.0 10.10.10.1 METRIC 100D. Route add -p 10.10.10.12 MASK 255.255.255.0 10.10.10.0 METRIC 50 Answer: BExplanation:destination - specifies either an IP address or host name for the network or host.subnetmask - specifies a subnet mask to be associated with this route entry. If subnetmask is not specified, 255.255.255.255 is used.gateway - specifies either an IP address or host name for the gateway or router to use when forwarding. costmetric - assigns an integer cost metric (ranging from 1 through 9,999) to be used in calculating the fastest, most reliable, and/or least expensive routes. If costmetric is not specified, 1 is used.interface - specifies the interface to be used for the route that uses the interface number. If an interface is not specified, the interface to be used for the route is determined from the gateway IP address. http://support.microsoft.com/kb/299540/en-ushttp://technet.microsoft.com/en-us/library/cc757323%28v=ws.10%29.aspx QUESTION 102Your network contains an Active Directory domain named adatum.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 is configured as a Network Policy Server (NPS) server and as a DHCP server. You need to ensure that only computers that send a statement of health are checked for Network Access Protection (NAP) health requirements. Which two settings should you configure? (Each correct answer presents part of the solution. Choose two.) A. The Called Station ID constraintsB. The MS-Service Class conditionsC. The Health Policies conditionsD. The NAS Port Type constraintsE. The NAP-Capable Computers conditions Answer: CEExplanation:A. Used to designate the phone number of the network access server. This attribute is a character string. You can use pattern-matching syntax to specify area codes. B. Restricts the policy to clients that have received an IP address from a DHCP scope that matches the specified DHCP profile name. This

condition is used only when you are deploying NAP with the DHCP enforcement method. To use the MS-Service Class attribute, in Specify the profile name that identifies your DHCP scope, type the name of an existing DHCP profile. C. The Health Policies condition restricts the policy to clients that meet the health criteria in the policy that you specify.D. Allows you to specify the type of media used by the client computer to connect to the network. E. The NAP-capable Computers condition restricts the policy to either clients that are capable of participating in NAP or clients that are not capable of participating in NAP. This capability is determined by whether the client sends a statement of health (SoH) to NPS. http://technet.microsoft.com/en-us/library/cc731220(v=ws.10).aspx http://technet.microsoft.com/en-us/library/cc731560.aspx <a href="http://technet.mic

Server name	Configuration	Domain/workgroup
Server1	VPN server	Workgroup
•Braind	amp2g	dªtcom
Server3	Network Policy Server (NPS)	Contoso.com

You need to ensure that connection requests from adatum.com users are forwarded to Server2 and connection requests from contoso.com users are forwarded to Server3.Which two should you configure in the connection request policies on Server1? (Each correct answer presents part of the solution. Choose two.) A. The Authentication settingsB. The User Name conditionC. The Standard RADIUS Attributes settingsD. The Identity Type conditionE. The Location Groups condition Answer: ABExplanation: A: A connection request policy profile is a set of properties that are applied to an incoming RADIUS message. A connection request policy profile consists of the following groups of properties:/ AuthenticationYou can set the following authentication options that are used for RADIUS Access-Request messages:// Authenticate requests on this server.// Forward requests to another RADIUS server in a remote RADIUS server group. // Accept the connection attempt without performing authentication or authorization./ Accounting/ Attribute manipulation/ AdvancedB: * A connection request policy is a named rule that consists of the following elements:/ Conditions/ Profile* The User-Name RADIUS attribute is a character string that typically contains a user account location and a user account name. The user account location is also called the realm or realm name, and is synonymous with the concept of domain, including DNS domains, Active Directory domains, and Windows NT 4.0 domainsNote:* NPS as a RADIUS proxyThe default connection request policy is deleted, and two new connection request policies are created to forward requests to two different domains. In this example, NPS is configured as a RADIUS proxy. NPS does not process any connection requests on the local server. Instead, it forwards connection requests to NPS or other RADIUS servers that are configured as members of remote RADIUS server groups. QUESTION 104Your network contains an Active Directory domain named contoso.com. All servers run Windows Server 2012 R2. The domain contains a server named Server1 that has the Network Policy Server server role and the Remote Access server role installed. The domain contains a server named Server2 that is configured as a RADIUS server1 provides VPN access to external users. You need to ensure that all of the VPN connections to Server1 are logged to the RADIUS server on Server2. What should you run? A. Add-RemoteAccessRadius -ServerNameServer1 -AccountingOnOffMsg Enabled - SharedSecret "Secret" -Purpose AccountingB. Set-RemoteAccessAccounting -AccountingOnOffMsg Enabled -AccountingOnOffMsg EnabledC. Add-RemoteAccessRadius -ServerName Server2 -AccountingOnOffMsg Enabled - SharedSecret "Secret" -Purpose AccountingD. Set-RemoteAccessAccounting -EnableAccountingType Inbox -AccountingOnOffMsg Enabled Answer: CExplanation: Add-RemoteAccessRadiusAdds a new external RADIUS server for VPN authentication, accounting for DirectAccess (DA) and VPN, or one-time password (OTP) authentication for DA.AccountingOnOffMsg<String>Indicates the enabled state for sending of accounting on or off messages. The acceptable values for this parameter are: Enabled. Disabled. This is the default value. This parameter is applicable only when the RADIUS server is being added for Remote Access accounting. QUESTION 105Hotspot QuestionYour network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2. Server1 has the Network Policy Server server role installed. Server2 has the DHCP Server server role installed. Both servers run Windows Server 2012 R2. You are configuring Network Access Protection (NAP) to use DHCP enforcement. You configure a DHCP scope as shown in the exhibit. (Click the Exhibit button.)

This page was exported from - <u>Braindump2go Free Exam Dumps with PDF and VCE Collection</u> Export date: Fri Nov 22 4:01:55 2024 / +0000 GMT

æ
pe
1.1
m

You need to ensure that non-compliant NAP clients receive different DHCP options than compliant NAP clients. What should you configure on each server? To answer, select the appropriate options for each server in the answer area.



Answer: Answer	Area
Server	1:
Brain	Health Policies Identity-Type MS-Service Class Service-Type
Server	2:
	filters a policy scope options server options a User class a Vendor class


QUESTION 106Your network contains a Network Policy Server (NPS) server named Server1. The network contains a server named SQL1 that has Microsoft SQL Server 2008 R2 installed. All servers run Windows Server 2012 R2.You configure NPS on Server1 to log c.You need to ensure that the accounting data is captured if SQL1 fails. The solution must minimize cost.What should you do? A. Implement Failover Clustering.B. Implement database mirroring.C. Run the Accounting Configuration Wizard.D. Modify the SQL Server Logging properties. Answer: CExplanation:In Windows Server 2008 R2, an accounting configuration wizard is added to theAccounting node in the NPS console. By using the Accounting Configuration wizard, you can configure the following four accounting settings:SQL logging only. By using this setting, you can configure a data link to a SQL Server that allows NPS to connect to and send accounting data to the SQL server.In addition, the wizard can configure the database on the SQL

Server to ensure that the database is compatible with NPS SQL server logging. Text logging only. By using this setting, you can configure NPS to log accounting data to a text file.Parallel logging. By using this setting, you can configure the SQL Server data link and database. You can also configure text file logging so that NPS logs simultaneously to the text file and the SQL Server database.SQL logging with backup. By using this setting, you can configure the SQL Server data link and database. In addition, you can configure text file logging that NPS uses if SQL Server logging fails. QUESTION 107Your network contains an Active Directory domain named contoso.com. All servers run Windows Server 2012 R2. The domain contains two servers. The servers are configured as shown in the following table. Server name Configuration



All client computers run Windows 8 Enterprise. You plan to deploy Network Access Protection (NAP) by using IPSec enforcement. A Group Policy object (GPO) named GPO1 is configured to deploy a trusted server group to all of the client computers. You need to ensure that the client computers can discover HRA servers automatically. Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.) A. On DC1, create a service location (SRV) record.B. On Server2, configure the EnableDiscovery registry key.C. On all of the client computers, configure the EnableDiscovery registry key.D. In a GPO, modify the Request Policy setting for the NAP Client Configuration.E. On DC1, create an alias (CNAME) record. Answer: ACDExplanation: Requirements for HRA automatic discovery The following requirements must be met in order to configure trusted server groups on NAP client computers using HRA automatic discovery: Client computers must be running Windows Vista?with Service Pack 1 (SP1) or Windows XP with Service Pack 3 (SP3). The HRA server must be configured with a Secure Sockets Layer (SSL) certificate. The EnableDiscovery registry key must be configured on NAP client computers.DNS SRV records must be configured. The trusted server group configuration in either local policy or Group Policy must be cleared. http://technet.microsoft.com/en-us/library/dd296901.aspx OUESTION 108Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Network Policy Server role service installed. You plan to configure Server1 as a Network Access Protection (NAP) health policy server for VPN enforcement by using the Configure NAP wizard. You need to ensure that you can configure the VPN enforcement method on Server1 successfully.What should you install on Server1 before you run the Configure NAP wizard? A. The Host Credential Authorization Protocol (HCAP)B. A system health validator (SHV)C. The Remote Access server roleD. A Computer certificate Answer: DExplanation: A. Host Credential Authorization Protocol (HCAP) allows you to integrate your Microsoft Network Access Protection (NAP) solution with Microsoft Network Admission Control B. System health validators (SHVs) define configuration requirements for NAP client computers.C.D. The NAP health policy server requires a computer certificate to perform PEAP-based user or computer authentication. After this certificate is acquired, a connection to AD CS is not required for as long as the certificate is valid.http://technet.microsoft.com/en-us/library/cc732681.aspx http://technet.microsoft.com/en-us/library/dd125396(v=ws.10).aspx http://technet.microsoft.com/en-us/library/hh831416.aspx

http://technet.microsoft.com/en-us/library/dd125396(v=ws.10).aspx http://technet.microsoft.com/en-us/library/dd125301(v=ws.10).aspx QUESTION 109You deploy two servers named Server1 and Server2. You install Network Policy Server (NPS) on both servers. On Server1, you configure the following NPS settings:-RADIUS Clients- Network Policies- Connection Request Policies- SQL Server Logging PropertiesYou export the NPS configurations on Server1.Which settings should you manually configure on Server2? A. SQL Server Logging PropertiesB. Connection Request PoliciesC. RADIUS ClientsD. Network Policies Answer: AExplanation:A. If SQL Server logging is configured on the source NPS server, SQL Server logging settings are not exported to the XML file. After you import the file on another NPS server, you must manually configure SQL Server logging.B. Connection request policies are sets of conditions and settings that allow network administrators to designate which Remote Authentication Dial-In User Service (RADIUS) servers perform the authentication and authorization of connection requests that the server running Network Policy Server (NPS) receives from RADIUS clients. Connection request policies can be configured to designate which RADIUS servers are used for RADIUS accounting. C. A network access server (NAS) is a device that provides some level of access to a larger network. A NAS using a RADIUS client, sending connection requests and accounting messages to a RADIUS server for authentication, authorization, and accounting. D. Network policies are sets of conditions, constraints, and settings that allow you to designate who is authorized to connect to the network and the circumstances under which they can or cannot connect. http://technet.microsoft.com/en-us/library/cc732059(v=ws.10).aspx http://technet.microsoft.com/en-us/library/cc753603.aspx http://technet.microsoft.com/en-us/library/cc754033.aspx http://technet.microsoft.com/en-us/library/cc754107(v=ws.10).aspx http://technet.microsoft.com/en-us/library/cc754033.aspx http://technet.microsoft.com/en-us/library/cc754107(v=ws.10).aspx http://technet.microsoft.com/en-us/library/cc754123.aspx QUESTION 110You have a server named Server1 that has the Network Policy and Access Services server role installed. You plan to configure Network Policy Server (NPS) on Server1 to use certificate-based authentication for VPN connections. You obtain a certificate for NPS. You need to ensure that NPS can perform certificate-based authentication.To which store should you import the certificate? To answer, select the appropriate store in the



Client Authentication Issuers Remote Desktop Smart Card Trusted Roots Trusted Devices Web Hosting

Þ

Explanation:http://technet.microsoft.com/en-us/library/dd314152(v=ws.10).aspx

http://blog.instruosolutions.com/2012/10/10/configuring-microsoft-nps-server-2008-for-wireless- clientauthentication-ms-peap/ Braindump2go Offers PDF & VCE Dumps Download for New Released Microsoft 70-411 Exam! 100% Exam Success Guaranteed OR Full Money Back Instantly!

PDF	Product Description Exam Number/Code: 70-411
Ver	Exam Number/Code: 70-411
Questions and Answers : 322	"Administering Windows Server 2012 R2 Exam", also known as 70-411 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 322 Q&As to your 70-411 Exam preparation. In the 70-411 exam resources, you will cover every field and category in Microsoft MCSA helping to ready you for your successful Microsoft Certification.
Q&As Updated: Sep 14, 2015	Free Demo Download
\$120.00 \$99.99 PDF DEMO	Braindump2go offers free demo for 70-411 exam (Administering Windows Server 2012 R2 Exam). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.
O CHECK OUT	Printable PDF Premium VCE + VCE Simulator

FREE DOWNLOAD: NEW UPDATED 70-411 PDF Dumps & VCE Dumps from Braindump2go: http://www.braindump2go.com/70-411.html (322 Q&As)