


## [FREE] Braindump2go 70-511 Latest Dumps Download (231-240)

**MICROSOFT NEWS: 70-511 Exam Questions has been Updated Today! Get Latest 70-511 VCE and 70-511 PDF Instantly! Welcome to Download the Newest Braindump2go 70-511 VCE&70-511 PDF Dumps:**

<http://www.braindump2go.com/70-511.html> (300 Q&As) Try 2015 Latest Updated 70-511 Practice Exam Questions and Answers, Pass 70-511 Actual Test 100% in 2015 New Year! Braindump2go Latest released Free Sample 70-511 Exam Questions are shared for instant download! Braindump2go holds the confidence of 70-511 exam candidates with Microsoft Official Guaranteed 70-511 Exam Dumps Products! 300 New Updated Questions and Answers! 2015 Microsoft 70-511 100% Success! Exam Code: 70-511 Exam Name: TS: Windows Applications Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Windows Applications [70-511 Dumps PDF, 70-511 PDF, 70-511 VCE, 70-511 eBook, 70-511 Study Guide, 70-511 Certification, 70-511 Exam Questions, 70-511 Book, 70-511 Dump, 70-511 eBook PDF, 70-511 Exam Preparation, 70-511 Dumps Free, 70-511 Braindumps, 70-511 Practice Tests, 70-511 Practice Exam, 70-511 Practice Test Free, 70-511 TS: Windows Applications Development with Microsoft .NET Framework 4](#)

**TS: Windows Applications Development with Microsoft .NET**

**Framework 4: 70-511**



**Product Description Exam Number/Code: 70-511**

**Exam Number/Code: 70-511**

"TS: Windows Applications Development with Microsoft .NET Framework 4", also known as 70-511 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 300 Q&As to your 70-511 Exam preparation. In the 70-511 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Questions and Answers : 300 Q&As  
Updated: Nov 2, 2015  
~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

**Printable PDF**  **Premium VCE + VCE Simulator**

QUESTION 231 You are developing a Windows Presentation Foundation (WPF) application. You need to ensure that the application includes a container control that supports logical scrolling by default. Which control should you select? A. StackPanel B. WrapPanel C. Canvas D. Grid Answer: A QUESTION 232 You are developing a Windows Presentation Foundation (WPF) application with multiple windows. The majority of the buttons within the application are styled consistently. However, three buttons within the application must be styled differently. You need to ensure that the application can handle this styling requirement. What should you do? A. Create the styles in the main window resources. Omit the Key property for the default Button style and specify the Key property for the Button style and the three buttons. B. Create the styles in the application resources. Specify the TargetType property to be Button for the default style but not for the three buttons. C. Create the styles in the main window resources. Specify the TargetType property to be Button for the default style but not for the three buttons. D. Create the styles in the application resources. Omit the Key property for the default Button style and specify the Key property for the Button style and the three buttons. Answer: D Explanation: would expect TargetType for the default Style and key for the custom Style in the Application Resources QUESTION 233 You are developing a Windows Presentation Foundation (WPF) application. The application is bound to a data source. You need to ensure that the style of controls is bound to values retrieved from the data source. What should you do? A. Create a Trigger element within the style that specifies the property value as the bound property. B. Create the style and specify the TargetType attribute. C. Create a DataTrigger element within the style that specifies the path to the bound property. D. Create the style and specify the BasedOn attribute. Answer: C QUESTION 234 You are developing a Windows Presentation Foundation (WPF) application. The application's main window lists a series of controls horizontally until a control reaches the edge of the window. At that point, the series of controls continues on a new line. You need to ensure that this layout persists when the user changes the size of the window. What should you do? A. Place each control in a DockPanel control and set its Dock property to Left. B. Place the controls in a grid and define the rows and columns using star sizing. C. Place each control in a StackPanel control and set its Orientation property to Horizontal. D. Place each control in a WrapPanel control and set its Orientation property to Horizontal. Answer: D QUESTION 235 You are developing a Windows Presentation Foundation (WPF) application. A user

control responds to a click event. The click event handler sets the Handled property to True. You need to ensure that a parent control responds to the event after the user control's handler executes. What should you do? A. Add a bubbling routed event handler to the parent control. B. Programmatically add an event handler to the parent control and set the HandledEventsToo property to True. C. Add a tunneling routed event handler to the parent control. D. Programmatically add an event handler to the parent control and set the HandledEventsToo property to False. Answer: B Explanation: For most common handler scenarios, marking an event as handled by setting Handled to true will "stop" routing for either a tunneling route or a bubbling route, and also for any event that is handled at a point in the route by a class handler. However, there is a "handledEventsToo" mechanism whereby listeners can still run handlers in response to routed events where Handled is true in the event data. In other words, the event route is not truly stopped by marking the event data as handled. You can only use the handledEventsToo mechanism in code, or in an EventSetter:

<http://msdn.microsoft.com/en-us/library/ms742806.aspx> QUESTION 236 You are developing a Windows Presentation Foundation (WPF) application. The application contains the following markup. You need to ensure that the Filter combo box is hidden when the expander is collapsed. What should you do?

```
<Expander x:Name="Products" IsExpanded="True">
  <Expander.Header>
    <ComboBox x:Name="Filter">
      </ComboBox>
    </Expander.Header>
  </Expander>
```

A. Add the following DataTrigger element to the Expander control. <DataTrigger Binding="{Binding ElementName=Filter, Path=Visibility}" Value="Collapsed"> <Setter Property="Expander.IsExpanded" Value="False" /></DataTrigger> B. Add the following DataTrigger element to the ComboBox control. <DataTrigger Binding="{Binding ElementName=Products, Path=IsExpanded}" Value="False"> <Setter Property="UIElement.Visibility" Value="Collapsed" /></DataTrigger> C. Add the following DataTrigger element to the ComboBox control. <DataTrigger Binding="{Binding ElementName=Products, Path=Visibility}" Value="Collapsed"> <Setter Property="Expander.IsExpanded" Value="False" /></DataTrigger> D. Add the following DataTrigger element to the Expander control. <DataTrigger Binding="{Binding ElementName=Filter, Path=IsExpanded}" Value="False"> <Setter Property="UIElement.Visibility" Value="Collapsed" /></DataTrigger> Answer: B

QUESTION 237 You are developing a Windows Presentation Foundation (WPF) application. A UserControl named usercontrol1 contains the following controls. <StackPanel><Label Name="label1" Content="Hello Exam!!!" /></StackPanel> You need to ensure that the content of the label displays "New Content!!!" programmatically from the code-behind of the application window that contains the UserControl. Which code segment should you use? A. Dim label = TryCast(usercontrol1.FindResource("label1"), Label) label.Content = "New Content!!!" B. usercontrol1.Content = "New Content!!!" C. Dim dp As DependencyProperty = DependencyProperty.Register("label1", GetType(Label), GetType(Window), New PropertyMetadata("New Content!!")) usercontrol1.CoerceValue(dp) D. Dim label = TryCast(usercontrol1.FindName("label1"), Label) label.Content = "New Content!!!" Answer: D

QUESTION 238 You are developing a Windows Presentation Foundation (WPF) application. You build a dictionary that implements INotifyPropertyChanged. You want to use an indexer to bind to the UI. The relevant implementation of the dictionary is as follows. (Line numbers are included for reference only.) You need to ensure that the PropertyChanged event is triggered so that the UI is updated if you modify the collection using the indexer. Which code should you insert at line 17?

```
01 Public Class UIDictionary(Of T, T1)
02 Implements INotifyPropertyChanged
03
04 Private _internalDictionary As Dictionary(Of T, T1)
05 New Dictionary(Of T, T1) ()
06
07 Public Event PropertyChanged(ByVal sender As UIDictionary(Of T, T1), ByVal e As PropertyChangedEventArgs)
08 Implements INotifyPropertyChanged.PropertyChanged
09
10
11
12
13 Return _internalDictionary(key)
14 End Get
15 Set(ByVal value As T1)
16 _internalDictionary(key) = value
17
18 End Set
19 End Property
20
21 ...
22 End Class
```

A. RaiseEvent PropertyChanged(Me, New PropertyChangedEventArgs("Item")) B. RaiseEvent PropertyChanged(Me, New PropertyChangedEventArgs("Me()")) C. RaiseEvent PropertyChanged(Me, New PropertyChangedEventArgs("Me")) D. RaiseEvent PropertyChanged(Me, New PropertyChangedEventArgs("Item()")) Answer: D

QUESTION 239 You use Microsoft .NET

Framework 4 to create a Windows Presentation Foundation (WPF) application. The application contains a form named frmMain that contains a button named btnSave. You create a ProgressBar control named saveProgress. Initially, saveProgress is not displayed on frmMain. When a user clicks btnSave, you have the following requirement: saveProgress is fully visible after 1 second. You need to declare the corresponding storyboard. You write the following code fragment. (Line numbers are included for reference only.)

```
01 <Storyboard x:Key="animateProgress" TargetName="saveProgress"> 02 </Storyboard>
```

Which code fragment should you insert at line 02 to complete the declaration?

```
A. <ObjectAnimationUsingKeyFrames Storyboard.TargetProperty="Visibility">
  <DiscreteObjectKeyFrame KeyTime="0"
    Value="{x:Static Visibility.Collapsed}" />
  <DiscreteObjectKeyFrame KeyTime="1"
    Value="{x:Static Visibility.Visible}" />
</ObjectAnimationUsingKeyFrames>

B. <DoubleAnimation Storyboard.TargetProperty="Opacity" Duration="00:00:01" From="0" To="1" />

C. <DoubleAnimation Storyboard.TargetProperty="Opacity" Duration="1" From="0" To="1" />

D. <ObjectAnimationUsingKeyFrames Storyboard.TargetProperty="Visibility">
  <DiscreteObjectKeyFrame KeyTime="00:00:01"
    Value="{x:Static Visibility.Collapsed}" />
  <DiscreteObjectKeyFrame KeyTime="00:00:01"
    Value="{x:Static Visibility.Visible}" />
</ObjectAnimationUsingKeyFrames>
```

A. Option A B. Option B C. Option C D. Option D Answer: B

QUESTION 240 You are upgrading the security features of a Microsoft .NET 3.5 application to .NET 4. You need to identify the .NET 3.5 security application programming interface (API) calls that implicitly use code access security (CAS) policies so that you can upgrade the calls. What should you do?

A. Examine the AppDomain.CreateDomain() calls and ensure that they are using fully trusted assemblies.  
B. Look for a SecurityContextSource parameter in the security calls.  
C. Examine the AppDomain.DefineDynamicAssembly() calls and ensure that they are using fully trusted assemblies.  
D. Look for an Evidence parameter in the security calls.

Answer: D

Guaranteed 100% Microsoft 70-511 Exam Pass OR Full Money Back! Braindump2go Provides you the latest 70-511 Dumps PDF & VCE for Instant Download!

TS: Windows Appli  
Framework 4: 70-5



Questions and Answers : 300  
Q&As  
Updated: Nov 2, 2015  
~~£129.99~~ **\$99.99**

PDF DEMO

CHECK OUT

FREE DOWNLOAD: NEW UPDATED 70-511 PDF Dumps & 70-511 VCE Dumps from Braindump2go:  
<http://www.braindump2go.com/70-511.html> (300 Q&A)