## [January-2022100% Pass Guaranteed 2V0-81.20 Dumps VCE Free Download in Braindump2go[Q31-Q61

January/2022 Latest Braindump2go 2V0-81.20 Exam Dumps with PDF and VCE Free Updated Today! Following are some new 2V0-81.20 Real Exam Questions! QUESTION 31An administrator has added a new ESXi host to a vCenter Server Cluster with NSX-T Data Center already working. The administrator installed NSX-T Data Center components in the new ESXi. When the administrator deploys a new VM in the host, connectivity tests good with ping, but SSH session traffic is erratic. The VDS and NSX-T Data Center configuration is the same as each ESXI in the Cluster, but only VMs in the new ESXI are having problems. What should the administrator do to address the problem? A. Verify VLAN connection in each physical uplink. B. Verify MTU configuration in each physical uplink. C. Change VDS MTU to 1500 in each physical uplink. D. Change VDS MTU to 2000 in each physical uplink. Answer: BExplanation: <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt/30/install.pdf">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/nsxt/30/install.pdf</a> (144)QUESTION 32Which file can be used to validate repcli authentication was enabled for Carbon Black Cloud? A. C:Program FilesConferepcii.iniB. C:Program FilesConferconfig.iniC. C:Program FilesConfercfg.iniD. C:Program FilesConfercfi.iniAnswer: AExplanation:

https://community.carbonblack.com/t5/Knowledge-Base/Carbon-Black-Cloud-How-to-Enable-RepCLI-Authentication-on/ta-p/7039

3QUESTION 33Which is the correct Distinguished Name for connecting NSX-T Data Center to Active Directory, if your directory name is corp. local?A. corp. localB. DC=corp. localC. DC=corp, DC=localD. DC=local, DC=corpAnswer: CExplanation: https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-8B60D22B-3119-48F6-AEAE-AE27A937218

9.htmlQUESTION 34What are two valid time limit selections when creating a Last Seen compliance policy in Workspace ONE UEM? (Choose two.)A. HoursB. MinutesC. DaysD. WeeksE. MonthsAnswer: BCExplanation: https://www.niap-ccevs.org/MMO/Product/st vid11026-aar.pdf (47)QUESTION 35Which is true about Time-Based Firewall Policy rules?A. Time-Based policy rules apply only to the NSX Distributed Firewall.B. Time-Based policy rules apply to the NSX Gateway and Distributed Firewall.C. Time-Based policy rules can only be used one time for NSX Gateway Firewall.D. Time-Based policy rules apply only to the NSX Gateway Firewall.Answer: BExplanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-8572496E-A60E-48C3-A016-4A081AC80BE 7.htmlQUESTION 36An administrator found an unwanted/untrusted application running in their environment. What is the most efficient way of preventing the unwanted application from running and stopping any existing instances in Carbon Black Cloud? A. Mark the file as a PUP (Potentially Unwanted Program). B. Add a rule to each policy for unwanted. exe runs or if running terminate. C. Send a delete application request to each machine. D. Add the unwanted files hash to the company banned list. Answer: DExplanation:

https://community.carbonblack.com/gbouw27325/attachments/gbouw27325/product-docs-news/3221/1/VMware%20Carbon%20Black%20App%20Control%20User%20Guide%20v8.6.pdf (77)QUESTION 37In the NSX Manager UI, which tab is selected to manage firewall rules?A. Plan & Troubleshoot tabB. Security tabC. Inventory tabD. Networking tabAnswer: BExplanation: https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.admin.doc/GUID-96BBB6D2-A4AB-4C88-B40B-781CFF00910F.htmlQUESTION 38Which is the name of the default policy that is applied to all applications in Workspace ONE Access?A. primary\_policyB. default\_policyC. default\_access\_policy\_setD. default\_application\_policyAnswer: CExplanation:

https://theidentityguy.ca/2021/02/25/workspace-one-access-best-practices-in-policy-management/QUESTION 39In a Carbon Black Cloud deployment, which two are recommended troubleshooting steps for Live Response not working? (Choose two.)A. Restart the Live Response Service three times to autocorrect.B. Ensure a duplicate Live Response session does not exist.C. Confirm Live Response is enabled in Sensor Policy settings.D. Ensure the account has RBAC permission for Live Response.E. Confirm the Live Response timeline spans the search window. Answer: CDExplanation:

https://developer.carbonblack.com/reference/carbon-black-cloud/platform/latest/live-response-api/QUESTION 40An administrator has created a security policy from the NSX UI, but the firewall rules are not being applied to the traffic in the datapath. Which two actions could be carried out by the administrator to resolve the problem? (Choose two.)A. Modify the Direction of the rules in the security policy.B. Modify the Action of the rules in the security policy.C. Restart the workloads running on the impacted hosts. D. Modify the Applied To field of the security policy.E. Restart the nsx-proxy agent on the impacted hosts.Answer: BCQUESTION 41When creating a sensor group in VMware Carbon Black Cloud, which three are valid criteria? (Choose three.)A. Location NameB. Organizational UsernameC. Active Directory Organizational UnitD. SubnetE. Device NameAnswer: CDE Explanation:

https://docs.vmware.com/en/VMware-Carbon-Black-Cloud/services/carbon-black-cloud-user-guide/GUID-741989BE-4844-4953-B 7FE-89A05A81EBE7.html QUESTION 42An organization is expanding NSX to deploy the NSX Distributed Firewall on an AWS VPC and Azure VNET.Which statement is true concerning the expansion?A. The request is not possible because NSX works only in VMware environments.B. NSX can only manage native security components on AWS and Azure with agent based mode.C. NSX can only do an agent based mode on AWS and Azure.D. NSX can choose native security components on AWS and Azure or agent based mode.Answer: BExplanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-UEM/services/UEM Managing Devices/GUID-AddACompliancePolicy.ht mlQUESTION 44Which is the built-in two factor authentication method in Workspace ONE Access?A. VMware VerifyB. VMware SMSC. VMware AuthD. VMware PushAnswer: AExplanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/ws1 access authentication cloud/GUID-FE8A5B1C-BC1 7-4A5C-BC8D-614C5EE4057A.html QUESTION 45Refer to the exhibit. What command was run on the NSX Edge node to pull

this information?

Remote VTEP IP: 172.20.11.151
Remote VTEP Label: 92161

Remote VTEP IP: 172.20.11.156

Remote VTEP Label: 92166

Remote VTEP IP: 172.20.11.155

Remote VTEP Label: 92165

www.Braindump2go.com

Remote VTEP IP: 172.20.11.152

Remote VTEP Label: 92162

Remote VTEP IP: 172.20.11.153

Remote VTEP Label: 92163

Remote VTEP IP: 172.20.11.154

Remote VTEP Label: 92164

A. get tunnel-IDB. show vtepsC. get vtepsD. list vtepsAnswer: CExplanation:

https://vdc-download.vmware.com/vmwb-repository/dcr-public/c3fd9cef-6b2b-4772-93be-3fe60ce064a1/1f67b9e1-b111-4de7-9ea1 -39931d28f560/NSX-T%20Command-Line%20Interface%20Reference.html#get%20vtepsQUESTION 46What command does an administrator use on an ESXi Transport Node to check connectivity with the management plane?A. esxcli network ip connection list 1234B. esxcli firewall ip connection list | grep 1234C. esxcli ip connection 1234D. esxcli network ip connection list | grep 1234Answer: DExplanation:

https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.troubleshooting.doc/GUID-18EDB577-1 903-4110-8A0B-FE9647ED82B6.htmlQUESTION 47Which Carbon Black Cloud feature allows an administrator to audit at scale and identify gaps in least privilege configuration controls?A. WatchlistB. Live QueryC. InvestigateD. CB Baseline ToolAnswer: CExplanation:

https://community.carbonblack.com/gbouw27325/attachments/gbouw27325/product-docs-news/3221/1/VMware%20Carbon%20Black%20App%20Control%20User%20Guide%20v8.6.pdfQUESTION 48In what order are NSX-T Distributed Firewall configurable rules categories processed?A. Emergency, Ethernet, Environment, Infrastructure, ApplicationB. Ethernet, Environment, Infrastructure, ApplicationD. Emergency, Ethernet, Infrastructure, Environment, ApplicationD. Emergency, Ethernet, Infrastructure, Environment, ApplicationAnswer: CExplanation:

https://searchvmware.techtarget.com/tip/Learn-how-to-configure-NSX-firewall-rulesQUESTION 49Which statement is true about TraceFlow when used in an NSX-T Data Center deployment?A. Traceflow mirrors a source port for inspection.B. Traceflow allows you to inject a packet into the network and monitor its flow across the network.C. Traceflow allows you to perform a traceroute cmd between selected hosts.D. Traceflow enables IPFIX forwarding for the selected port.Answer: BExplanation: <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7AB">https://docs.vmware.com/e

https://docs.vmware.com/en/VMware-Workspace-ONE/services/intelligence-documentation/GUID-14 intel user risk dashboard.ht mlQUESTION 51How does an NSX-T Data Center firewall rule handle an Apply To setting for the firewall policy and firewall rule?A. The rule Apply To will take precedent.B. The first Apply To created will take precedent.C. The last Apply To created will take precedent.D. The policy Apply To will take precedent.Answer: BQUESTION 52Which two options are needed to configure NSX-T Data Center to access the Active Directory? (Choose two.)A. Domain Controller NameB. Distinguished Name C. usernameD. PortE. netBIOS nameAnswer: BEExplanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-8B60D22B-3119-48F6-AEAE-AE27A937218 9.htmlQUESTION 53Considering the NSX Manager Node, what is VMware's recommended size for a typical production deployment? A. small appliance for deployments with up to 64 hosts B. medium appliance for deployments with up to 64 hosts C. medium appliance for deployments with up to 128 hosts D. small appliance for deployments with up to 32 hosts Answer: BQUESTION 54When creating a policy in VMware Carbon Black Cloud, what impact does setting the Target Value to Low have? A. Alerts Severity scores are raised by 1.B. Alerts Severity scores are lowered by 1.D. Alerts Severity scores are lowered by 2.Answer: DExplanation:

https://docs.vmware.com/en/VMware-Carbon-Black-Cloud/services/carbon-black-cloud-user-guide.pdf (20)QUESTION 55For Carbon Black Cloud two-factor authentication, which of the following is true? A. It is required at first login by default. B. At least two registered users are required. C. It is enabled once the organization passes 100 users. D. Only Google Authentication is supported. Answer: DExplanation:

https://community.carbonblack.com/t5/Knowledge-Base/PSC-How-to-Enable-Google-Two-Factor-Authentication/ta-p/84645
QUESTION 56Which three statements are true about NSX Intelligence and vRealize Network Insight? (Choose three.)A. NSX Intelligence provides stateful layer 7 processing using distributed in-line processing on each hypervisor.B. vRealize Network Insight complements NSX Intelligence when planning for micro-segmentation.C. vRealize Network Insight Enterprise allows for Security Planning and Visibility for VMware Cloud on AWS.D. NSX Intelligence provides stateful layer 7 processing on VeloCloud SD-WAN.E. Both vRealize Network Insight and NSX Intelligence allow integration with SD-WAN.Answer: BCD Explanation:

https://datacenternews.asia/story/vmware-launches-software-defined-networking-and-security-stack-built-for-multi-cloud QUESTION 57Which of the following statements is true about Monitor Port Mirroring Sessions in NSX-T Data Center?A. This feature requires a SPAN compliant appliance.B. A source mirror port can be in more than one mirror session.C. A source mirror port cannot be in more than one mirror session.D. This feature requires an IPFIX compliant collector.Answer: CExplanation: <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08">https://docs.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-08</a> <a href="https://docs.vmware.nsxt.admin.doc/G

https://community.carbonblack.com/t5/Knowledge-Base/Carbon-Black-Cloud-How-to-Perform-an-Unattended-Installation-of/ta-p/6 5874QUESTION 59Which two are features of a hybrid cloud model for networking and security when using NSX-T Data Center and VMware NSX Cloud? (Choose two.)A. NSX Data Center provides consistent logical networking and security across protected and recovery sites.B. NSX Data Center supports Layer 2 VPN between an NSX Edge and a Direct Connect Gateway.C. NSX Data Center and VMware NSX Cloud stretch Layer 2 domains between public clouds using the Geneve overlay.D. NSX Data Center supports secure, encrypted user access to private corporate applications (SSL VPN).E. NSX Data Center supports remote sites (IPsec VPN) with optional VPN gateways or hardware routers from other vendors.Answer: AEExplanation: <a href="https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/nsx/vmware-nsx-datasheet.pdf">https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/nsx/vmware-nsx-datasheet.pdf</a>QUESTION 60 When deploying a Carbon Black Cloud Sensor using GPO, which option is a required setting?A. COMPANY\_CODEB. LICENSE CODEC. CONNECT LIMITD. AUTO UPDATEAnswer: AExplanation:

https://community.carbonblack.com/t5/Knowledge-Base/Endpoint-Standard-How-to-Deploy-Windows-Sensors-using-GPO/ta-p/333 06QUESTION 61You are troubleshooting a Carbon Black Cloud Sensor issue.What repcli command will gather the needed logs and package them in a .zip file?A. repcli captureB. repcli gatherC. repcli logsD. repcli collectAnswer: AExplanation: https://community.carbonblack.com/t5/Knowledge-Base/Carbon-Black-Cloud-How-To-Collect-Sensor-Logs-Locally-Windows/ta-p/62006/Resources From:1.2022 Latest Braindump2go 2V0-81.20 Exam Dumps (PDF & VCE) Free Share: https://www.braindump2go.com/2v0-81-20.html2.2022 Latest Braindump2go 2V0-81.20 PDF and 2V0-81.20 VCE Dumps Free Share:https://drive.google.com/drive/folders/1QnLz6G-0P-Nfg1o4eHGB37rX2E0gvnrh?usp=sharing3.2021 Free Braindump2go 2V0-81.20 Exam Questions Download:https://www.braindump2go.com/free-online-pdf/2V0-81.20-PDF-Dumps(1-20).pdf https://www.braindump2go.com/free-online-pdf/2V0-81.20-VCE-Dumps(42-62).pdfFree Resources from Braindump2go,We Devoted to Helping You 100% Pass All Exams!