[July-2020Braindump2go MS-100 VCE Free Instant Download[265-275

<u>July/2020 New Braindump2go MS-100 Exam Dumps with PDF and VCE Free Updated Today! Following are some MS-100 Real</u> <u>Exam Questions!</u>QUESTION 265Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
₩₩₩w.Braindu	inpegoreom
User2	Fabrikam.com


The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit.



PROVISION FROM ACTIVE

Seamless single sign Pass-through authenti

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.You need to ensure that User2 can access the resources in Azure AD.Solution: From the Azure Active Directory admin center, you add fabrikam.com as a custom domain. You instruct User2 to sign in as user2@fabrikam.com.Does this meet the goal?A. YesB. NoAnswer: AExplanation:The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.QUESTION 266Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.



The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit.

This page was exported from - <u>Braindump2go Free Exam Dumps with PDF and VCE Collection</u> Export date: Thu Nov 21 14:22:35 2024 / +0000 GMT

PROVISION FROM ACTIVE DIRECTORY Azure AD Connect cloud provisioning				
-	This feature allows you to manage provisioning from the cloud.			
	Manage provisioning (Preview)			
	Azure AD Connect sync			
ww	Last Sync Last Sync Less than 1 hour ago			
	Password Hash Sync	Enabled		
USER SIGN-IN				
3	Federation	Disabled	0 domains	
9	Seamless single sign-on	Enabled	1 domain	
	Pass-through authentication	Enabled	2 agents	

users shown in the following table.

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.You need to ensure that User2 can access the resources in Azure AD.Solution: From the on-premises Active Directory domain, you assign User2 the Allow logon locally user right. You instruct User2 to sign in as user2@fabrikam.com.Does this meet the goal?A. YesB. NoAnswer: BExplanation:This is not a permissions issue.The on-premises Active Directory domain is named contoso.com. To enable users to sign on using a different UPN (different domain), you need to add the domain to Microsoft 365 as a custom domain.QUESTION 267Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the

Name	UPN suffix
₩₩₩.Braindu	nnppyseom
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit.



Azure AD Connect

Last Sync

Password Hash Sync



Federation Seamless single sign Pass-through authent

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.You need to ensure that User2 can access the resources in Azure AD.Solution: From the on-premises Active Directory domain, you set the UPN suffix for User2 to

@contoso.com. You instruct User2 to sign in as user2@contoso.com.Does this meet the goal?A. YesB. NoAnswer: A Explanation:The on-premises Active Directory domain is named contoso.com. You can enable users to sign on using a different UPN (different domain), by adding the domain to Microsoft 365 as a custom domain. Alternatively, you can configure the user account to use the existing domain (contoso.com).QUESTION 268Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.



PROVISION FROM ACTIVE Azure AD Connect of This feature allows you Manage provisioning

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit.





User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com.You need to ensure that User2 can access the resources in Azure AD.Solution: From the Azure Active Directory admin center, you assign User2 the Security reader role. You instruct User2 to sign in as user2@contoso.com.Does this meet the goal?A. YesB. NoAnswer: BExplanation: This is not a permissions issue so you do not need to assign the Security Reader role. The on-premises Active Directory domain is named contoso.com. User2 could sign on as user2@contoso.com but you would first need to change the UPN of User2 to user2@contoso.com.QUESTION 269Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains: Contoso.com East.contoso.comAn Azure AD Connect server is deployed to contoso.com. Azure AD Connect syncs to an Azure Active Directory (Azure AD) tenant. You deploy a new domain named west.contoso.com to the forest.You need to ensure that west.contoso.com syncs to the Azure AD tenant.Solution: You install a new Azure AD Connect server in west.contoso.com and set AD Connect to active mode.Does this meet the goal?A. YesB. NoAnswer: AQUESTION 270Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains: Contoso.com East.contoso.comAn Azure AD Connect server is deployed to contoso.com. Azure AD Connect syncs to an Azure Active Directory (Azure AD) tenant. You deploy a new domain named west.contoso.com to the forest.You need to ensure that west.contoso.com syncs to the Azure AD tenant.Solution: You install a new Azure AD Connect server in west.contoso.com and set AD Connect to staging mode.Does this meet the goal?A.

YesB. NoAnswer: BQUESTION 271You have a Microsoft 365 subscription that contains the domains shown in the following

exhibit.	Contoso 1919 Domains	Dark mode	The new admin cer	nter
	+ Add domain © Set as default		,	⊽Filter ≕
	Sub1.Contoso1919.onmicrosoft.com	(Default) : 🛕 Pos	ssible service issues	20111
	Contoso.com Contoso1919.onmicrosoft.com Sub2.Contoso1919.onmicrosoft.com	: 🕑 Не	althy	
	0 3002.0010301313.011110.0301.0011		calury	

Which domain name suffixes can you use when you create users?A. only Sub1.Contoso1919.onmicrosoft.comB. only Contoso1919.onmicrosoft.comC. only Contoso1919.onmicrosoft.com,

Sub1.Contoso1919.onmicrosoft.com, and Sub2.Contoso1919.onmicrosoft.comD. all the domains in the subscriptionAnswer:

CQUESTION 272You have a Microsoft 365 subscription that contains the users shown in the following table. Name Microsoft 365 add role

-		
		role
	User1	Global admin -
	User2	Exchange admin
	User3	Service support adm
	User4	None
	-	

You plan to use Exchange Online to manage email for a DNS domain.An administrator adds the DNS domain to the subscription. The DNS domain has a status of incomplete setup.You need to identify which user can complete the setup of the DNS domain. The solution must use the principle of least privilege.Which user should you identify?A. User1B. User2C. User3D. User4Answer: AExplanation:<u>https://docs.microsoft.com/en-us/microsoft-365/admin/setup/add-domain?view=o365-worldwide</u>QUESTION 273 Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.You purchase a Microsoft 365 subscription.You implement password hash synchronization and Azure Active Directory (Azure AD) Seamless Single Sign-On (Seamless SSO).You need to ensure that users can use Seamless SSO from the Windows 10 computers. What should you do?A. Create a conditional access policy in Azure AD.B. Deploy an Azure AD Connect staging server.C. Join the computers to Azure AD.D. Modify the Intranet zone settings by using Group PolicyAnswer: DExplanation: <u>https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start</u>QUESTION 274You publish an enterprise application named App1 that processes financial data.You need to ensure that access to App1 is revoked for users who no longer require viewing the processed financial data.What should you configure?A. an ownerB. an app protection policyC. an access reviewD. a conditional access policyAnswer: CExplanation:

https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-reviewQUESTION 275Hotspot QuestionYour network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

Contoso.com East.contoso.comThe forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contosc.com
User3	Fabrikam.com

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

This page was exported from - <u>Braindump2go Free Exam Dumps with PDF and VCE Collection</u> Export date: Thu Nov 21 14:22:40 2024 / +0000 GMT

	SION FROM ACTIVE DIREC Azure AD Connect cloud pr			
	This feature allows you to manage provisioning from the cloud. Manage provisioning (Preview)			
Azure AD Connect sync				
ww	ast Sync Less than 1 hour ago			
Password Hash Sync Disabled USER SIGN-IN				
€	Federation Seamless single sign-on Pass-through authentication	Disabled Enabled Enabled	0 domains 1 domain 2 agents	

For each of the following statements, select Yes if the statement is true. Otherwise, select No.NOTE: Each correct selection is worth one point.



Explanation:Box 1: YesThe UPN of user1 is user1@contoso.com so he can authenticate to Azure AD by using the username user1@contoso.com.Box 2: NoThe UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.Box 3: NoThe UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.<u>Resources From:</u>1.2020 Latest Braindump2go MS-100 Exam Dumps (PDF & VCE) Free Share: https://www.braindump2go.com/ms-100.html2.2020 Latest Braindump2go MS-100 PDF and MS-100 VCE Dumps Free Share: https://drive.google.com/drive/folders/15vjCBbT_dSXLdZo7Ua_XgRuKT6WqjGC0?usp=sharing3.2020 Free Braindump2go MS-100 PDF Download:https://www.braindump2go.com/free-online-pdf/MS-100-VCE-Dumps(265-275).pdf https://www.braindump2go.com/free-online-pdf/MS-100-VCE-Dumps(276-279).pdfFree Resources from Braindump2go,We Devoted to Helping You 100% Pass All Exams!