## [June-2021Real 300-730 Dumps PDF 300-730 113Q-Braindump2go[Q86-Q113

June/2021 Latest Braindump2go 300-730 Exam Dumps with PDF and VCE Free Updated Today! Following are some new 300-730 Real Exam Questions!QUESTION 86Which two NHRP functions are specific to DMVPN Phase 3 implementation? (Choose two.)A. registration replyB. redirectC. resolution replyD. registration requestE. resolution requestAnswer: BCQUESTION 88Which two features are valid backup options for an IOS FlexVPN client? (Choose two.)A. HSRP stateless failoverB. DNS-based hub resolutionC. reactivate primary peerD. tunnel pivotE. need distractorAnswer: BCQUESTION 89Refer to the exhibit. Which type of VPN is used?

tunnel-group client general-attributes address-pool MYPOOL

\*\*THE TELEPHONE CARE CONTROL CARE TO THE TELEPHONE TO THE TELEPHONE CARE TO THE TELEPHONE CARE TO THE TELEPHONE TO T

A. GETVPNB. clientless SSL VPNC. Cisco Easy VPND. Cisco AnyConnect SSL VPNAnswer: CQUESTION 91Which Cisco AnyConnect component ensures that devices in a specific internal subnet are only accessible using port 443?A. routingB. WebACLC. split tunnelD. VPN filterAnswer: DQUESTION 92Refer to the exhibit. Upon setting up a tunnel between two sites, users are complaining that connections to applications over the VPN are not working consistently. The output of show crypto ipsec sa was collected on one of the VPN devices. Based on this output, what should be done to fix this issue?

Crypto map tag: TunnelO-head-0, local addr protected vrf: (none) local ident (addr/mask/prot/port): (0.0.0.0 remote ident (addr/mask/prot/port): (0.0.0.0 current peer 192.168.0.1 port 500 PERMIT, flags\*(origin is\_acl.)\*
#pkts encaps: 16228, #pkts decrypt: 16228, #pkts decaps: 26773, #pkts decrypt: 26773, #pkts compressed: 0, #pkts decrypt: 26773, #pkts not compressed: 0, #pkts compressed: 0, #pkts not pkts not decompressed: 0, isks de empressed: 0, isks de permessed: 0, isks de more in it is i

A. Lower the tunnel MTU.B. Enable perfect forward secrecy.C. Specify the application networks in the remote identity.D. Make an adjustment to IPSec replay window.Answer: AQUESTION 93After a user configures a connection profile with a bookmark list and tests the clientless SSLVPN connection, all of the bookmarks are grayed out. What must be done to correct this behavior?A. Apply the bookmark to the correct group policy.B. Specify the correct port for the web server under the bookmark.C. Configure a DNS server on the Cisco ASA and verify it has a record for the web server.D. Verify HTTP/HTTPS connectivity between the Cisco ASA and the web server.Answer: CQUESTION 94Refer to the exhibit. Which type of VPN is being configured, based on the partial configuration snippet?

crypto gdoi group GDOI-GROUP1
server local
address ipv4 10.0.0.1
Wreaundancy
local priority 250
peer address ipv4 10.0.6.1

A. GET VPN with COOP key serverB. GET VPN with dual group memberC. FlexVPN load balancerD. FlexVPN backup gatewayAnswer: AQUESTION 95An administrator is designing a VPN with a partner's non-Cisco VPN solution. The partner's VPN device will negotiate an IKEv2 tunnel that will only encrypt subnets 192.168.0.0/24 going to 10.0.0.0/24. Which technology must be used to meet these requirements? A. VTIB. crypto mapC. GETVPND. DMVPNAnswer: BQUESTION 96A company's

remote locations connect to the data centers via MPLS. A new request requires that unicast and multicast traffic that exits in the remote locations be encrypted. Which non-tunneled technology should be used to satisfy this requirement? A. SSLB. FlexVPNC. DMVPND. GETVPNAnswer: DQUESTION 97While troubleshooting, an engineer finds that the show crypto isakmp sa command indicates that the last state of the tunnel is MM\_KEY\_EXCH. What is the next step that should be taken to resolve this issue? A. Verify that the ISAKMP proposals match. B. Ensure that UDP 500 is not being blocked between the devices. C. Correct the peer's IP address on the crypto map. D. Confirm that the pre-shared keys match on both devices. Answer: CQUESTION 98Which VPN technology must be used to ensure that routers are able to dynamically form connections with each other rather than sending traffic through a hub and be able to advertise routes without the use of a dynamic routing protocol? A. FlexVPNB. DMVPN Phase 3C. DMVPN Phase 2D. GETVPNAnswer: BQUESTION 99An administrator is setting up AnyConnect for the first time for a few users. Currently, the router does not have access to a RADIUS server. Which AnyConnect protocol must be used to allow users to authenticate? A. EAP-GTCB. EAP-MSCHAPv2C. EAP-MD5D. EAP-AnyConnectAnswer: DQUESTION 100Refer to the exhibit. DMVPN spoke-to-spoke traffic works, but it passes through the hub, and never sends direct spoke-to-spoke traffic. Based on the tunnel interface configuration shown, what must be configured on the hub to solve the issue?

interface Tunned ip address 192. No ip redirects ip mtu 1440 ip nhrp map mul ip nhrp network no ip spirt-hor ip next-hop-sel tunnel source tunnel mode greatunnel key 0 tunnel protecti

A. Enable NHRP redirect.B. Enable split horizon.C. Enable IP redirects.D. Enable NHRP shortcut.Answer: DQUESTION 102Refer to the exhibit. Which two conclusions should be drawn from the DMVPN phase 2 configuration? (Choose two.)

interface
ip addre
no ip re
ip mtu 14
ip nhrp a
ip nhrp m

April p

no ip spl
no ip nex
tunnel so
tunnel ke
tunnel pr

A. Next-hop-self is required.B. EIGRP neighbor adjacency will fail.C. EIGRP is used as the dynamic routing protocol.D. EIGRP route redistribution is not allowed.E. Spoke-to-spoke communication is allowed.Answer: CEQUESTION 103Refer to the exhibit. The VPN tunnel between the FlexVPN spoke and FlexVPN hub 192.168.0.12 is failing.What should be done to correct this issue?

```
aaa authentication login default local
aaa authorization network Flex AAA local
crypto ikev2 authorization policy Flex Auth route set remote ipv4 10.0.0.0 255.255.255.0
crypto ikev2 proposal Crypto Proposal
  encryption aes-cbc-256
 integrity sha256
 group 14
crypto ikev2 policy Crypto_Policy
 proposal Crypto_Proposal
crypto ikev2 keyring FlexKey
 peer any
address 0.0.0.0 0.0.0.0
  pre-shared-key cisco
MANIA BESTER 111 0200 COM match identity remote address 192.168.0.17 255.255.255.255
 authentication local pre-share
 authentication remote pre-share
 keyring local FlexKey
 aaa authorization group cert list Flex_AAA Flex_Auth
crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
crypto ipsec profile FlexVPN Ipsec
 set transform-set TS
 set ikev2-profile IKEv2_Profile
interface Tunnell
 ip address negotiated
tunnel source GigabitEthernet1
 tunnel mode ipsec ipv4
tunnel destination 192.168.0.12
 tunnel protection ipsec profile FlexVPN_Ipsec
```

A. Add the address 192.168.0.12 255.255.255.255 command to the keyring configuration.B. Add the match fvrf any command to the IKEv2 policy.C. Add the aaa authorization group psk list Flex\_AAA Flex\_Auth command to the IKEv2 profile configuration.D. Add the tunnel mode gre ip command to the tunnel configuration.Answer: CQUESTION 104Refer to the exhibit. An IKEv2 site-to-site tunnel between an ASA and a remote peer is not building successfully. What will fix the problem based on the

debug output?

```
*Dec 5 20:49:53.785: IKEv2:(SA ID = 1070):Failed to verify the proposed policies
*Dec 5 20:49:53.785: IKEv2:(SA ID = 1070):There was no IPSEC policy found for received TS

*INSTRUMENT OF THE PROPOSED OF THE
```

A. Ensure crypto IPsec policy matches on both VPN devices.B. Install the correct certificate to validate the peer.C. Correct crypto access list on both VPN devices.D. Specify the peer IP address in the tunnel group name.Answer: AQUESTION 105Refer to the exhibit. A network engineer is reconfiguring clientless SSLVPN during a maintenance window, and after testing the new configuration, is unable to establish the connection. What must be done to remediate this problem?

```
webvpn
port 9443
enable outside
dtls port 9443
anyconnect-essentials
anyconnect image disk0:/anyconnect-win-4.9
anyconnect profiles vpn_profile_1 disk0:/v
anyconnect enable
tythly/itytliz_fact. I dump
cache
disable
error-recovery disable
group-policy vpn_policy internal
group-policy vpn_policy attributes
dns-server value 192.168.1.3
vpn-tunnel-protocol ssl-client
address-pools value vpn_pool
```

A. Enable client services on the outside interface.B. Enable clientless protocol under the group policy.C. Enable DTLS under the group policy.D. Enable auto sign-on for the user's IP address.Answer: BQUESTION 106What are two purposes of the key server in Cisco IOS GETVPN? (Choose two.)A. to download encryption keysB. to maintain encryption policiesC. to distribute

routing informationD. to encrypt data trafficE. to authenticate group membersAnswer: BEQUESTION 107An engineer notices that while an employee is connected remotely, all traffic is being routed to the corporate network. Which split-tunnel policy allows a remote client to use their local provider for Internet access when working from home?A. tunnelallB. excludeallC. tunnelspecifiedD. excludespecifiedAnswer: CQUESTION 108In order to enable FlexVPN to use a AAA attribute list, which two tasks must be performed? (Choose two.)A. Define the RADIUS server.B. Verify that clients are using the correct authorization policy.C. Define the AAA server.D. Assign the list to an authorization policy.E. Set the maximum segment size.Answer: BDQUESTION 109Which technology and VPN component allows a VPN headend to dynamically learn post NAT IP addresses of remote routers at different sites?A. DMVPN with ISAKMPB. GETVPN with ISAKMPC. DMVPN with NHRPD. GETVPN with NHRPAnswer: CQUESTION 110An engineer must configure remote desktop connectivity for offsite admins via clientless SSL VPN, configured on a Cisco ASA to Windows Vista workstations. Which two configurations provide the requested access? (Choose two.)A. Telnet bookmark via the Telnet pluginB. RDP2 bookmark via the RDP2 pluginC. VNC bookmark via the VNC pluginD. Citrix bookmark via the ICA pluginE. SSH bookmark via the SSH pluginAnswer: BEQUESTION 111A network engineer must design a clientless VPN solution for a company. VPN users must be able to access several internal web servers. When reachability to those web servers was tested, it was found that one website is not being rewritten correctly by the ASA. What is a potential solution for this issue while still allowing it to be a clientless VPN setup?A. Set up a smart tunnel with the IP address of the web server.B. Set up a NAT rule that translates the ASA public address to the web server private address on port 80.C. Set up Cisco AnyConnect with a split tunnel that has the IP address of the web server.D. Set up a WebACL to permit the IP address of the web server. Answer: AQUESTION 112Which two types of SSO functionality are available on the Cisco ASA without any external SSO servers? (Choose two.)A. SAMLB. NTLMC. KerberosD. OAuth 2.0E. HTTP BasicAnswer: BEQUESTION 113Refer to the exhibit. Which type of VPN implementation is displayed?

hostname RouterA interface GigabitEthernet 0/0/0 ip address 10.0.0.1 255.255.255.0 standby 1 priority 110 standby ikev1-cluster end

standby-group ikev1-cluster slave max-session 500 port 2000 no shutdown

crypto ikev2 redirect gateway init

A. IKEv1 clusterB. IKEv2 backup gatewayC. IKEv2 load balancerD. IKEv2 reconnectAnswer: C Exam BResources From:1.2021 Latest Braindump2go 300-730 Exam Dumps (PDF & VCE) Free Share: https://www.braindump2go.com/300-730.html2.2021 Latest Braindump2go 300-730 PDF and 300-730 VCE Dumps Free Share: https://drive.google.com/drive/folders/1zBS7xcmszvPHlrS\_lPaM4uUF1VvomE4a?usp=sharing3.2021 Free Braindump2go 300-730 Exam Questions Download:https://www.braindump2go.com/free-online-pdf/300-730-PDF-Dumps(76-94).pdf https://www.braindump2go.com/free-online-pdf/300-730-VCE-Dumps(95-113).pdfFree Resources from Braindump2go,We Devoted to Helping You 100% Pass All Exams!