# [March-2022Free 200-901 Exam Dumps VCE Offered by Braindump2go[Q263-Q279

March/2022 Latest Braindump2go 200-901 Exam Dumps with PDF and VCE Free Updated Today! Following are some new 200-901 Real Exam Questions!QUESTION 263What is a functionality of the Waterfall method as compared to the Agile method for software development?A.   Waterfall increases agility to implement faster while Agile promotes reliability.B.   A phase begins after the previous phase has ended in Waterfall while Agile phases run in parallel.C.   Customers get feedback during the process in Waterfall while they can see the result at the end in Agile.D.   Requirements can be updated in Waterfall while in Agile it should be gathered in the beginning.Answer: BQUESTION 264What is a benefit of using functions in the code for the development process?A.   better user experience in the end productB.   improves code performanceC.   easier to compile the codeD.   fester code developmentAnswer: DQUESTION 265What is the difference between YAML and JSON data structure?A.   YAML uses spaces; JSON uses parenthesesB.   YAML uses indentation; JSON uses brackets and bracesC.   YAML uses brackets and braces; JSON uses indentationD.   YAML uses parentheses; JSON uses spacesAnswer: AQUESTION 266A developer is working on a feature for a new application. The changes in the existing branch named 'feat00304' must be integrated into a single commit with the current working primary branch named 'prodapp411926287'. Which git command must be used?A.   git rebase --merge feat00304B.   git merge --squash feat00304C.   git push --rebase feat00304D.   git checkout --squash feat00304Answer: BQUESTION 267A file that already exists in a local repository is updated.Which command must be executed to ensure that the changes in the file are included in the next Git commit?A.   git updateB.   git mergeC.   git addD.   git rebaseAnswer: AQUESTION 268Into which type of Python data structure should common data formats be parsed?A.   sequenceB.   setC.   dictionaryD.   listAnswer: CQUESTION 269Several teams at a company are developing a new CRM solution to track customer interactions with a goal of improving customer satisfaction and driving higher revenue. The proposed solution contains these components:- MySQL database that stores data about customers- HTML5 and JavaScript UI that runs on Apache- REST API written in PythonWhat are two advantages of applying the MVC design pattern to the development of the solution? (Choose two.)A.   to enable multiple views of the same data to be presented to different groups of usersB.   to provide separation between the view and the model by ensuring that all logic is separated out into the controllerC.   to ensure data consistency, which requires that changes to the view are also made to the model D.   to ensure that only one instance of the data model can be createdE.   to provide only a single view of the data to ensure consistencyAnswer: BDQUESTION 270Which HTTP code group is issued when a request is received successfully, understood, and processed?A.   2xxB.   3xxC.   4xxD.   5xxAnswer: AQUESTION 271A developer creates a web application that receives a username and password and uses them to sync the credentials to other services through HTTPS. API keys to services are part of the configuration files of the application, but the credentials to the database that stores the synchronization logs are obtained through an external vault service. What is the security issue in this scenario?A.   Communication between the application and the services is not encrypted.B.   The database credentials should be stored in the configuration files so that they are secured on the same server.C.   The API keys are stored in the configuration files but should be stored in the vault service.D.   The synchronization logs should be encrypted and not stored in a relational database.Answer: AQUESTION 272Refer to the exhibit. An engineer writes a Python script that uses two different API calls to query Cisco DNA Center for the number of interfaces on a device. The engineer notices that the two API calls produce different results. Why are fewer interfaces returned for the same device when the 'get_all_interfaces' API call is used?

A.   times outB.   rate limitC.   paginationD.   invalid passwordAnswer: CQUESTION 273Why is refactoring done during test-driven development?A.   to enable larger objects and longer methodsB.   to improve maintainability and readability C.   to ensure that the previous uses of the objects are explainedD.   to ensure the duplication of essential codeAnswer: BQUESTION 274 Refer to the exhibit. A network engineer must change the configuration on devices daily. The Python script must collect CLI arguments from the user, organize data according to the Cisco-IOS-XE-native YANG model, and utilize Cisco REST APIs to make the configuration. Which workflow is being automated by the Python script?

```
1   from requests import request
2   from requests.auth import HTTPBasicAuth
3   from sys import argv
4   url = "https://"+ argv[1] +":443/restconf/data/native/ip/route"
5   auth = HTTPBasicAuth('developer', 'Cisco12345')
6   payload = {
7       "Cisco-IOS-XE-native:route": {
8           "ip-route-interface-forwarding-list": [
9               {
10                  "prefix": argv[2],
11                  "mask": argv[3],
12                  "fwd-list": [
13                      {
14                          "fwd": "GigabitEthernet2",
15                          "interface-next-hop": {
17                              "ip-address": argv[4]
18                          }
19                      }
20                  ]
21              }
22          ]
23      }
24  }
25  }
26  headers = {
27      'Content-Type': 'application/yang-data+json',
28      'Accept': 'application/yang-data+json',
29  }
30  response = request("PATCH", url, auth=auth, headers=headers, json = payload,
    verify=False)
```

A.   updating an existing route on the deviceB.   adding a new route to a deviceC.   including a route on the device and overwriting the current routesD.   deleting the route that is passed through the command-line variablesAnswer: AQUESTION 275Which platform is used to programmatically create a space and invite users for collaboration?A.   Cisco IntersightB.   Cisco FinesseC. Cisco WebexD.   Cisco UCMAnswer: CQUESTION 276Refer to the exhibit. A developer wants to create a room named cisco through Webex API. The developer prepares the request by putting an API token inside the authorization header; however, the given HTTP call returns error code 400. How must the call parameters be changed to ensure a valid response?

```
POST   •   https://webexapis.com/v1/teams

Params  Authorization  Headers (9)  Body •  Pre-request Script  T
Headers    = 8 hidden
   KEY                    VALUE
☑ Authorization          Bearer OTVjNDk5ZGQtNDc5Yi00MwZGEtZ
   Key                    Value
Body •  1  {
        2      "team": "cisco"
        3  }
        4

Pretty  Raw  Preview  Visualize    jSON  •

1  {
2      "message": "The request could not be understood
3      "errors": [
4          {
5              "description": "The request could not be un
6          }
7      ],
8      "trackingId": "ROUTER_5FBACE02-90AE-01BB-6DE-
9  }
```

A.   Replace the team body parameter with the name body parameter.B.   Replace cisco with a valid name for a team.C.   Change the token in the header with the authorization token.D.   Change the HTTP method of the call to PUT.Answer: AQUESTION 277 Refer to the exhibit. Which line must be included in the Bash script for the Python code to succeed?

```
$ sh script.sh
Traceback (most recent call last):
  File "script.py", line 2, in <module>
    api = WebexTeamsAPI()
  File "/opt/.venv/pyvenv35/lib/python3.5/site-packages/webe
in __init__
    "You must provide a Webex Teams access token to interact
webexteamsoft operation ..." and provide
w...                     ...
access_token_argumen...
$
$
$ cat script.sh
#!/bin/bash

python script.py
$
```

A.   define WEBEX_TEAMS_ACCESS_TOKEN=your_access_token_hereB.   export WEBEX_TEAMS_ACCESS_TOKEN=your_access_token_hereC.   set WEBEX_TEAMS_ACCESS_TOKEN=your_access_token_hereD. WEBEX_TEAMS_ACCESS_TOKEN=your_access_token_here.

WEBEX_TEAMS_ACCESS_TOKEN=your_access_token_hereAnswer: BQUESTION 278What is a capability of the NETCONF protocol?A.   allows Python scripts to be executed externally from a network deviceB.   uses JSON to encode data in its content layerC.   allows XML messages to be exchanged via the SSH protocolD.   exposes a web-based interfaceAnswer: CQUESTION 279Refer to the exhibit. A network engineer uses model-driven programmability to monitor and perform changes on the network. The network engineer decides to use the NETCONF RPC message to complete one of their tasks. What is accomplished by sending the RPC message?

```
<rpc message-id="101" xmlns="urn:ietf:params:xml:ns:Netconf:base:1.0">
  <get-config>
    <source>
      <running/>
    </source>
    <filter>
      <interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
        <interface>
          <name/>
        </interface>
      </interfaces>
    </filter>
  </get-config>
</rpc>
```

 A.   The running-config of the device is returned.B.   The name of each interface is reset to a default name.C.   All the YANG capabilities supported by the device are returned.D.   A list of interface names is returned.Answer: AResources From:1.2022 Latest Braindump2go 200-901 Exam Dumps (PDF & VCE) Free Share:https://www.braindump2go.com/200-901.html2.2022 Latest Braindump2go 200-901 PDF and 200-901 VCE Dumps Free Share: https://drive.google.com/drive/folders/1ypgUTJWhai6LLGstB79-TlJUmdC3sp0V?usp=sharing3.2021 Free Braindump2go 200-901 Exam Questions Download:https://www.braindump2go.com/free-online-pdf/200-901-PDF-Dumps(263-279).pdfFree Resources from Braindump2go,We Devoted to Helping You 100% Pass All Exams!