

## [May-2018-NewBraindump2go 70-764 Dumps VCE Free Download][138-148

2018 May New Microsoft 70-764 Exam Dumps with PDF and VCE Just Updated Today! Following are some new 70-764 Real Exam Questions:1.[2018 Latest 70-764 Exam Dumps (PDF & VCE) 332Q

Download:<https://www.braindump2go.com/70-764.html>2.[2018 Latest 70-764 Exam Questions & Answers

Download:<https://drive.google.com/drive/folders/0B75b5xYLjSSNdIF6dzFQVE9kUjA?usp=sharing>QUESTION 138You are the senior database administrator at Contoso, Ltd. You manage a SQL Server 2014 Instance, with multiple databases used for reporting. You have recently hired a junior database administrator. You want this person to be able to view the database structures on the server, but you do not want him or her to be able to make changes or see the data in the tables.The new hire's login credentials are as follows:- Login name: JFree- Password: Jx672\$qs

You want the new hire to be required to change his password on his next login. The code that is produced should execute no matter the initial database context in which it is started.You need to write the code required to give the new hire only the desired access, using the smallest number of steps. Develop the solution by selecting and arranging the required code blocks in the correct order. You may not need all of the code blocks. Answer: Explanation:-

MUST\_CHANGEApplies to: SQL Server 2008 through SQL Server 2014.Applies to SQL Server logins only. If this option is included, SQL Server prompts the user for a new password the first time the new login is used.- The VIEW DEFINITION permission lets a user see the metadata of the securable on which the permission is granted. However, VIEW DEFINITION permission does not confer access to the securable itself. For example, a user that is granted only VIEW DEFINITION permission on a table can see metadata related to the table in the sys.objects catalog view. However, without additional permissions such as SELECT or CONTROL, the user cannot read data from the table.QUESTION 139Drag and Drop QuestionYou plan to install two SQL Server 2012 environments named Environment1 and Environment2. Your company identifies the following availability requirements for each environment:- Environment1 must have mirroring with manual failover implemented. - Environment2 must have AlwaysOn with automatic failover implemented. You need to identify the minimum number of SQL Server 2012 servers that must be deployed to each environment to ensure that all data remains available if a physical server fails. How many servers should you identify? To answer, drag the appropriate number to the correct environment in the answer area. Answer: Explanation:

<http://msdn.microsoft.com/en-us/library/ms189852.aspx><http://msdn.microsoft.com/en-us/library/hh510230.aspx>Case Study 6: Fabrikam, Inc (Question 140 - Question 151)BackgroundCorporate InformationFabrikam, Inc. is a retailer that sells electronics products on the Internet. The company has a headquarters site and one satellite sales office.You have been hired as the database administrator, and the company wants you to change the architecture of the Fabrikam ecommerce site to optimize performance and reduce downtime while keeping capital expenditures to a minimum. To help with the solution, Fabrikam has decided to use cloud resources as well as on-premise servers.Physical LocationsAll of the corporate executives, product managers, and support staff are stationed at the headquarters office. Half of the sales force works at this location.There is also a satellite sales office. The other half of the sales force works at the satellite office in order to have sales people closer to clients in that area. Only sales people work at the satellite location.Problem StatementTo be successful, Fabrikam needs a website that is fast and has a high degree of system uptime. The current system operates on a single server and the company is not happy with the single point of failure this presents. The current nightly backups have been failing due to insufficient space on the available drives and manual drive cleanup often needing to happen to get past the errors. Additional space will not be made available for backups on the HQ or satellite servers. During your investigation, you discover that the sales force reports are causing significant contention.ConfigurationWindows LoginsThe network administrators have set up Windows groups to make it easier to manage security. Users may belong to more than one group depending on their role.The groups have been set up as shown in the following table: Server ConfigurationThe IT department has configured two physical servers with Microsoft Windows Server 2012 R2 and SQL Server 2014 Enterprise Edition and one Windows Azure Server. There are two tiers of storage available for use by database files only a fast tier and a slower tier. Currently the data and log files are stored on the fast tier of storage only. If a possible use case exists, management would like to utilize the slower tier storage for data files.The servers are configured as shown in the following table: DatabaseCurrently all information is stored in a single database called ProdDB, created with the following script: The Product table is in the Production schema owned by the ProductionStaff Windows group. It is the main table in the system so access to information in the Product table should be as fast as possible.The columns in the Product table are defined as shown in the following table: The SalesOrderDetail table holds the details about each sale. It is in the Sales schema owned by the SalesStaff Windows group.This table is constantly being updated, inserted into, and read.The columns in the SalesOrderDetail table are defined as shown in the following table: Database IssuesThe current database does not perform well. Additionally, a recent disk problem caused the system to go down, resulting in lost sales revenue. In reviewing the current system, you found that there are no automated maintenance procedures. The database is severely

fragmented, and everyone has read and write access. Requirements Database The database should be configured to maximize uptime and to ensure that very little data is lost in the event of a server failure. To help with performance, the database needs to be modified so that it can support in-memory data, specifically for the Product table, which the CIO has indicated should be a memory-optimized table. The auto-update statistics option is set off on this database. Only product managers are allowed to add products or to make changes to the name, description, price, cost, and supplier. The changes are made in an internal database and pushed to the Product table in ProdDB during system maintenance time. Product managers and others working at the headquarters location also should be able to generate reports that include supplier and cost information. Customer data access Customers access the company's website to order products, so they must be able to read product information such as name, description, and price from the Product table. When customers place orders, stored procedures called by the website update product quantity-on-hand values. This means the product table is constantly updated at random times. Customer support data access Customer support representatives need to be able to view and not update or change product information. Management does not want the customer support representatives to be able to see the product cost or any supplier information. Sales force data access Sales people at both the headquarters office and the satellite office must generate reports that read from the Product and SalesOrderDetail tables. No updates or inserts are ever made by sales people. These reports are run at random times and there can be no reporting downtime to refresh the data set except during the monthly maintenance window. The reports that run from the satellite office are process intensive queries with large data sets. Regardless of which office runs a sales force report, the SalesOrderDetail table should only return valid, committed order data; any orders not yet committed should be ignored. Historical Data The system should keep historical information about customers who access the site so that sales people can see how frequently customers log in and how long they stay on the site. The information should be stored in a table called Customer Access. Supporting this requirement should have minimal impact on production website performance. Backups The recovery strategy for Fabrikam needs to include the ability to do point in time restores and minimize the risk of data loss by performing transaction log backups every 15 minutes. Database Maintenance The company has defined a maintenance window every month when the server can be unavailable. Any maintenance functions that require exclusive access should be accomplished during that window. Project milestones completed-

- Revoked all existing read and write access to the database, leaving the schema ownership in place.
- Configured an Azure storage container secured with the storage account name MyStorageAccount with the primary access key StorageAccountKey on the cloud file server.
- SQL Server 2014 has been configured on the satellite server and is ready for use.
- On each database server, the fast storage has been assigned to drive letter F:, and the slow storage has been assigned to drive letter D:.

**QUESTION 140** Drag and Drop Question You need to distribute functionality across the three servers. Which function should you assign to each server? To answer, drag the appropriate functions to the correct servers. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: **QUESTION 141** You are designing your maintenance plan. Which command should you use only during the monthly maintenance window? A. DBCC INDEXDEFRAG (ProdDB, SalesOrderDetail, SODIndex) B. ALTER INDEX SODIndex ON SalesOrderDetail REORGANIZE C. ALTER INDEX SODIndex ON SalesOrderDetail REBUILDD. ALTER INDEX SODIndex ON SalesOrderDetail REBUILD WITH (ONLINE \* ON) Answer: D Explanation: - Scenario: Database Issues The current database does not perform well. Additionally, a recent disk problem caused the system to go down, resulting in lost sales revenue. In reviewing the current system, you found that there are no automated maintenance procedures. The database is severely fragmented, and everyone has read and write access. - After the degree of fragmentation is known, use the following table to determine the best method to correct the fragmentation. avg\_fragmentation\_in\_percent value / > 5% and <= 30% then use ALTER INDEX REORGANIZE / > 30% then use ALTER INDEX REBUILD WITH (ONLINE = ON) ALTER INDEX (Transact-SQL) **QUESTION 142** You need to write code that will allow the sales force to retrieve data for their reports with the least amount of effort. Which code should you use? A. Option AB. Option BC. Option CD. Option D Answer: A Explanation: - Scenario: - During your investigation, you discover that the sales force reports are causing significant contention. - Sales force data access Sales people at both the headquarters office and the satellite office must generate reports that read from the Product and SalesOrderDetail tables. No updates or inserts are ever made by sales people. These reports are run at random times and there can be no reporting downtime to refresh the data set except during the monthly maintenance window. The reports that run from the satellite office are process intensive queries with large data sets. Regardless of which office runs a sales force report, the SalesOrderDetail table should only return valid, committed order data; any orders not yet committed should be ignored. **QUESTION 143** You need to configure security on the Product table for customer support representatives. Which two actions should you perform? Each correct answer presents part of the solution. Choose two. A. Create a view called CustProduct that includes columns ProductID, ProductName, ProductDescription, QuantityOnHand, ProductPrice, ProductCost, and ProductSupplierID. B. GRANT ALL on CustProduct TO OurDomainCustomerSupport C. Create a user-defined data type called CustProduct that includes columns ProductID,

ProductName, Product Description, and ProductPrice.D. Create a view called CustProduct that includes columns ProductID, ProductName, Product Description, QuantityOnHand, and ProductPrice.E. GRANT SELECT on CustProduct TO OurDomainCustomerSupport.F. GRANT SELECT on CustProduct TO public.  
Answer: AEEExplanation: Give access to CustomerSupport through a view. The view must include all these columns (refer to scenario).GRANT Object Permissions (Transact-SQL)QUESTION 144You need to implement a backup strategy to support the requirements.Which two actions should you perform? Each correct answer presents part of the solution. Choose two.  
A. Create a credential called MyCredential on SQL Server by using a Windows domain account and password.B. Schedule a full backup by using the command BACKUP DATABASE ProdDB TO DISK...C. Create a share on your Windows Azure site by using your Windows Azure storage account information, and grant permission to the SQL Server service login.D. Schedule a full backup by using the command BACKUP DATABASE ProdDB TO URL ... WITH CREDENTIAL=N'MyCredential'E. Create a share on the hot standby site and grant permission to the SQL Server service login.F. Create a credential called MyCredential on SQL Server, using MyStorageAccount for the storage account name and StorageAccountKey for the access key. G. Schedule a full backup by using the command BACKUP DATABASE ProdDB TO SHARE ... WITH CREDENTIAL=N' MyCredential'  
Answer: CDEExplanation: - Scenario: The current nightly backups have been failing due to insufficient space on the available drives and manual drive cleanup often needing to happen to get past the errors. Additional space will not be made available for backups on the HQ or satellite servers.- Need to store files in the cloud.- Manage your backups to Windows Azure: Using the same methods used to backup to DISK and TAPE, you can now back up to Windows Azure storage by Specifying URL as the backup destination. You can use this feature to manually backup or configure your own backup strategy like you would for a local storage or other off-site options. This feature is also referred to as SQL Server Backup to URL.SQL Server Managed Backup to Windows AzureQUESTION 145You need to implement changes to the system to reduce contention and improve performance of the SalesOrderDetail table.Which three actions should you perform? Each correct answer presents part of the solution. Choose three.  
A. Use (SNAPSHOT) hints in the report queriesB. ALTER DATABASE [ProdDB] SET READ\_COMMITTED\_SNAPSHOT ONC. ALTER DATABASE [ProdDB] SET READ\_COMMITTED\_SNAPSHOT OFFD. SET TRANSACTION ISOLATION LEVEL SNAPSHOT E. Use (TABLOCK) hints in the report queriesF. SET TRANSACTION ISOLATION LEVEL SERIALIZABLEG. ALTER DATABASE [ProdDB] SET ALLOW\_SNAPSHOT ISOLATION ONH. Use (SNAPSHOT) hints in the update statements  
Answer: ABFExplanation: - Scenario:The SalesOrderDetail table holds the details about each sale. It is in the Sales schema owned by the SalesStaff Windows group.This table is constantly being updated, inserted into, and read.- Regardless of which office runs a sales force report, the SalesOrderDetail table should only return valid, committed order data; any orders not yet committed should be ignored.- READ\_COMMITTED\_SNAPSHOT { ON | OFF }ONEnables Read-Committed Snapshot option at the database level. When it is enabled, DML statements start generating row versions even when no transaction uses Snapshot Isolation. Once this option is enabled, the transactions specifying the read committed isolation level use row versioning instead of locking. When a transaction runs at the read committed isolation level, all statements see a snapshot of data as it exists at the start of the statement.OFFTurns off Read-Committed Snapshot option at the database level. Transactions specifying the READ COMMITTED isolation level use locking.ALTER DATABASE SET Options (Transact-SQL)SET Statements (Transact-SQL)QUESTION 146Drag and Drop QuestionThe business requires a satellite office to have a local copy of the data to report against.You want to implement a solution to support the requirements. You need to establish a new Availability Group between the two servers.Develop the solution by selecting and arranging the required code blocks in the correct order. You may not need all of the code blocks. Answer:  
QUESTION 147You need to change the ProdDB database.Which two database options should you change to meet the requirements? Each correct answer presents part of the solution. Choose two.  
A. CONTAINS FILESTREAMB. Change recovery model to FULLC. CONTAINMENT = PARTIALD. Change recovery model to BULK\_LOGGEDE. COLLATE IN.MEMORYF. CONTAINS MEMORY OPTIMIZED DATA  
Answer: EFExplanation: - Scenario: To help with performance, the database needs to be modified so that it can support in-memory data, specifically for the Product table, which the CIO has indicated should be a memory-optimized table.Collations and Code PagesFileGroupDefinition.ContainsMemoryOptimizedData Property (Microsoft.SqlServer.TransactSql.ScriptDom)QUESTION 148Drag and Drop QuestionYou need to create a job to automate some database maintenance tasks.Which code fragment should you use in each location in the command to complete one of the commands you will need to include in the job? To answer, drag the appropriate lines of code to the correct locations in the command. Each line of code may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
Answer: !!!!RECOMMEND!!!!1.|2018 Latest 70-764 Exam Dumps (PDF & VCE) 332Q  
Download:<https://www.braindump2go.com/70-764.html>2.|2018 Latest 70-764 Study Guide Video: YouTube Video: [YouTube.com/watch?v=vq9\\_aKfHgXQ](https://www.youtube.com/watch?v=vq9_aKfHgXQ)