

[May-2018-NewFree Braindump2go Free 70-773 Dumps PDF 40Q Download[19-25

2018 May New Microsoft 70-773 Real Exam Dumps with PDF and VCE Free Updated Today! Following are some new 70-773

Real Exam Questions:1.|2018 Latest 70-773 Exam Dumps (PDF & VCE) 40Q

Download:<https://www.braindump2go.com/70-773.html>2.|2018 Latest 70-773 Exam Questions & Answers

Download:<https://drive.google.com/drive/folders/1kMd6aXvfas5LmMEfTFZjWQgFijajjm3w?usp=sharing>QUESTION 19You have

a dataset that has multiple blocks and only numeric variables. You are computing in a local compute context. You plan to lag a variable named `x` to create a new variable named `x_lagged` by using a transform function. You will create a new element in the output of the function. You need to minimize the number of missing values. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point. A. Assign a value to the first value of `x_lagged` in the current block. B. Use `rxSet` to store the last value of `x_lagged` in the current block. C. Use `rxSet` to store the last value of `x` in the current block. D. Use `rxGet` to retrieve the first value of `x` in the next block to be processed. E. Use `rxGet` to

retrieve a value stored in processing of the prior block. **Answer: ACD** QUESTION 20 You have an Apache Hadoop Hive data warehouse. `RevoScalerR` is not installed. You need to sort the data according to the variables in the dataset. What should you do? A. Connect to the database by using an ODBC connection, and then use the `rxSort` function. B. Create a table in the ORC file format. C. Connect to the database by using an ODBC connection, and then use the `rxDataStep` function. D. Execute a Hive query that sorts the data, and then reads the results. **Answer: D** QUESTION 21 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You need to get all of the deciles for a variable in a data frame. What should you use? A. the `Describe` package B. the `rxHistogram` function C. the `rxSummary` function D. the `rxQuantile` function E. the `rxCube` function F. the `summary` function G. the `rxCrossTabs` function H. the `ggplot2` package **Answer: D** QUESTION 22 You need to run a large data tree model by using `rxDForest`. The model must use cross validation. Which `rxDForest` option should you use? A. `maxSurrogate` B. `maxNumBins` C. `maxDepth` D. `maxCompete` E. `xVal` **Answer: E** Explanation:

<https://docs.microsoft.com/en-us/machine-learning-server/r/how-to-revoscaler-decision-tree> QUESTION 23 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You build a model that uses `xyz` regression. You need to estimate a model that predicts a binary variable. Which function should you use? A. `rxPredict` B. `rxLogit` C. `summary` D. `rxLinMod` E. `rxTweedie` F. `stepAic` G. `rxTransform` H. `rxDataStep` **Answer: B** Explanation:

<https://docs.microsoft.com/en-us/r-server/r/how-to-revoscaler-logistic-regression> QUESTION 24 You have one-class support vector machines (SVMs). You have a large dataset, but you do not have enough training time to fully test the model. What is an alternative method to validate the model? A. Use Principal Components Analysis (PCA)-Based Anomaly Detection. B. Replace the SVMs with two-class SVMs. C. Perform feature selection. D. Use outlier detection. **Answer: A** QUESTION 25 You are running a parallel function that uses the following R code segment. (Line numbers are included for reference only.)
01 `cp <- 0.01`
xval <- 0
maxdepth <- 503
(form, data = "segmentationDataBig", maxDepth = maxdepth, cp = cp, xval = xval, blocksPerRead = 250) You need to complete the R code. The solution must support chunking. Which function should insert at line 02? A. `rxBTrees` B. `rxExec` C. `rxDForest` D. `rxDTree` **Answer: D**!!!RECOMMEND!!!1.|2018 Latest 70-773 Exam Dumps (PDF & VCE) 40Q

Download:<https://www.braindump2go.com/70-773.html>2.|2018 Latest 70-77 Study Guide Video: YouTube Video: [YouTube.com/watch?v=GHIUOSImSnc](https://www.youtube.com/watch?v=GHIUOSImSnc)