[May-2019-New100% Real MS-200 VCE and MS-200 PDF 64Q-Braindump2go[Q1-Q3

May/2019 Braindump2go MS-200 Exam Dumps with PDF and VCE New Updated Today! Following are some new MS-200 Exam Questions: 1.|2019 Latest MS-200 Exam Dumps (PDF & VCE) Instant Download:https://www.braindump2go.com/ms-200.html 2.|2019 Latest MS-200 Exam Questions & Answers Instant

Download:https://drive.google.com/drive/folders/1oBXPLHDsWmHwLUyBpCrcJP8dGuMInox-?usp=sharingQUESTION 1Case Study 1 - Litware, IncGeneral OverviewLitware, Inc. is an international manufacturing company that has 3,000 employees. The company has sales, marketing, research, and human resources (HR) departments. The company is subject to regulatory compliance. Physical LocationsLitware has a main office in New York and two branch offices in London and Paris.All offices connect to each other by using a WAN link. The offices can only communicate with each other by using a point-to-point connection. Each office also connects directly to the Internet.Active DirectoryThe network contains an Active Directory forest named litware.com. The forest contains a single domain. All domain controllers run Windows Server 2019.Each office contains three domain controllers. Each office is configured as an Active Directory site.Microsoft Exchange ServerLitware recently upgraded its entire messaging organization from Exchange Server 2013 to Exchange Server 2019. The organization now contains the servers shown in the

following table.

Name	Location	Exchange version
EX01	Paris	2019
EX02	London	2019
EX03	New York	1010 p 200 -
£X04	lvew York	1201811 PESIOT
EX05	London	2019
EX06	London	2019
EX07	London	2016

No changes were made to the organization's configuration during the transition from Exchange Server 2013 and 2019. The organization has a database availability group (DAG) that has the following configurations.

: DAG15 Servers : {EX03, EX04, WitnessServer WitnessDirectory C:\DAG15 AlternateWitnessServer ex02.litware. AlternateWitnessDirectory C:\DAGESW\DAG ManualDagNetworkConfiguration False DatacenterActivationMode off StoppedMailboxServers Stitte, Air fer e's Control DatabaseAvailabilityGroupIpv4Addresses MP291 DatabaseAvailabilityGroupIpAddresses {192.168.1.11 AllowCrossSiteRpcClientAccess False OperationalServers {EX03, EX04, PrimaryActiveManager EX03 ServersInMaintenance ServersInDeferredRecovery NetworkNames {MapiDagNetwo WitnessShareInUse

Litware standardizes mobile device access by using the iOS platform, the native Apple mail client, and Exchange ActiveSync.The Exchange organization has the following Send connectors. Identity : fabrikam.com

: fabrikam.com AddressSpace : {SMTP: fabrikam.com; 100} SourceTransportServers : {EX01} IsScopedConnector : True IsSmtpConnector : True Enabled True www.Braindump2go.com Identity : Internet Name : Internet AddressSpace : {SMTP| *;1} SourceTransportServers : {EX02, EX03} IsScopedConnector False IsSmtpConnector : True Enabled : True

Business ModelUser accounts must be deleted from Active Directory the day after a user's final date of employment. Business Goals

As often as possible, Litware plans to minimize the legal fees associated with reviewing eDiscovery requests by purging data as quickly as possible. Planned Changes Litware plans to implement the following changes to the network.- Use Messaging Records Management (MRM) to archive all mailbox items that are older than one year. The company announces a new partnership with another company named Fabrikam, Inc. Fabrikam also uses Exchange for email messaging. All the Litware users in the Paris office will be required to receive email by using a fabrikam.com email address and must have this email address applied automatically to their mailbox. Technical Requirements Litware identifies the following technical requirements for the messaging environment:-Mobile devices must only sync items from the last 30 days.- All user data must be wiped from a device reported as lost or stolen.-Email items in a folder named Audits must be archived after 30 days.- Users in the sales department must never have the items in their Notes folder archived.- Whenever possible, email messages sent outside the organization must be routed through the Internet connection of the local office.- If a WAN link fails, the high-availability architecture of the messaging environment must give preference to the WAN link in the New York office. You need to restore mailbox access for the main office users as quickly as possible. What should you do? A. Create a recovery database on another Exchange server, and then restore the database from EX07 to the recovery database. B. On a server in DAG15, create a copy of the mailbox databases hosted on EX07.C. Copy the database files from EX07, and then mount the database on a server in DAG15.D. On a new server, run setup.exe /Mode:RecoverServer from the Exchange Server 2019 installation media and then restore a backup of the database. Answer: DQUESTION 2Case Study 1 -Litware, IncGeneral OverviewLitware, Inc. is an international manufacturing company that has 3,000 employees. The company has sales, marketing, research, and human resources (HR) departments. The company is subject to regulatory compliance. Physical LocationsLitware has a main office in New York and two branch offices in London and Paris. All offices connect to each other by using a WAN link. The offices can only communicate with each other by using a point-to-point connection. Each office also connects directly to the Internet. Active DirectoryThe network contains an Active Directory forest named litware.com. The forest contains a single domain. All domain controllers run Windows Server 2019. Each office contains three domain controllers. Each office is configured as an Active Directory site. Microsoft Exchange ServerLitware recently upgraded its entire messaging organization from Exchange Server 2013 to Exchange Server 2019. The organization now contains the servers shown in the following table.

Name Location Exchange version **EX01 Paris** 2019 EX02 2019 London EX₀3 New York 2019 2019 £X04 Ivew York EX05 London 2019 2019 EX06 London 2016 EX07 London

No changes were made to the organization's configuration during the transition from Exchange Server 2013 and 2019. The organization has a database availability group (DAG) that has the following configurations.

```
: DAG15
                                            {EX03, EX04,
WitnessServer
                                           ex01.litware
                                            C:\DAG15
WitnessDirectory
AlternateWitnessServer
                                           ex02.litware.
AlternateWitnessDirectory
                                           C:\DAGFSW\DAG
ManualDagNetworkConfiguration
                                           False
DatacenterActivationMode
                                           off
StoppedMailboxSer
Stite ( ) All of er es s S DatabaseAvailabilityGroupTpv4Addresses
                                           12.6.91
DatabaseAvailabilityGroupIpAddresses
                                            {192.168.1.11
AllowCrossSiteRpcClientAccess
OperationalServers
                                            {EX03, EX04,
PrimaryActiveManager
                                            EX03
ServersInMaintenance
ServersInDeferredRecovery
NetworkNames
                                            {MapiDagNetwo
WitnessShareInUse
                                           Primary
```

Litware standardizes mobile device access by using the iOS platform, the native Apple mail client, and Exchange ActiveSync.The Exchange organization has the following Send connectors.

Identity : fabrikam.com
Name : fabrikam.com

AddressSpace : {SMTP: fabrikam.com;100}

SourceTransportServers : {EX01}
IsScopedConnector : True
IsSmtpConnector : True
Enabled : True

www.Braindump2go.com

Identity : Internet
Name : Internet
AddressSpace : {SMTP| *;1}
SourceTransportServers : {EX02, EX03}

IsScopedConnector : False
IsSmtpConnector : True
Enabled : True

Business ModelUser accounts must be deleted from Active Directory the day after a user's final date of employment.Business Goals As often as possible, Litware plans to minimize the legal fees associated with reviewing eDiscovery requests by purging data as quickly as possible. Planned Changes Litware plans to implement the following changes to the network. - Use Messaging Records Management (MRM) to archive all mailbox items that are older than one year.- The company announces a new partnership with another company named Fabrikam, Inc. Fabrikam also uses Exchange for email messaging. All the Litware users in the Paris office will be required to receive email by using a fabrikam.com email address and must have this email address applied automatically to their mailbox. Technical Requirements Litware identifies the following technical requirements for the messaging environment:-Mobile devices must only sync items from the last 30 days.- All user data must be wiped from a device reported as lost or stolen.-Email items in a folder named Audits must be archived after 30 days.- Users in the sales department must never have the items in their Notes folder archived.- Whenever possible, email messages sent outside the organization must be routed through the Internet connection of the local office.- If a WAN link fails, the high-availability architecture of the messaging environment must give preference to the WAN link in the New York office. You need to implement the required changes to the current Exchange organization for the Fabrikam partnership. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.A. Set up directory synchronization.B. Create a remote domain.C. Configure an email address policy.D. Configure an external relay accepted domain.E. Configure an internal relay accepted domain.Answer: **CEExplanation:**

https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-2019QUESTION 3Case Study 1 - Litware, IncGeneral OverviewLitware, Inc. is an international manufacturing company that has 3,000 employees. The company has sales, marketing, research, and human resources (HR) departments. The company is subject to regulatory compliance.Physical LocationsLitware has a main office in New York and two branch offices in London and Paris.All offices connect to each other by using a WAN link. The offices can only communicate with each other by using a point-to-point connection. Each office also connects directly to the Internet.Active DirectoryThe network contains an Active Directory forest named litware.com. The forest contains a single domain. All domain controllers run Windows Server 2019. Each office contains three domain controllers. Each office is configured as an Active Directory site.Microsoft Exchange ServerLitware recently upgraded its entire messaging organization from Exchange Server 2013 to Exchange Server 2019. The organization now contains the servers

shown in the following table.

Name	Location	Exchange version
EX01	Paris	2019
EX02	London	2019
EX03	New York	2012n p 2010-
£X04	New York	1501811bcalor
EX05	London	2019
EX06	London	2019
EX07	London	2016

No changes were made to the organization's configuration during the transition from Exchange Server 2013 and 2019. The organization has a database availability group (DAG) that has the following configurations.

```
Name
                                                                                                                                                                                    (EX03, EX04, EX05, EX06)
Servers
                                                                                                                                                                                    ex01.litware.com
WitnessServer
WitnessDirectory
                                                                                                                                                                                 C:\DAG15
AlternateWitnessServer
                                                                                                                                                                                    ex02.litware.com
AlternateWitnessDirectory
                                                                                                                                                                           : C:\DAGFSW\DAG15.litware.com
ManualDagNetworkConfiguration
DatacenterActivationMode
                                                                                                                                                                           : Off
StoppedMailboxServers
                                                                                                                                                                                    {}
Stittelling of the Stittell St
DatabaseAvailabilityGroupIpAddresses
                                                                                                                                                                                   {192.168.1.116, 192.168.2.215}
AllowCrossSiteRpcClientAccess
                                                                                                                                                                                    False
OperationalServers
                                                                                                                                                                                    (EX03, EX04, EX05, EX06)
PrimaryActiveManager
                                                                                                                                                                                   EX03
ServersInMaintenance
ServersInDeferredRecovery
NetworkNames
                                                                                                                                                                                    {MapiDagNetwork, ReplDagNetwork}
WitnessShareInUse
                                                                                                                                                                                    Primary
```

Litware standardizes mobile device access by using the iOS platform, the native Apple mail client, and Exchange ActiveSync.The Exchange organization has the following Send connectors. Identity: fabrikam.com

: fabrikam.com : fabrikam.com AddressSpace : {SMTP: fabrikam.com; 100} SourceTransportServers : {EX01} IsScopedConnector : True IsSmtpConnector : True Enabled : True www.Braindump2go.com Identity Name : Internet : {SMTP| *;1} AddressSpace SourceTransportServers : {EX02, EX03} IsScopedConnector : False IsSmtpConnector : True Enabled : True

Business ModelUser accounts must be deleted from Active Directory the day after a user's final date of employment.Business Goals As often as possible, Litware plans to minimize the legal fees associated with reviewing eDiscovery requests by purging data as quickly as possible.Planned ChangesLitware plans to implement the following changes to the network.- Use Messaging Records Management (MRM) to archive all mailbox items that are older than one year.- The company announces a new partnership with another company named Fabrikam, Inc. Fabrikam also uses Exchange for email messaging. All the Litware users in the Paris office will be required to receive email by using a fabrikam.com email address and must have this email address applied automatically to their mailbox. Technical Requirements Litware identifies the following technical requirements for the messaging environment:-Mobile devices must only sync items from the last 30 days.- All user data must be wiped from a device reported as lost or stolen.-Email items in a folder named Audits must be archived after 30 days.- Users in the sales department must never have the items in their Notes folder archived.- Whenever possible, email messages sent outside the organization must be routed through the Internet connection of the local office.- If a WAN link fails, the high-availability architecture of the messaging environment must give preference to the WAN link in the New York office. You need to meet the technical requirements for the mobile device of User2. Which cmdlet should you run?A. Remove-MobileDeviceB. Clear-MobileDeviceC. Clear-ContentD. Remove-ActiveSyncDeviceAnswer: B!!!RECOMMEND!!!1.|2019 Latest MS-200 Exam Dumps (PDF & VCE) Instant Download: https://www.braindump2go.com/ms-200.html2.|2019 Latest MS-200 Study Guide Video Instant Download: YouTube Video: YouTube.com/watch?v=y2xYqH5YyUk