

## Microsoft 70-336 Exam Dumps From Braindump2go Covers The Latest Knowledge Points From Microsoft Exam Centre (71-80)

**MICROSOFT NEWS: 70-336 Exam Questions has been Updated Today! Get Latest 70-336 VCE and 70-336 PDF Instantly!**

**Welcome to Download the Newest Braindump2go 70-336 VCE&70-336 PDF Dumps:**

<http://www.braindump2go.com/70-336.html> (110 Q&As) Braindump2go New Released Microsoft 70-336 Practice Tests Sample Questions Free Download! 100% Same Questions with Actual 70-336 Exam! Guaranteed 100% Pass! Exam Code: 70-336Exam Name: Core Solutions of Microsoft Lync Server 2013 Certification Provider: Microsoft Corresponding Certifications: MCSE, MCSE: Communication 70-336 Dump, 70-336 PDF, 70-336 VCE, 70-336 Study Guide, 70-336 Book, 70-336 Exam Questions, 70-336 eBook, 70-336 Exam Guide, 70-336 Exam Prep, 70-336 Braindump, 70-336 Practice Test, 70-336 Practice Exam

Microsoft Core Solutions of M



**Product Description**

**Exam Number/Code**

Microsoft Core Solutions of Microsoft Certification has assembled to take exam resources, you for your successful M

**Questions and Answers : 110 Q&As**

Updated: Dec 12, 2015

~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

**Printable PDF**

**QUESTION 71** Hotspot Question You need to identify which DNS record must be implemented for the planned federation relationship. Which DNS record should you identify? To answer, select the appropriate configurations for the DNS record in the answer area.



**Answer Area**

Type of DNS record

Name of DNS record

Location

Answer:



**Answer Area**

Type of DNS record

Name of DNS record

Location

**QUESTION 72** Drag and Drop Question You need to identify which tasks must be performed to move the Central Management store during the planned migration. Which three actions should you identify? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From a server that has Lync Server 2013 deployed, run the <b>Enable-CsTopology</b> cmdlet.	
From a server that has Lync Server 2013 deployed, run the <b>Install-CsDatabase</b> cmdlet.	
From Lync1, run the <b>Move-CsManagementServer</b> cmdlet.	
From a server that has Lync Server 2013 deployed, run the <b>Move-CsManagementServer</b> cmdlet.	
From Lync1, run the <b>Export-CsConfiguration</b> cmdlet.	

Answer:

Actions	Answer Area
From Lync1, run the <b>Export-CsConfiguration</b> cmdlet.	From a server that has Lync Server 2013 deployed, run the <b>Install-CsDatabase</b> cmdlet.
	From a server that has Lync Server 2013 deployed, run the <b>Enable-CsTopology</b> cmdlet.
From Lync1, run the <b>Move-CsManagementServer</b> cmdlet.	From a server that has Lync Server 2013 deployed, run the <b>Move-CsManagementServer</b> cmdlet.

QUESTION 73 Drag and Drop Question You need to identify which tasks must be performed to configure pool pairing between the Front End pools. Which four actions should you identify? To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the <b>Export-CsConfiguration</b> cmdlet.	
Run the <b>Invoke-CsBackupServiceSync</b> cmdlet.	
From Topology Builder, publish the topology.	
From Topology Builder, associate a backup pool.	
Run the bootstrapper, and then start the Lync Server Backup service.	
Implement Microsoft SQL Server database mirroring.	

Answer:

Actions	Answer Area
Run the <b>Export-CsConfiguration</b> cmdlet.	From Topology Builder, associate a backup pool.
Run the <b>Invoke-CsBackupServiceSync</b> cmdlet.	From Topology Builder, publish the topology.
From Topology Builder, publish the topology.	Run the bootstrapper, and then start the Lync Server Backup service.
From Topology Builder, associate a backup pool.	Run the <b>Invoke-CsBackupServiceSync</b> cmdlet.
Run the bootstrapper, and then start the Lync Server Backup service.	
Implement Microsoft SQL Server database mirroring.	

QUESTION 74 You need to recommend which tasks must be performed to implement the planned unified contact store. Which three actions should you recommend? (Each correct answer presents part of the solution. Choose three.)  
 A. From a server that has Lync Server 2013 deployed, run the Set-CsClientPolicy cmdlet.  
 B. From a server that has Exchange Server 2013 deployed, run the ExchUCUtil.ps! script.  
 C. From a server that has Lync Server 2013 deployed, run the New-CsPartnerApplication cmdlet.  
 D. From a server that has Lync Server 2013 deployed, run the Set-CsUserServicesPolicy cmdlet.  
 E. From a server that has Exchange Server

2013 deployed, run the Configure EnterprisePartnerApplication.ps 1 script. Answer: CDEExplanation:

<http://blog.insidelync.com/2012/08/the-lync-2013-preview-unified-contact-store-ucs/> Case Study: 4 - Litware, Inc Case B

(QUESTION 75 - QUESTION 85)OverviewGeneral OverviewLitware, Inc. is an international manufacturing company that has 10,000 users.Physical LocationsLitware has two offices. The offices are located in New York and Denver. The offices connect to each other by using a WAN link. Each office connects directly to the Internet.Existing EnvironmentActive Directory Infrastructure The network contains an Active Directory forest named litware.com. The forest contains a single domain. All domain controllers run Windows Server 2008 R2. Each office contains two domain controllers. Each office is configured as an Active Directory site.Lync Server 2010 InfrastructureLitware has a Lync Server 2010 infrastructure in the New York office. The infrastructure contains servers and appliances. The servers and appliances are configured as shown in the following table.

Server name	Role	Pool name
Lync01	Front End Server	pool1
Lync02	Front End Server	pool2
Lync03	Mediation Server	pool3
Lync04	Group Chat Server	Not applicable

All of the servers that have Lync Server 2010 deployed are monitored by using Microsoft System Center Operations Manager.All client computers have either Microsoft Lync 2010 or Microsoft Office Communicator 2007 R2 installed.Administrators configure the following Lync Server 2010 features:- IM and presence for all sites- External user access for IM and conferencing- Conferencing for all sites- Response groups- Group ChatProblem StatementsLitware identifies the following issues:- Users report that other users who are not listed on their contact list can see their presence information. This also occurs when the users set their privacy mode to allow only the users on their contact list to see their presence information. - The users report that when they connect to meetings remotely, they cannot use presenter controls.RequirementsBusiness GoalsLitware plans to minimize hardware and software purchasing costs.Planned ChangesLitware plans to upgrade to Lync Server 2013 during the next six months and plans to implement the following changes during the upgrade:- Migrate the current Front End pool to an Enterprise Edition Front End pool named fepool that will contain two servers named Lync13\_01 and Lync13\_02.- Migrate Group Chat to Persistent Chat.Technical RequirementsLitware identifies the following technical requirements for the planned changes:- Users running previous client versions must be able to use chat features after the server is migrated to Persistent Chat.- Users who have mobile devices must be able to receive notifications if the Lync mobile application is inactive.- A client computer named Monitor01 must be used to monitor client connectivity by using synthetic transactions.- All response groups must be migrated to Lync Server 2013. - External users must be able to expand distribution groups. - External users must be able to download meeting content. - The Lync 2013 Windows Store app must be supported.High Availability RequirementsThe new Lync Server 2013 infrastructure in the New York office must be available if a single server fails. QUESTION 75You need to recommend a solution to resolve the presence information issue. You verify that enhanced presence privacy mode is enabled for all users. What should you recommend including in the solution? A. A client version policyB. A conferencing policyC. A presence policyD. A client policy Answer: A QUESTION 76Hotspot QuestionsYou need to move all users to the new Lync Server 2013 infrastructure. What command should you run? (To answer, configure the appropriate command in the answer area.)



Answer:



QUESTION 77You need to recommend which type of client connection the remote users must use to prevent the connection issue. Which Lync client or clients should you recommend? (Choose all that apply.) A. Lync 2013B. Lync Web AppC. Lync Windows Store appD. Lync Attendee Answer: ABExplanation: A: Lync 2013 is the full-featured client for Lync Server. The Lync 2013 user interface has been fully redesigned and includes newly integrated features, such as Persistent Chat (Lync 2010 had a separate client for chat functionality), tabbed conversations, video preview, and multiparty videoB:\* Lync Web App is the client of choice for participants outside your organization. With Lync Web App, no local client installation is required, although audio, video, and sharing features require installation of a plug-in during first use.\* Lync Web App is the web-based conferencing client for Lync Server 2013 meetings. In this release, the addition of computer audio and video to Lync Web App provides a complete in-meeting experience for anyone who does not have a Lync client installed locally. Meeting participants have access to all collaboration and sharing features and presenter meeting controls.Note:\* From scenario:/ Migrate Group Chat to Persistent Chat/ Users running

previous client versions must be able to use chat features after the server is migrated to Persistent Chat. Incorrect: Not C: \* Lync Windows Store app supports most of the commonly-used features for contact management, conversations, and calls. For advanced features such as delegate set up, team calls, response groups, and persistent chat, use Lync 2013 for the desktop instead. Not D: \* Because of the enhancements to Lync Web App, an updated version of Microsoft Lync 2010 Attendee is not available for Lync Server 2013. \* Lync 2010 Attendant The Microsoft Lync 2010 Attendant integrated call-management program enables a receptionist to manage multiple conversations at the same time through rapid call handling, IM, and onscreen routing. Reference: Clients for Lync Server 2013 QUESTION 78 You need to implement a solution to meet the notification requirements for the mobile devices. The solution must meet the technical requirements. Which three actions should you perform before you enable push notification? (Each correct answer presents part of the solution. Choose three.) A. Configure a reverse proxy. B. Add a hosting provider. C. Modify the client policy. D. Configure accepted domains. E. Enable federation. Answer: BDE Explanation: How to Enable Push Notifications for Lync Mobile iPhone & Windows 7 Phone

[http://msexchangeanywhere.wordpress.com/2012/01/13/how-to-enable-push-notifications-](http://msexchangeanywhere.wordpress.com/2012/01/13/how-to-enable-push-notifications-for-lync-mobile-iphone-windows-phone-7-2/)

[for-lync-mobile-iphone-windows-phone-7-2/](#) QUESTION 79 You need to recommend which names must be included in the certificate installed on Lync13\_02. Which names should you recommend? (To answer, select the appropriate names in the answer area.)

Name	Required	Not required
SN=fepool1.litware.com	<input type="radio"/>	<input type="radio"/>
SN=lync13_02.litware.com	<input type="radio"/>	<input type="radio"/>
SAN=fepool1.litware.com	<input type="radio"/>	<input type="radio"/>
SAN=lync13_01.litware.com	<input type="radio"/>	<input type="radio"/>
SAN=lync13_02.litware.com	<input type="radio"/>	<input type="radio"/>

Answer:

Name	Required	Not required
SN=fepool1.litware.com	<input checked="" type="radio"/>	<input type="radio"/>
SN=lync13_02.litware.com	<input type="radio"/>	<input checked="" type="radio"/>
SAN=fepool1.litware.com	<input checked="" type="radio"/>	<input type="radio"/>
SAN=lync13_01.litware.com	<input type="radio"/>	<input checked="" type="radio"/>
SAN=lync13_02.litware.com	<input checked="" type="radio"/>	<input type="radio"/>


QUESTION 80 You need to recommend the minimum number of Lync servers required to support the Lync Server 2013 infrastructure in the New York office. The solution must meet the high availability requirements. How many servers should you recommend deploying to each network? (To answer, select the appropriate number of servers for each network in the answer area.)

Answer:

Lync servers on the external network:	2
Lync servers on the internal network:	4
Reverse proxy servers on the external network:	2
Reverse proxy servers on the internal network:	0

Braindump2go New Published Exam Dumps: Microsoft 70-336 Practice Tests Questions, 110 Latest Questions and Answers from Official Exam Centre Guarantee You a 100% Pass! Free Download Instantly!

### Microsoft Core Solutions of Microsoft Lync Server 2013: 70-336



**Product Description Exam Number/Code: 70-336**

**Exam Number/Code: 70-336**

"Microsoft Core Solutions of Microsoft Lync Server 2013", also known as 70-336 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 110 Q&As to your 70-336 Exam preparation. In the 70-336 exam resources, you will cover every field and category in Microsoft MCITP helping to ready you for your successful Microsoft Certification.

**Free Demo Download**

Braindump2go offers free demo for 70-336 exam (Microsoft Core Solutions of Microsoft Lync Server 2013). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

**Printable PDF**    **Premium VCE + VCE Simulator**

Questions and Answers : 110  
Q&As  
Updated: Dec 12, 2015  
~~\$120.00~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

**FREE DOWNLOAD: NEW UPDATED 70-336 PDF Dumps & 70-336 VCE Dumps from Braindump2go:**  
<http://www.braindump2go.com/70-336.html> (110 Q&As)