

Microsoft 70-342 Exam Dumps New Updated By Braindump2go Guarantee 100% Success! (21-30)

Get Prepared with fully updated Microsoft 70-342 Real Exam Questions and Accurate Answers for 70-342 Exam Dumps. Braindump2go IT experts review the 70-342 newly added questions and suggest Correct Microsoft 70-342 Exam Questions Answers in Real Time. 100% Pass easily! Vendor: Microsoft Exam Code: 70-342 Exam Name: Microsoft Advanced Solutions of Microsoft Exchange Server 2013 Keywords: 70-342 Exam Dumps, 70-342 Practice Tests, 70-342 Practice Exams, 70-342 Exam Questions, 70-342 PDF, 70-342 VCE Free, 70-342 Book, 70-342 E-Book, 70-342 Study Guide, 70-342 Braindump, 70-342 Prep Guide

Compa
Pas
146 Q&As
\$124.99
No Discoun

QUESTION 21 Drag and Drop Question You need to recommend which tasks must be performed to meet the compliance requirement for the marketing department. Which three actions should you recommend? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



Explanation:

Create Retention Tags
Create retention tags to apply different retention settings to the items in the user's mailbox.

Create Retention Policies
Create retention policies to group retention tags together. A retention policy is applied to the user's mailbox.

Link Existing Retention Tags to Retention Policies
You can link existing retention tags to retention policies. This linking makes it easy to apply the retention tags to the users' mailboxes in your organization. Note that a retention policy can have one default policy tag, one retention policy tag for each supported default folder, and any number of personal tags.

Apply Retention Policies
Apply retention policies to the users. You can apply different policies to different users.

Note: From scenario: Compliance Requirements All of the email messages in the Sent Items Folder of each user in the Marketing Department of Contoso must be deleted automatically after 365 days. You can use retention policies to group one or more Retention Tags and apply them to Mailboxes to enforce Message Retention settings. A Mailbox can't have more than one Retention Policy. Messages are expired based on settings defined in the Retention Tags linked to the Policy. These settings include actions such as moving messages to the archive or permanently deleting them. Before applying a Retention Policy to one or more mailboxes, we recommended that you test the policy and inspect each Retention Tag associated with it. After you create Retention Tags, add them to a Retention Policy, and apply the policy to a mailbox user, the next time the MRM Mailbox Assistant Processes the mailbox,

messages are moved or deleted based on settings you configured in the Retention Tags. Reference: Exchange 2013, Apply a Retention Policy to Mailboxes Reference: Create a Retention Policy QUESTION 22 Drag and Drop Question You need to create a federation trust for the planned organization relationship. Which three actions should you perform? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:



Explanation: <http://technet.microsoft.com/en-us/library/jj657462%28v=exchg.150%29.aspx> QUESTION 23 You need to identify which technologies must be deployed to meet the Office 365 coexistence requirements. Which two technologies should you identify? (Each correct answer presents part of the solution. Choose two.)

- A. The Microsoft Online Services Directory Synchronization tool
- B. Active Directory Federation Services (AD FS) 2.0
- C. Active Directory Rights Management Services (AD RMS)
- D. An internal root CAE

Answer: AB Explanation: * Scenario: Contoso identifies the following Office 365 coexistence requirements:- Office 365 users must be able to access their mailbox by using their Active Directory user account in Contoso.- On-premises users must be able to share free/busy information and calendar information with the Office 365 users.

A: When you create an Office 365 mailbox in Exchange Online in a hybrid deployment, the mail user is created in Active Directory on-premises. Directory synchronization, if it's configured, automatically synchronizes this new user object to Office 365, where it's converted to a cloud mailbox in Exchange Online. You can create Office 365 mailboxes as regular user mailboxes, resource mailboxes for meeting rooms and equipment, and shared mailboxes.

B: Step-By-Step: Setting up AD FS and Enabling Single Sign-On to Office 365 QUESTION 24 You implement the UM pilot. You capture and analyze a network trace from the IP-PBX. You discover that SIP/MTLS requests for TCP 5061 to EX1 are dropped. You need to ensure that the IP-PBX can route calls successfully to the Exchange Server 2013 organization. What should you do?

- A. Modify the IP-PBX to route calls to EX5 and EX6.
- B. Modify the port used on the IP-PBX.
- C. Deploy a server that has Exchange Server 2010 and the Unified Messaging server role installed.
- D. Modify the SIP listening port on EX1.

Answer: A Explanation: CAS not MBX listen 5061 TCP port: <http://technet.microsoft.com/en-us/library/aa998872%28v=exchg.150%29.aspx> QUESTION 25 Drag and Drop Question The Montreal data center experiences a power failure. You need to ensure that all the users can access their mailbox. Which three actions should you perform? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer:

Actions	Answer Area
Run the Start-DatabaseAvailabilityGroup cmdlet.	Run the Stop-DatabaseAvailabilityGroup cmdlet.
Run the net start clussvc /forcequorum command.	Run the stop-service clussvc command.
Run the stop-service clussvc command.	Run the Restore-DatabaseAvailabilityGroup cmdlet.
Run the Restore-DatabaseAvailabilityGroup cmdlet.	
Run the Stop-DatabaseAvailabilityGroup cmdlet.	
Run the cluster dag01 node ex2 /forcecleanup command.	

QUESTION 26 You need to recommend which tasks must be performed to meet the security requirements for Tailspin Toys. Which two tasks should you recommend? (Each correct answer presents part of the solution. Choose two.)
 A. Run the set-transportserver -transportssyncenabled \$true command.
 B. Run the set-transportconfig -tsreceivedomainsecurelist tailspintoys.com command.
 C. Run the set-transportservice -transportssyncenabled \$true command.
 D. Create a new Receive connector.
 E. Create a new Send connector.
 Answer: BDE
 Explanation: * Scenario: Secure all of the email messages from the users at Tailspin Toys to the Contoso users. Ensure that all of the messages can be secured if the certificates at Tailspin Toys are issued by a trusted third-party certification authority (CA). * Configuring Domain Security on Exchange Server 2013 <http://dizdarevic.ba/ddamirblog/?p=78>

QUESTION 27 Drag and Drop Question You need to implement a solution to meet the security requirement for the temporary employees. You deploy an Active Directory Rights Management Services (AD RMS) cluster, and then you run the Set-IRMConfiguration cmdlet. Which three actions should you perform? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the New-OutlookProtectionRule cmdlet.	
Run the set-owavirtualdirectory-irmenabled \$true command.	
Run the New-TransportRule cmdlet.	
Create and configure an AD RMS template.	

Answer:

Actions	Answer Area
Run the New-OutlookProtectionRule cmdlet.	Create an Active Directory group that contains the temporary employees.
Run the set-owavirtualdirectory-irmenabled \$true command.	Create and configure an AD RMS template.
Create an Active Directory group that contains the temporary employees.	Run the New-OutlookProtectionRule cmdlet.
Run the New-TransportRule cmdlet.	
Create and configure an AD RMS template.	

Explanation: Box 1: Create an Active Directory group that contains the temporary employees. Box 2: Create and configure an AD RMS template. Box 3: Run the New-OutlookProtectionRule cmdlet.
 Note: * From scenario: Prevent temporary employees from executing a Reply All or a Forward of any email messages they receive. * IRM provides persistent online and offline protection of email messages and attachments by applying the information protection technology AD RMS. IRM protection is configured by applying an AD RMS rights policy template. You can use policy templates to control permissions that recipients have on a message. * Using Microsoft Outlook protection rules, you can protect messages with Information Rights Management (IRM) by applying an Active Directory Rights Management Services (AD RMS) template in Outlook 2010 before the messages are sent.
 Reference: Create an Outlook Protection Rule
 Reference: Exchange Server 2010: Implementing Compliance (part 1) - Configuring IRM Case Study 3: Trey Research (QUESTION 28 ~ QUESTION 37)
 Overview General Overview Trey Research is a brokerage firm that has 5,000 users. Trey Research has a finance department, a human resources department, an investment department, and a legal department.

Trey Research is acquiring a partner company named Fabrikam, Inc. Physical Locations Trey Research has four main offices located in Boston, Chicago, New York, and Atlanta. The offices connect to each other by using a WAN link. The Chicago office connects directly to the Internet. Existing Environment Network Environment Trey Research has an Active Directory forest named treyresearch.com. The forest contains a single domain. All domain controllers run Windows Server 2012. Each office is configured as an Active Directory site. All user accounts are in an organizational unit (OU) based on their department. All users are in a universal security group based on their department. Trey Research has a Lync Server 2013 infrastructure. The infrastructure is configured to required encryption for voice traffic. Exchange Server Organization Trey Research has an Exchange Server organization that contains five servers. The servers are configured as shown in the following table.

Server name	Role	Exchange Server version
EX1	Mailbox Client Access	Exchange Server 2013
EX2	Mailbox Client Access	Exchange Server 2013
EX3	Mailbox Client Access	Exchange Server 2013
EX4	Mailbox Client Access	Exchange Server 2013
EX5	Mailbox Client Access Hub Transport Unified Messaging	Exchange Server 2010

The mailbox databases are mounted on the Exchange servers shown in the following table.

Mailbox database name	Mounted on server
DB1	EX1
DB2	EX1
DB3	EX3
DB4	EX2
DB5	EX3
DB6	EX4
DB7	EX5

All of the mailboxes of the users in the executives department are mounted on DB3. A public folder database named PF1 is mounted on EX5. The Exchange Server organization has the following configurations:- Users in the legal department use a shared mailbox named Legal. Legal is enabled for In-Place Hold. Legal is the only mailbox on DB2.- All inbound and outbound email messages to and from the Internet are routed through EX1. - Email messages sent and received by Fabrikam are secured by using Mutual TLS. - All public folders are stored in PF1. All users connect to their mailbox by using Microsoft Outlook 2013 and Outlook Web App. Fabrikam has an Exchange Server 2013 organization. Problem Statements Trey Research identifies the following issues:- After a change to a certificate, users report that email messages sent to Fabrikam are not delivered. - The storage for DB3 fails. The storage will be offline for the next two days. Requirements Planned Changes Trey Research plans to implement the following changes:- Move all public folders to an Exchange Server 2013 server. The solution must ensure that all users cannot modify the public folders stored on EX5 after the planned move. - Integrate Unified Messaging (UM) services with the Lync Server 2013 infrastructure. Collaboration Requirements Custom recipient MailTips created in the Exchange Server organization of Trey Research must be visible to the users at Fabrikam. The solution must ensure that administrators can define a subset of users who can share their MailTips. Auditing Requirements The following actions must be audited for actions in the Legal mailbox only:- Delegate - Purge mailbox content - Delegate - Transfer file between folders - Administrator - Messages sent by administrator - Administrator - Open any content within the mailbox Security Requirements Trey Research identifies the following security requirements:- Ensure that the users in the finance department can protect email messages from being altered in transit, regardless of the recipient. - Prevent the email messages sent to the users in the human resources department from being forwarded to external recipients.- Prevent the audio files in voice mail message marked as Private from being extracted from email messages. - Redirect email messages that contain social security information to the legal department. Compliance Requirements Trey Research identifies the following compliance requirements:- All users must be notified before they send an email message that contains any five bank account numbers to an external recipient. The users must be able to override the requirement if they have a valid business reason to send the email message. - Users must use a custom message classification when they send email messages that contain information about the planned acquisition of Fabrikam.- Only the users in the legal department must be able to use eDiscovery to view the contents of email messages sent by the finance department users. QUESTION 28 Hotspot Question You need to recommend a solution that meets the auditing requirements. Which command should you include in the recommendation? (To answer, select the appropriate options in the


answer area.)




Answer:



QUESTION 29 Hotspot Question You need to recommend a solution that meets the compliance requirements for emailing bank account numbers. Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)



Answer:



QUESTION 30 Drag and Drop Question You need to identify which technologies must be used to meet the security requirements. Which technologies should you identify? (To answer, drag the appropriate technologies to the correct requirements. Each technology may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)



Answer:

Technologies	Answer Area
Data Loss Prevention (DLP)	Ensure that the users in the finance department can protect email messages from being altered in transit, regardless of the recipient.
A digital signature	Prevent the email messages sent to the users in the human resources department from being altered in transit, regardless of the recipients.
Domain Security	Prevent the audio files in a voice mail message marked as Private from being extracted from email messages.
Information Rights Management (IRM)	Redirect email messages that contain social security information to the legal department.
Message classification	

Braindump2go Offers PDF & VCE Dumps Download for New Released Microsoft 70-342 Exam! 100% Exam Success Guaranteed OR Full Money Back Instantly!

Compared Before Buying Microsoft 70-342 PDF & VCE!		
Pass4sure	Braindump2go	Test King
	100% Pass OR Money Back	
146 Q&As - Practice	155 Q&As - Real Questions	126 Q&As - Practice
\$124.99	\$99.99	971 HKD
No Discount	Coupon Code: BDNT2014	No Discount

<http://www.braindump2go.com/70-342.html>