Microsoft 70-513 Practice Tests From People Who Created Microsoft 70-513 Exam (231-240)

MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly! Welcome to Download the Newest Braindump2go 70-513 VCE&70-513 PDF Dumps:

http://www.braindump2go.com/70-513.html (341 Q&As) Braindump2go New Published Microsoft 70-513 Dumps PDF Contanins the latest questions from Microsoft Exam Center! 100% Certification got guaranteed! Exam Code: 70-513Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications70-513 Dumps PDF,70-513 eBook,70-513 VCE,70-513 PDF,70-513 Latest Dumps,70-513 Certification,70-513 Training Kit PDF,70-513 Braindump,70-513 Exam Dumps,70-513 Exam Book,70-513 Exam PDF,70-513 Exam Book,70-513 Exam Preparation,70-513 Dumps VCE,70-513 Practice Test,70-513 Practice Exam,70-513 Preparation Book

POP	Product Description Exam Number/Code: 70-513
VCE	Exam Number/Code: 70-513
	"TS: Windows Communication Foundation Development with Microsoft.NET Framework 4", als known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft McPD helping to ready you for your successful Microsoft Certification.
Questions and Answers : 341 Q&As	
Updated: Nov 13, 2015	Free Demo Download
\$120.00 \$99.99	Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation
PDF DEMO	Development with Microsoft.NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.


QUESTION 231Drag and Drop QuestionYou are developing a Windows Communication Foundation (WCF) service that contains a method named ProcessPayments. The service is hosted in Internet Information Services (IIS). You have the following requirements:- Create a new instance of the service every time that a client application calls the ProcessPayments method.- Process every call from client applications one at a time. You need to complete the code for the WCF service. Which four code segments should you use in sequence? (To answer, move the appropriate code segments from the list of code segments to the answer area and

arrange them in the correct order.)

	Andres Face
<pre>cferviceContract></pre>	
ConcurrencyMode:=ConcurrencyMode.[Nultiple]) >	
Hanappace FaymentProcessingService <servicebehavior (InstanceContextMode:=InstanceContextMode.Si ngle,</servicebehavior 	
Public Interface IPsymentProcessor End Interface	
Braindum	p2go.com
Namespace PaymentProcessingService CforviceMehavior (InstanceContextNode:=InstanceContextNode.Pe rCall,	
<datecontract></datecontract>	
Fublic Class PaymentProcessor End Class	
Kamespace FaymentProcessingService CServiceDehavior (InstanceContextMode:=TnstanceContextMode.Pe rSession,	

Answer:

This page was exported from - <u>Braindump2go Free Exam Dumps with PDF and VCE Collection</u> Export date: Sat Nov 23 2:27:26 2024 / +0000 GMT



QUESTION 232Hotspot QuestionYou are developing a Windows Communication Foundation (WCF) service. You implement a data contract to pass complex data to and from the service. The service includes the following code:
CDataContract()>

Public Class BaseType <DataMember()> Public Property m_strBaseData As Stri End Class taContract (1) Sife C:Upf fy C: <DataMember (Order:=0,> (*) L: (3 (B 0 Public Property m strDataA String As <DataMember (Order:=1)> Public Property m_strDataB As String <DataMember()> Public Property m_strDataC As String End Class

You need to verify the order in which the data is serialized. For each of the following statements, select True if the statement is true.

True	False	
0	0	The first value that is passed from the service is m_strBaseData.
Brai	Inelu	Tescpivice is strDataA.
С	С	The third value that is passed from the service is m_strDataC.

Answe

Otherwise, select Fals

True False		
C	C	The first value that is passed from the service is m_strBaseData.
ियदा	Ulahi	fesch v.h htisbie fh the survice isstrDataA.
C	C	The third value that is passed from the service is m_strDataC.

QUESTION 233You develop a Windows Communication Foundation (WCF) service that interacts with Microsoft Message Queuing (MSMQ). The service requires sessions. You need to create a custom binding that enables messages sent to the queue to be viewed when you are using a listener tool. Which binding elements should you use? A. textMessageEncoding and msmqTransport in this order.B. textMessageEncoding and msmqIntegrationTransport in this order.C. msmqTransport and textMessageEncoding in this order.D. msmqIntegrationTransport and textMessageEncoding in this order. Answer: A QUESTION 234A Windows Communication Foundation (WCF) service handles online order processingyou're your company. You discover that many requests are being made with invalid account numbers. You create a class named AccountNumberValidator that has a method named Validate.Before the message is processed, you need to validate account numbers with AccountNumberValidator and reject messages with invalid account numbers.You create a new class that implements the IParameterInspector interface. Which code segment should you use in this class? A. Public Sub AfterCall(ByVal operationName As String,ByVal outputs() As Object,ByVal returnValue As Object,ByVal correlationState As Object) _ ImplementsIParameterInspector.AfterCallDim accountNumber As String = GetAccountNumber(outputs) Dim validator As AccountNumberValidator = New AccountNumberValidator() If (Not validator.Validate(accountNumber)) ThenThrow New FaultException()End IfEnd SubPublic Function BeforeCall(ByVal operationName As String,ByVal inputs() As Object As Object _Implements IParameterInspector.BeforeCallReturn NothingEnd FunctionB. Public Sub AfterCall(ByVal operationName As String,ByVal outputs() As Object,ByVal returnValue As Object, ByVal correlationState AsObject) _Implements IParameterInspector.AfterCallReturnEnd SubPublic Function BeforeCall(ByVal operationName As String, ByVal inputs() As Object As Object _Implements IParameterInspector.BeforeCallDim accountNumber As String = GetAccountNumber(inputs) Dim validator As AccountNumberValidator = New AccountNumberValidator() If (Not validator.Validate(accountNumber)) ThenThrow New FaultException()End IfReturn NothingEnd FunctionC. Public Sub AfterCall(ByVal operationName As String,ByVal outputs() As Object,ByVal returnValue As Object,ByVal correlationState As Object) Implements IParameterInspector.AfterCallDim accountNumber As String = GetAccountNumber(outputs) Dim validator As AccountNumberValidator = New AccountNumberValidator()If (Not validator.Validate(accountNumber)) ThenreturnValue = New FaultException()End IfEnd SubPublic Function BeforeCall(ByVal operationName As String,ByVal inputs() As Object) As Object ImplementsIParameterInspector.BeforeCallReturn NothingEnd FunctionD. Public Sub AfterCall(ByVal operationName As String, ByVal outputs() As Object, ByVal returnValue As Object, ByVal correlationState As Object) _Implements IParameterInspector.AfterCallReturnEnd SubPublic Function BeforeCall(ByVal operationName As String,ByVal inputs() As Object) As Object _Implements IParameterInspector.BeforeCall Dim accountNumber As String = GetAccountNumber(inputs)Dim validator As AccountNumberValidator = New AccountNumberValidator()If (Not validator.Validate(accountNumber)) ThenReturn New FaultException()End IfEnd Function Answer: C QUESTION 235You are developing a Windows Communication Foundation (WCF) service that contains the following operation contract.<OperationContract()>Function GetCustomerNames() As CustomerNamesThe operation returns customer names. You need to develop a definition for the operation contract that produces <s:Envelope xmlns:s XML with the following structure.



Which code segment should you use A.
MessageContract(IsWrapped:=False)>Public Class CustomerNamesB.
MessageBodyMember()>Public Names() As StringEnd ClassC.
MessageContract(WrapperName:="")>Public Class
CustomerNamesD.
MessageBodyMember()>Public Names() As StringEnd ClassE.
DataContract()>Public Class
CustomerNames
CustomerNames
CataMember ()>Public Names () As StringEnd ClassF.
DataContract()>Public Class CustomerNames
CustomerNames
CataMember (IsRequired:=False)>Public Names() As StringEnd Class Answer: A QUESTION 236Your company has an existing
Windows Communication Foundation (WCF) service. The following code segment is part of the service. (Line numbers are included for reference only.)

.)	01 Dim nost As ServiceHost = GetServiceHost()	Ł
· /	oBraindump2go.com	Ł
		Ł
	os nosciopen()	L

You need to ensure that AJAX client applications can access the service. Which code segment should you insert at line 02?



C .	Ð	Dim Dim	b11 ep	As pe (ng Sat	Ai Ai
~	0					

C D. Dim binding A Dim ep As Ser GetType(ICat ep.Behaviors.)

A. Option AB. Option BC. Option CD. Option D Answer: A QUESTION 237You implement a Windows Communication Foundation (WCF) service. The service is hosted in Internet Information Services (IIS). The service must use X.509 certificates to authorize specific methods. You need to configure the service. What should you do? (Each correct answer presents part of the solution. Choose two.) A. Set the value of the Name property of the PrincipalPermissionAttribute to the identity of the certificate.
B. Set the value of the ControlEvidence property of the SecurityPermissionAttribute to the identity of the certificate. C. In the web.config file for the service, in the service Authorization element, set the value of the PrincipalPermissionMode attribute to UseAspNetRoles.D. In the web.config file for the service, in the service, in the service, in the service is the value of the service.

PrincipalPermissionMode attribute to UseWindowsGroups. Answer: AC QUESTION 238A Windows Communication Foundation (WCF) application exposes a service as a SOAP endpoint for consumption by cross-platform clients. During integration testing, you find that one of the clients is not generating the correct messages to the WCF application. In order to debug the issue and fix the communication, you need to configure the service to log messages received from the client. What should you do? A. Set an etwTracking behavior on the service and configure a listener for the System.ServiceModel trace source.B. Set an etwTracking behavior on the service and configure a listener for the System.ServiceModel.MessageLuqqing trace source.C. Enable messageLogging in the System.ServiceModel diagnostics element configuration and configure a listener for the System.ServiceModel trace source.C. Model diagnostics element configuration and configure a listener for the System.ServiceModel trace source. Answer: C QUESTION 239You are developing a client that sends several types of SOAP messages to a Windows CommunicationFoundation (WCF) service method named PostData so that it can receive any SOAP message. Which code segment should you use? A.

PostData is currently defined as follows
OperationContract

Sub PostData(ByVal data As Order)B.
OperationContract(IsOneway: zTrue, Action: z''-)> Sub PostData(ByVal data As Order)Contract

PostData(ByVal data As BodyWriter)C.
OperationContract> Sub PostData(ByVal data As BodyWriter)D.

<OperationContract0> Sub PostData(ByVal data As Message) Answer: A QUESTION 240You create a service and deploy it on a network in a building named Building1. You will deploy the service to Building2. The service in Building1 is configured using the following discovery scopes.



The service in Building2 will be configured using the following discovery scopes.




You need to ensure that the client application can discover the service in Building1 or the service in Building2.Which scopes should you add to the client configuration file? A. <scopes> <add scope="<u>http://contoso.com/Chicago/*"/></u></scopes> B. <scopes> <add scope="<u>http://contoso.com/Chicago"/></u></scopes> C. <scopes> <add

scope="ldap:///ou=Building,ou=Chicago,o=contoso,c=us"/></scopes> D. <scopes> <add scope="ldap:///ou=*,o=contoso,c=us"/> </scopes> Answer: B All Braindump2go 70-513 Exam Dumps are Promised One Year Free Updation -- We will inform you when your products have new questions and Answers updation! Download Microsoft 70-513 Practice Tests Questions Full Version Now -

Pass 70-513 100% One Time TS: Windows Communication Foundation Development with

Microsoft .NET Framework 4: 70-513



FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go: http://www.braindump2go.com/70-513.html (341 Q&A)