

[New-70-773-DumpsHigh Quality Braindump2go 70-773 VCE 40Q Free Share[Q14-Q21

2018 January New Microsoft 70-773 Exam Questions and Answers Free Updated Today! Following are some new released 70-773 Exam Questions:

1.2018 New 70-773 Exam Dumps (PDF and VCE) 40Q&As Share:<https://www.braindump2go.com/70-773.html>

2.2018 New 70-773 Exam Questions & Answers:
<https://drive.google.com/drive/folders/1kMd6aXvfas5LmMEfTFZjWQgFijajjm3w?usp=sharing>

QUESTION 14 You have a slow Map Reduce job. You need to optimize the job to control the number of mapper and runner tasks. Which function should you use? A. RxComputeContext B. RxHadoopMRC. rxExec D. RxLocalParallel Answer: C

QUESTION 15 You need to build a model that looks at the probability of an outcome. You must regulate between L1 and L2. Which classification method should you use? A. Two-Class Neural Network B. Two-Class Support Vector Machine C. Two-Class Decision Forest D. Two-Class Logistic Regression Answer: D

Explanation: <https://msdn.microsoft.com/en-us/library/azure/dn905994.aspx>

QUESTION 16 You are planning the compute contexts for your environment. You need to execute rx-function calls in parallel. What are three possible compute contexts that you can use to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point. A. local parallel B. Spark C. local sequential D. Map Reduce E. SQL Answer: ABDE

Explanation: <https://docs.microsoft.com/en-us/azure/hdinsight/hdinsight-hadoop-r-server-compute-contexts>

QUESTION 17 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You use dplyrXdf, and you discover that after you exit the session, the output files that were created were deleted. You need to prevent the files from being deleted. Solution: You use dplyrXdf with the persist verb. Does this meet the goal? A. Yes B. No Answer: A

Explanation: <http://blog.revolutionanalytics.com/2016/12/dplyrxdf-090-now-available.html>

QUESTION 18 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a data source that is larger than memory. You need to visualize the distribution of the values for a variable in the data source. What should you use? A. the Describe package B. the rxHistogram function C. the rxSummary function D. the rxQuantile function E. the rxCube function F. the summary function G. the rxCrossTabs function H. the ggplot2 package Answer: B

QUESTION 19 You have a dataset that has multiple blocks and only numeric variables. You are computing in a local compute context. You plan to lag a variable named x to create a new variable named x_lagged by using a transform function. You will create a new element in the output of the function. You need to minimize the number of missing values. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point. A. Assign a value to the first value of x_lagged in the current block. B. Use rxSet to store the last value of x_lagged in the current block. C. Use rxSet to store the last value of x in the current block. D. Use rxGet to retrieve the first value of x in the next block to be processed. E. Use rxGet to retrieve a value stored in processing of the prior block. Answer: ACD

QUESTION 20 You have an Apache Hadoop Hive data warehouse. RevoScalerR is not installed. You need to sort the data according to the variables in the dataset. What should you do? A. Connect to the database by using an ODBC connection, and then use the rxSort function. B. Create a table in the ORC file format. C. Connect to the database by using an ODBC connection, and then use the rxDataStep function. D. Execute a Hive query that sorts the data, and then reads the results. Answer: D

QUESTION 21 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You need to get all of the deciles for a variable in a data frame. What should you use? A. the Describe package B. the rxHistogram function C. the rxSummary function D. the rxQuantile function E. the rxCube function F. the summary function G. the rxCrossTabs function H. the ggplot2 package Answer: D

!!!RECOMMEND!!!

1.2018 New 70-773 Exam Dumps (PDF and VCE) 40Q&As Share:<https://www.braindump2go.com/70-773.html>

2.2018 New 70-773 Study Guide Video: YouTube Video: [YouTube.com/watch?v=edWCGL82gDo](https://www.youtube.com/watch?v=edWCGL82gDo)