

[New 98-366 DumpsExam Pass 100%!Braindump2go 98-366 PDF Dumps 240Q Instant Download[Q12-Q22

2018/October Braindump2go Microsoft 98-366 Exam Dumps with PDF and VCE New Updated Today! Following are some new

98-366 Real Exam Questions: 1. |2018 Latest 98-366 Exam Dumps (VCE & PDF) 240Q&As

Download:<https://www.braindump2go.com/98-366.html>2. |2018 Latest 98-366 Exam Questions & Answers

Download:https://drive.google.com/drive/folders/1CM4rsv4LWfIts_cpIObhvXFBpgBpebnA?usp=sharingQUESTION 12The

top-level domain of www.adventureworks.com is:A. wwwB. adventureworksC. adventureworks.comD. comAnswer: D

Explanation:A top-level domain (TLD) is one of the domains at the highest level in the hierarchical Domain Name System of the

Internet.QUESTION 13At what layer in the OSI model are hardware addresses referenced?A. NetworkB. ApplicationC. Data

linkD. PhysicalAnswer: CQUESTION 14You need to divide a network into three subnets.Which device should you use?A. Hub

B. BridgeC. RouterD. SegmenterAnswer: CExplanation:You can use a router to divide your network into subnets.QUESTION

15The type of connector used on a 100BaseT Ethernet cable is:A. RJ-11B. RJ-45.C. TNC.D. BNC.Answer: BQUESTION

16In addition to switching, multilayer switches also:A. Provide Layer 3 routing functions.B. Interface with CAT3, CATS,

CAT5e, and fiber optics.C. Support 10 MB, 100 MB, and 1 GB local area network (LAN) ports.D. Operate by using only Layer

1 and 2 protocols.Answer: AQUESTION 17One reason to replace an unmanaged switch with a managed switch is to:A. Manage

the routing tables.B. Support multiple VLANs.C. Reduce collision domains.D. Route between networks,Answer: B

Explanation:A multilayer switch (MLS) is a computer networking device that switches on OSI layer 2 like an ordinary network

switch and provides extra functions on higher OSI layers.The major difference between the packet switching operation of a router

and that of a Layer 3 switch is the physical implementation. In general-purpose routers, packet switching takes place using software

that runs on a microprocessor, whereas a Layer 3 switch performs this using dedicated application-specific integrated circuit (ASIC)

hardware.QUESTION 18To directly connect the Ethernet network interface cards (NICs) of two computers, you should use a:A.

Crossover cableB. Straight cableC. Rollover cableD. Coaxial cableAnswer: AExplanation:An Ethernet crossover cable is a

type of Ethernet cable used to connect computing devices together directly. Normal straight through cables were used to connect

from a host network interface controller (a computer or similar device) to a network switch, hub or router.QUESTION 19The

function of a router is to:A. Provide IP subnet masks for hosts.B. Forward traffic to other networks.C. Broadcast routing tables

to clients.D. Store tables for name resolution.Answer: BExplanation:A router is a device that forwards data packets along

networks. A router is connected to at least two networks, commonly two LANs or WANs or a LAN and its ISP's network. Routers

are located at gateways, the places where two or more networks connect.QUESTION 20If a router cannot determine the next hop for

a packet, the router will:A. Forward the packet to the default route.B. Send the packet back to the packet's source.C. Broadcast

the packet.D. Store the packet in the memory buffer.Answer: AExplanation:If there is no next hop, the packets are not policy

routed.A default route of a computer that is participating in computer networking is the packet forwarding rule (route) taking effect

when no other route can be determined for a given Internet Protocol (IP) destination address.QUESTION 21In which physical

network topology is each computer connected to a central point?A. StarB. MeshC. RingD. BusAnswer: AExplanation:In

local area networks with a star topology, each network host is connected to a central hub with a point-to- point

connection.QUESTION 22Which two of the following are connectivity options for wide area networks (WANs)? (Choose two.)A.

Token ringB. EthernetC. Dial-upD. Leased lineAnswer: CDEExplanation:Token ring and Ethernet are used in LANs.

!!!RECOMMEND!!!1. |2018 Latest 98-366 Exam Dumps (VCE & PDF) 240Q&As

Download:<https://www.braindump2go.com/98-366.html>2. |2018 Latest 98-366 Exam Questions & Answers

Download:https://drive.google.com/drive/folders/1CM4rsv4LWfIts_cpIObhvXFBpgBpebnA?usp=sharing