## [New NSE7 DumpsNSE7 PDF and VCE(Full Version)97Q Download in Braindump2go[52-62

2018/August Braindump2go Fortinet NSE7 Exam Dumps with PDF and VCE New Updated! Following are some new NSE7 Real Exam Questions:1.|2018 Latest NSE7 Exam Dumps (PDF & VCE) 97Q&As

Download:https://www.braindump2go.com/nse7.html2.|2018 Latest NSE7 Exam Questions & Answers

 $Download: https://drive.google.com/drive/folders/17L\_5UQO-aSXYV-4H55 aiLR96R7f1OP-n? usp=sharing QUESTION~52 Examine~100 folders/17L\_5UQO-aSXYV-4H55 aiLR96R7f1OP-n? usp=sharing QUESTION~52 Examine~100 fol$ 

the output of the 'get router info bgp summary' command shown in the exhibit; then answer the question below.

Student# get router into bgp summary
BGP router indentifier 10.200.1.1, local
BGP table version is 2
1 BGP AS-PATH entries
0 BGP community ent
Neighbor V AS MsgRevd M
10.200.3.1 4 65501 92

Total number of neighbors 1

Which statement can explain why the state of the remote BGP peer 10.200.3.1 is Connect?A. The local peer is receiving the BGP keepalives from the remote peer but it has not received any BGP prefix yet.B. The TCP session for the BGP connection to 10.200.3.1 is down.C. The local peer has received the BGP prefixed from the remote peer.D. The local peer is receiving the BGP keepalives from the remote peer but it has not received the OpenConfirm yet.Answer: BQUESTION 53A FortiGate device has the

following LDAP configuration:

```
config user ldap
edit "WindowsLDAP"
set server "10.0.1.10"
set cnid "cn"
set dn "cn=user, _dc=trainingAD, dc=training, dc=lab"

**The Parame "cn=administrator, cn=users, dc=trainingAD, dc=training, dc=lab"
set username "cn=administrator, cn=users, dc=trainingAD, dc=training, dc=lab"
set password xxxxx
next
end
```

The LDAP user student cannot authenticate. The exhibit shows the output of the authentication real time debug while testing the

student account:

#diagnose debug application fnbamd -1 #diagnose debug enable #diagnose test authserver ldap WindowsLDAP student password fnbamd\_fsm.c[1819] handle\_req-Revd auth req 4 for student in WindowsLDAP opt=27 prot=0 fnbamd\_fsm.c[336]\_compose\_group\_list\_from\_req\_Group 'WindowsLDAP' fnbamd\_pop3.c[573] fnband\_pop3\_start-student fnbamd\_cfg.c[932] fnbamd\_cfg-get\_ldap\_;ist\_by\_server-Loading LDAP server finoama\_ldap.e[992] resorve\_idap\_I-QDN-resorved\_udiress \_.0.1.10, resuit 10.0.1.10 fnbamd\_fsm.c[428] create\_ auth\_session-Total 1 server (s) to try fnbamd\_ldap.c[1700] fnbamd\_ldap\_get\_result-Error in ldap result: 49 fnbamd\_ldap.c[2028] fnbamd\_ldap\_get\_result-Auth denied fnbamd\_auth.c[2188] fnbamd\_auth\_poll\_ldap-Result for ldap svr 10.0.1.10 is denied fnbamd\_comm.c[169] fnbamd\_comm\_send\_result-Sending result 1 for req 4 fnbamd\_fsm.c[568] destroy\_auth\_session-delete session 4 authenticate 'student' against 'WindowsLDAP' failed!

Based on the above output, what FortiGate LDAP settings must the administer check? (Choose two.)A. cnid.B. username.C. password.D. dn.**Answer: BCQUESTION** 54Examine the output from the `diagnose vpn tunnel list' command shown in the exhibit; then answer the question below.

```
#diagnose vpn tunnel list
name-Dial Up_0 ver=1 serial=5 10.200.1.1:4500->10.200.3.2: 64916 lgwy=static
nun=intf mode=dial_inst.bound if=2
parent=DialUp index=0
proxyid_um=1 child_num=0 refent=8 ilast=4 olast=4
stat: rxp=104 txp=8 rxb=27392 txb=480
dpd: mode=active on=1 idle=5000ms retry=3 count=0 segno=70
natt: mode=silent draft=32 interval= 10 remote_port=64916
proxyid= DialUp proto=0 sa=1 ref=2 serial=1 add-route
vvvv·2373144dump2go.com
  SA: ref=3 options= 00000086 type=00 soft=0 mtu=1422 expire =42521
replaywin=2048 segno=9
  life: type=01 bytes=0/0 timeout= 43185/43200
  dec: spi=cb3a632a esp=aes key=16 7365e17a8fd555ec38bffa47d650c1a2
      ah=sha1 key=20 946bfb9d23b8b53770dcf48ac2af82b8ccc6aa85
  enc: spi=da6d28ac esp=aes key=16 3dcf44ac7c816782ea3d0c9a977ef543
     ah=sha1 key=20 7cfde587592fc4635ab8db8ddf0d851d868b243f
dec:pkts/bytes=104/19926, enc:pkts/bytes=8/1024
```

Which command can be used to sniffer the ESP traffic for the VPN DialUP\_0?A. diagnose sniffer packet any `port 500'B. diagnose sniffer packet any `esp'C. diagnose sniffer packet any `host 10.0.10.10'D. diagnose sniffer packet any `port 4500' **Answer: BQUESTION** 55View the central management configuration shown in the exhibit, and then answer the question below.

confi se se co

WWY

se end

en

Which server will FortiGate choose for antivirus and IPS updates if 10.0.1.243 is experiencing an outage? A. 10.0.1.240B. One of the public FortiGuard distribution servers C. 10.0.1.244D. 10.0.1.242 **Answer: BQUESTION** 56View the exhibit, which

contains the output of diagnose sys session stat, and then answer the question below.

```
NGFW-1 # diagnose svs session stat
                session count=591 setup rate=0 exp count
  misc info:
  clash=162 memory_tension_drop=0 ephemeral=0/65536
   delete=0, flush-0, dev_down=0/0
         166 in NONE state
          1 in ESTABLISHED state
          3 in SYN SENT state
         2 in TIME_WAIT state
www.Braindump2go.co
  error2=00000000
  error3=00000000
  error4=00000000
   tt=00000000
   cont=00000000
   ids_recv=00000000
  url_recv=00000000
   av_recv=00000000
   qdn count=00000006
  global: ses_limit=0
                     ses6_limit=0 rt_limit=0 rt6_limit=0
```

Which statements are correct regarding the output shown? (Choose two.)A. There are 0 ephemeral sessions.B. All the sessions in the session table are TCP sessions.C. No sessions have been deleted because of memory pages exhaustion.D. There are 166 TCP sessions waiting to complete the three-way handshake. **Answer: ADQUESTION** 57View the exhibit, which contains the output

of a debug command, and then answer the question below.

#dia hardware sysinfo shm 150 SHM counter: SHM allocated: 0 SHM total: 625057792 conserve mode: on - mem
www.Braindump2go.com sys fd last entered: n/a SHM FS total: 641236992 SHM FS free: 641208320 SHM FS avail: 641208320 SHM FS alloc: 28672

What statement is correct about this FortiGate?A. It is currently in system conserve mode because of high CPU usage.B. It is currently in FD conserve mode.C. It is currently in kernel conserve mode because of high memory usage.D. It is currently in system conserve mode because of high memory usage.Answer: DQUESTION 58Which statements about bulk configuration changes using FortiManager CLI scripts are correct? (Choose two.)A. When executed on the Policy Package, ADOM database, changes are applied directly to the managed FortiGate.B. When executed on the Device Database, you must use the installation wizard to apply the changes to the managed FortiGate.C. When executed on the All FortiGate in ADOM, changes are automatically installed without creating a new revision history.D. When executed on the Remote FortiGate directly, administrators do not have the option to review the changes prior to installation.Answer: ADQUESTION 59Which of the following tasks are automated using the Install Wizard on FortiManager? (Choose two.)A. Preview pending configuration changes for managed devices.B. Add devices to FortiManager.C. Import policy packages from managed devices.D. Install configuration changes to managed devices.E. Import interface mappings from managed devices.Answer: BDQUESTION 60View the exhibit, which

contains the output of diagnose sys session list, and then answer the question below.

# diagnose sys session list
session info: proto=6 proto\_state=01 duration=73 expire=3597 timeout=3600
flag=80000000 sockflag=00000000 sockport=0 av\_idx=0 use=3
origin-shaper=
per\_ip\_shaper=
per\_ip\_shaper=
ha\_id=0 policy\_dir=0 tunne1=/

WANN by Brain dump 2go\_cc
orgin->sink: org pre->post\_izeply pre->post\_dev=4->/2>>4 gsy=10.200.1.254/
hook-post\_dir=0org\_act=snst\_10.0.1.10:65464->54.192.15.182:80(10.200.1.1:65464)
hook-pre\_dir=reply\_act=dnat\_54.192.15.182:80->10.200.1.1:65464(10.0.1.10:65
pos/(before, after)\_0/(0/0,0)
misc=0 policy\_id=1 suth\_info=0 chk\_client\_info=0 vd=0
serial=00000038 tos=ff/ff\_ips\_view=0 app\_list=0 app=0
dd\_type=0\_dd\_mode=0

If the HA ID for the primary unit is zero (0), which statement is correct regarding the output?A. This session is for HA heartbeat traffic.B. This session is synced with the slave unit.C. The inspection of this session has been offloaded to the slave unit.D. This session cannot be synced with the slave unit.Answer: BQUESTION 61View the IPS exit log, and then answer the question below.# diagnose test application ipsmonitor 3ipsengine exit log? pid = 93 (cfg), duration = 5605322 (s) at Wed Apr 19 09:57:26 2017 code = 11, reason: manualWhat is the status of IPS on this FortiGate?A. IPS engine memory consumption has exceeded the model-specific predefined value.B. IPS daemon experienced a crash.C. There are communication problems between the IPS engine and the management database.D. All IPS-related features have been disabled in FortiGate's configuration.Answer: B QUESTION 62View the exhibit, which contains an entry in the session table, and then answer the question below. Which one of the following statements is true regarding FortiGate's inspection of this session?A. FortiGate applied proxy-based inspection.B. FortiGate forwarded this session without any inspection.C. FortiGate applied flow-based inspection.D. FortiGate applied explicit proxy-based inspection.Answer: B!!!RECOMMEND!!!1.|2018 Latest NSE7 Exam Dumps (PDF & VCE) 97Q&As Download:https://www.braindump2go.com/nse7.html2.|2018 Latest NSE7 Study Guide Video: YouTube Video: YouTube.com/watch?v=Ycf3R90cQzw