

## New Released Microsoft 70-483 Dumps PDF Free Download From Braindump2go (121-130)

2015 Latest 70-483 Real exam questions to master and practice upon! Braindump2go Offers the New Updated Microsoft 70-483 231 Exam Questions in PDF & VCE files that can also be downloaded on every mobile device for preparation! Vendor: Microsoft Exam Code: 70-483 Exam Name: Microsoft Programming in C# Keywords: 70-483 Exam Dumps, 70-483 Practice Tests, 70-483 Practice Exams, 70-483 Exam Questions, 70-483 PDF, 70-483 VCE Free, 70-483 Book, 70-483 E-Book, 70-483 Study Guide, 70-483 Braindump, 70-483 Prep Guide

Compared Before Buying Microsoft 70-483 PDF & VCE!		
Pass4sure	Braindump2go	Test King
	<b>100% Pass OR Money Back</b>	
214 Q&As – Practice	231 Q&As – Real Questions	214 Q&As – Practice
\$124.99	\$99.99	\$204.99
No Discount	Coupon Code: <b>BDNT2014</b>	No Discount

QUESTION 121 You are implementing a method named ProcessFile that retrieves data files from web servers and FTP servers. The ProcessFile () method has the following method signature: Public void ProcessFile(Guid dataFileId, string dataFileUri) Each time the ProcessFile() method is called, it must retrieve a unique data file and then save the data file to disk. You need to complete the implementation of the ProcessFile() method. Which code segment should you use?

```

A. WebResponse response;
   StreamReader reader;
   WebRequest request = WebRequest.Create(dataFileUri);
   using (response = request.GetResponse())
   {
       reader = new StreamReader(response.GetResponseStream());
       response.Close();
   }
   using (StreamWriter writer = new StreamWriter(dataFileId + ".dat"))
   {
       writer.Write(reader.ReadToEnd());
   }

B. FileWebRequest request = FileWebRequest.Create(dataFileUri) as FileWebRequest;
   using (FileWebResponse response = request.GetResponse() as FileWebResponse)
   using (StreamReader reader = new StreamReader(response.GetResponseStream()))
   using (StreamWriter writer = new StreamWriter(dataFileId + ".dat"))
   {
       writer.Write(reader.ReadToEnd());
   }

C. WebRequest request = WebRequest.Create(dataFileUri);
   using (WebResponse response = request.GetResponse())
   using (Stream responseStream = response.GetResponseStream())
   {
       StreamWriter writer = new StreamWriter(dataFileId + ".dat");
       writer.Write(responseStream);
   }

D. WebRequest request = WebRequest.Create(dataFileUri);
   using (WebResponse response = request.GetResponse())
   using (StreamReader reader = new StreamReader(response.GetResponseStream()))
   using (StreamWriter writer = new StreamWriter(dataFileId + ".dat"))
   {
       writer.Write(reader.ReadToEnd());
   }
    
```

A. Option AB. Option BC. Option CD. Option D Answer: D Explanation:- WebRequest.Create Method (Uri) Initializes a new WebRequest instance for the specified URI scheme.- Example: 1. To request data from a host server Create a WebRequest instance by calling Create with the URI of the resource. C# WebRequest request = WebRequest.Create("http://www.contoso.com/"); 2. Set any property values that you need in the WebRequest. For example, to enable authentication, set the Credentials property to an instance of the NetworkCredential class. C# request.Credentials = CredentialCache.DefaultCredentials; 3. To send the request to the server, call GetResponse. The actual type of the returned WebResponse object is determined by the scheme of the requested URI. C# WebResponse response = request.GetResponse(); 4. To get the stream containing response data sent by the server, use the GetResponseStream method of the WebResponse. C# Stream dataStream = response.GetResponseStream(); QUESTION 122 Drag and Drop Question You are developing an application that will write string values to a file. The application includes the following code segment. (Line numbers are included for reference only.) 01 protected void ProcessFile(string fileName, string value) 02 { 03 04 } You need to ensure that the ProcessFile() method will write string values to a file. Which four code segments should you insert in sequence at line 03? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)

```

StreamWriter.Write(value);

StreamWriter = new StreamWriter(fileName);

StreamWriter.Close();

StreamWriter streamWriter = null;
    
```

Answer:

<code>streamWriter.Write(value);</code>	<code>StreamWriter streamWriter = null;</code>
<code>streamWriter = new StreamWriter(fileName);</code>	<code>streamWriter = new StreamWriter(fileName);</code>
<code>streamWriter.Close();</code>	<code>streamWriter.Write(value);</code>
<code>StreamWriter streamWriter = null;</code>	<code>streamWriter.Close();</code>

QUESTION 123 Drag and Drop Question You are developing an application that will write data to a file. The application includes the following code segment. (Line numbers are included for reference only.) You need to ensure that the WriteData() method will write data to a file. Which four code segments should you insert in sequence at line 03? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)

<code>writer.Write(data);</code>
<code>writer = new StreamWriter(fileName);</code>
<code>StreamWriter writer = null;</code>
<code>writer.Close();</code>
<code>writer.Open();</code>

Answer:

<code>writer.Write(data);</code>	<code>StreamWriter writer = null;</code>
<code>writer = new StreamWriter(fileName);</code>	<code>writer = new StreamWriter(fileName);</code>
<code>StreamWriter writer = null;</code>	<code>writer.Close();</code>
<code>writer.Close();</code>	<code>writer.Open();</code>

QUESTION 124 You need to write a console application that meets the following requirements:- If the application is compiled in Debug mode, the console output must display Entering debug mode.- If the application is compiled in Release mode, the console output must display Entering release mode. Which code should you use?

A. `#define DEBUG`  
`Console.WriteLine("Entering debug mode");`  
`#define RELEASE`  
`Console.WriteLine("Entering release mode");`

B. `if (System.Reflection.Assembly.GetExecutingAssembly().IsDefined(typeof(System.Diagnostics.Debugger), false))`  
`Console.WriteLine("Entering debug mode");`  
`else`  
`Console.WriteLine("Entering release mode");`

C. `#region DEBUG`  
`Console.WriteLine("Entering debug mode");`  
`#endregion`  
`#region RELEASE`  
`Console.WriteLine("Entering release mode");`  
`#endregion`

D. `#if (DEBUG)`  
`Console.WriteLine("Entering debug mode");`  
`#elif (RELEASE)`  
`Console.WriteLine("Entering release mode ");`  
`#endif`

A. Option AB. Option BC. Option CD. Option D Answer: D Explanation: #elif lets you create a compound conditional directive. The #elif expression will be evaluated if neither the preceding #if (C# Reference) nor any preceding, optional, #elif directive expressions evaluate to true. If a #elif expression evaluates to true, the compiler evaluates all the code between the #elif and the next conditional directive. For example: #define VC7... #if debug Console.Writeline("Debug build"); #elif VC7 Console.Writeline("Visual Studio 7"); #endif Incorrect: Not B:- System.Reflection.Assembly.GetExecutingAssembly Method Gets the assembly that contains the code that is currently executing.- Assembly.IsDefined Method Indicates whether or not a specified attribute has been applied to the assembly.- System.Dignostics.Debugger Class Enables communication with a debugger. Property: IsAttached Gets a value that indicates whether a debugger is attached to the process. QUESTION 125 Hotspot Question You define a class by using the following code:

```
public class Department
{
    public int Id { get; set; }
    public string Name { get; set; }
    public string Manager { get; set; }
    public int BuildingId { get; set; }
}

You create a collection by using the following code:

Department[] departments =
new Department[]
{
    new Department
    { Id = 2, Name = "Sales", Manager = "User2", BuildingId = 3 },
    new Department
    { Id = 3, Name = "IT", Manager = "User3", BuildingId = 15},
    new Department
    { Id = 4, Name = "Marketing", Manager = "User4", BuildingId = 3}
};

var output =
from d in departments
group d by d.BuildingId into dp
select new { sorted = dp.Key, Department = dp };
```

To answer, complete each statement according to the information presented in the code.

The output collection will contain ... object(s).

The sorted property of the output collection will be the ... type.

Answer: The output collection will contain ... object(s).

The sorted property of the output collection will be the ... type.

QUESTION 126 Drag and Drop Question You are developing an application that will populate an extensive XML tree from a Microsoft SQL Server 2008 R2 database table named Contacts. You are creating the XML tree. The solution must meet the following requirements:- Minimize memory requirements.- Maximize data processing speed. You open the database connection. You need to create the XML tree. How should you complete the relevant code? (To answer, drag the appropriate code segments to the correct locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Code segments for XML tree creation:

Answer: Drag and drop the following code segments into the answer area:

QUESTION 127 Drag and Drop Question You create an assembly named Assembly1.dll. You need to ensure that Assembly1.dll can be deployed to the global assembly cache (GAC). Which commands should you run? (To answer, drag the appropriate programs to the correct locations. Each program may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)



Answer:



QUESTION 128 You have an application that will send confidential information to a Web server. You need to ensure that the data is encrypted when it is sent across the network. Which class should you use? A. CryptoStream B. AuthenticatedStream C. PipeStream D. NegotiateStream Answer: A

QUESTION 129 You are developing an application that will be deployed to multiple computers. You set the assembly name. You need to create a unique identity for the application assembly. Which two assembly identity attributes should you include in the source code? (Each correct answer presents part of the solution. Choose two.) A. AssemblyTitle B. AssemblyCultureAttribute C. AssemblyVersionAttribute D. AssemblyKeyNameAttribute E. AssemblyFileVersion Answer: BC

Explanation: The AssemblyName object contains information about an assembly, which you can use to bind to that assembly. An assembly's identity consists of the following: - Simple name. - Version number. - Cryptographic key pair. - Supported culture. B: AssemblyCultureAttribute Specifies which culture the assembly supports. The attribute is used by compilers to distinguish between a main assembly and a satellite assembly. A main assembly contains code and the neutral culture's resources. A satellite assembly contains only resources for a particular culture, as in [assembly: AssemblyCultureAttribute("de")] C: AssemblyVersionAttribute Specifies the version of the assembly being attributed. The assembly version number is part of an assembly's identity and plays a key part in binding to the assembly and in version policy.

QUESTION 130 You are developing an application that will read data from a text file and display the file contents. You need to read data from the file, display it, and correctly release the file resources. Which code segment should you use?

```

A. string inputLine;
   using (StreamReader reader = new StreamReader("data.txt"))
   {
       while ((inputLine = reader.ReadLine()) != null)
       {
           Console.WriteLine(inputLine);
       }
   }

B. string inputLine;
   StreamReader reader = null;
   using (reader = new StreamReader("data.txt"))
   {
       while ((inputLine = reader.ReadLine()) != null)
       {
           Console.WriteLine(inputLine);
       }
   }

C. string inputLine;
   StreamReader reader = new StreamReader("data.txt");
   while ((inputLine = reader.ReadLine()) != null)
   {
       Console.WriteLine(inputLine);
   }

D. string inputLine;
   StreamReader reader = null;
   try
   {
       reader = new StreamReader("data.txt");
       while ((inputLine = reader.ReadLine()) != null)
       {
           Console.WriteLine(inputLine);
       }
       reader.Close();
       reader.Dispose();
   }
   finally
   {
   }
    
```

A. Option AB. Option BC. Option CD. Option D Answer: A Guaranteed 100% Microsoft 70-483 Exam Pass OR Full Money Back! Braindump2go Provides you the latest 70-483 Dumps PDF & VCE for Instant Download!

<b>Compared Before Buying Microsoft 70-483 PDF &amp; VCE!</b>		
<b>Pass4sure</b>	<b>Braindump2go</b> <b>100% Pass OR Money Back</b>	<b>Test King</b>
214 Q&As – Practice	<b>231 Q&amp;As – Real Questions</b>	214 Q&As – Practice
\$124.99	<b>\$99.99</b>	\$204.99
No Discount	<b>Coupon Code: BDN2014</b>	No Discount

<http://www.braindump2go.com/70-483.html>