

## [Oct.-2016-NEWBraindump2go Microsoft 179Q&As 70-461 PDF & VCE Exam Dumps [NQ101-NQ106 Share

2016/10 New Microsoft 70-461: Querying Microsoft SQL Server 2012/2014 Exam Questions Updated Today! Free Instant Download 70-461 Exam Dumps (PDF & VCE) 179Q&As from Braindump2go.com Today! 100% Real Exam Questions! 100% Exam Pass Guaranteed! 1. | 2016/10 Latest 70-461 Exam Dumps (PDF & VCE) 179Q&As Download: <http://www.braindump2go.com/70-461.html> 2. | 2016/10 Latest 70-461 Exam Questions & Answers: <https://drive.google.com/folderview?id=0B75b5xYLjSSNflp4NUtxTHJkb0hXTWtYMmdnbjBpVjNqUVV3NjNDcW1qOWVLMUQ3cUpENU0&usp=sharing> QUESTION 101 You want to add a new GUID column named BookGUID to a table named dbo.Book that already contains data. BookGUID will have a constraint to ensure that it always has a value when new rows are inserted into dbo.Book. You need to ensure that the new column is assigned a GUID for existing rows. Which four Transact-SQL statements should you use? (To answer, move the appropriate SQL statements from the list of statements to the answer area and arrange them in the correct order.)



Answer:



Explanation: Actually, in the real world, you don't have to use WITH VALUES at the end of the statement and it works just as well. But because the question specifically states which FOUR TSQL statements to use, we have to include it.

<http://msdn.microsoft.com/en-us/library/ms190273.aspx> QUESTION 102 You administer a Microsoft SQL Server 2012 database. The database contains a table named Employee. Part of the Employee table is shown in the exhibit. (Click the Exhibit button.)


EmployeeID	LastName	FirstName	MiddleName	DateHired	Department	JobTitle	ReportsTo
------------	----------	-----------	------------	-----------	------------	----------	-----------

Column name	Description
EmployeeID(pk)	Uniquely identifies the employee record in the table Used throughout the database by all the other tables that reference the Employee table
EmployeeNum	An alphanumeric value calculated according to company requirements Has to be unique within the Employee table Exists only within the Employee table
DepartmentID	References another table named Department that contains data for each department in the company
ReportsToID	Contains the EmployeeID of the manager to whom an employee reports
ReportsToID	Contains the EmployeeID of the manager to whom an employee reports

Unless stated above, no columns in the Employee table reference other tables. Confidential information about the employees is stored in a separate table named EmployeeData. One record exists within EmployeeData for each record in the Employee table. You need to assign the appropriate constraints and table properties to ensure data integrity and visibility. On which column in the Employee table should you create a self-reference foreign key constraint? A. DateHiredB. DepartmentIDC. EmployeeIDD. EmployeeNumE. FirstNameF. JobTitleG. LastNameH. MiddleNameI. ReportsToID Answer: I QUESTION 103 You need to create a table named OrderDetails on a new server. OrderDetails must meet the following requirements:- Contain a new column named LineItemTotal that stores the product of ListPrice and Quantity for each row.- The calculation for a line item total must not be run every time the table is queried.- The code must NOT use any object delimiters. The solution must ensure that LineItemTotal is stored as the last column in the table. Part of the correct T-SQL statement has been provided in the answer area. Provide the complete code.

```
CREATE TABLE OrderDetails
(
    ListPrice money NOT NULL,
    Quantity int NOT NULL,
)
```

Answer: CREATE TABLE OrderDetails(ListPrice money NOT NULL,Quantity int NOT NULL,LineItemTotal AS (ListPrice \* Quantity) PERSISTED) QUESTION 104 You have a database named Sales that contains the tables shown in the exhibit. (Click the Exhibit button.)



You have an application named Appl. You have a parameter named @Count that uses the int data type. App1 is configured to pass

@Count to a stored procedure. You need to create a stored procedure named usp\_Customers for App1 that returns only the number of rows specified by the @Count parameter. The solution must NOT use BEGIN, END, or DECLARE statements. Part of the correct T-SQL statement has been provided in the answer area. Provide the complete code.

```
CREATE PROCEDURE usp_Customers  
    @Count int  
AS  
    SELECT TOP (@Count) Customers.LastName  
    FROM Customers  
    ORDER BY LastName
```

Answer: CREATE PROCEDURE usp\_Customers @Count int SELECT TOP (@Count) Customers.LastName FROM Customers ORDER BY Customers.LastName QUESTION 105 You need to create a query that calculates the total sales of each OrderID from a table named Sales.Details. The table contains two columns named OrderID and ExtendedAmount. The solution must meet the following requirements:- Use one-part names to reference columns.- Start the order of the results from OrderID.- NOT depend on the default schema of a user.- Use an alias of TotalSales for the calculated ExtendedAmount.- Display only the OrderID column and the calculated TotalSales column. Provide the correct code in the answer area. Key Words:

ADD	CREATE	INTERNAL	LIKE	PUBLIC	TABLE
ALL	CROSS	FETCH	LINES	RAISERROR	TABLESAMPLE
ALTER	CURRENT	FILE	LOAD	READ	TEXTSIZE
AND	CURRENT_DATE	FILEFACTOR	MERGE	READTEXT	TEXT
ANY	CURRENT_TIME	FOR	NATIONAL	RECONFIGURE	TO
AS	CURRENT_TIMESTAMP	FOREIGN	NOCHECK	REFERENCES	TOP
ASC	CURRENT_USER	FREETEXT	NONCLUSTERED	REPLICATION	TRAN
AUTHORIZATION	CURSOR	FREETEXTTABLE	NOT	RESTORE	TRANSACTION
BACKUP	DATABASE	FROM	NULL	RESTRICT	TRIGGER
BEGIN	DBCC	FULL	NULLIF	RETURN	TRUNCATE
BETWEEN	DEALLOCATE	FUNCTION	OF	REVERT	TRY_CONVERT
BREAK	DECLARE	GOTO	OFFSETS	REVOKE	UNIQUE
BROWSE	DEFAULT	GRANT	ON	RIGHT	UNION
BY	DELETE	GROUP	OPEN	ROLLBACK	UNIQUE
CA	IDENTITY	HAVING	OPENROWSET	ROWCOUNT	UPDATE
CA	IDENTITY_INSERT	IF	GO	SAVE	UPDATE
CHECK	DISTINCT	IDENTITY_INSERT	OPTION	SCHEMA	USE
CHECKPOINT	DISTRIBUTED	IDENTITYCOL	OPTION	SECURITYAUDIT	VALUES
CLOSE	DOUBLE	IF	OR	SECURITYAUDIT	VARIABLE
CLUSTERED	DROP	IN	ORDER	SELECT	VARIABLE
COLLATE	DUMP	INDEX	OUTER	SEMANTICKEYPHRASETABLE	VIEW
COLLATE	ELSE	INNER	OVER	SEMANTICKEYPHRASETABLE	WAITFOR
COLUMN	END	INNER	PERCENT	SEMANTICKEYPHRASETABLE	WHEN
COMMIT	ERRLVL	INTERSECT	PIVOT	SESSION_USER	WHERE
COMPUTE	ESCAPE	INTO	PLAN	SET	WHILE
CONSTRAINT	EXCEPT	IS	PRECISION	SETUSER	WITH
CONTAINS	EXEC	JOIN	PRIMARY	SUBQUERY	WITHIN GROUP
CONTAINSTABLE	EXECUTE	KEY	PRINT	SOME	WRITETEXT
CONTINUE	EXISTS	KILL	PROC	STATISTICS	
CONVERT	EXIT	LEFT	PROCEDURE	SYSTEM_USER	

Answer: SELECT OrderID, SUM(ExtendedAmount) AS TotalSales FROM Sales.Details GROUP BY OrderID ORDER BY OrderID QUESTION 106 You have an XML schema collection named Sales.InvoiceSchema. You need to declare a variable of the XML type named invoice. The solution must ensure that the invoice is validated by using Sales.InvoiceSchema. Provide the correct code in the answer area. Answer: DECLARE @invoice XML(Sales.InvoiceSchema) !!!RECOMMEND!!! 1. Braindump2go|2016/10 Latest 70-461 Exam Dumps (PDF & VCE) 179Q&As Download: <http://www.braindump2go.com/70-461.html> 2. Braindump2go|2016/10 Latest 70-461 Exam Questions & Answers: <https://drive.google.com/folderview?id=0B75b5xYLjSSnflp4NUtxTHJkb0hXTWtYmmdnbjBpVjNqUVV3NjNDcW1qOWVLMUQ3cUpENU0&usp=sharing>