


[OFFICIAL] Braindump2go 70-513 Practice Exams Download (151-160)

MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly!

Welcome to Download the Newest Braindump2go 70-513 VCE&70-513 PDF Dumps:

<http://www.braindump2go.com/70-513.html> (341 Q&As) Get Prepared with fully updated Microsoft 70-513 Real Exam Questions and Accurate Answers for 70-513 Exam Dumps. Braindump2go IT experts review the 70-513 newly added questions and suggest Correct Microsoft 70-513 Exam Questions Answers in Real Time. 100% Pass easily! Exam Code: 70-513 Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications 70-513 Dumps PDF, 70-513 eBook, 70-513 VCE, 70-513 PDF, 70-513 Latest Dumps, 70-513 Certification, 70-513 Training Kit PDF, 70-513 Braindump, 70-513 Exam Dumps, 70-513 Exam Book, 70-513 Exam PDF, 70-513 Exam Book, 70-513 Exam Preparation, 70-513 Dumps VCE, 70-513 Practice Test, 70-513 Practice Exam, 70-513 Preparation Book

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513



Product Description Exam Number/Code: 70-513

Exam Number/Code: 70-513

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4, also known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Questions and Answers : 341 Q&As
Updated: Nov 13, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Free Demo Download

Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

Printable PDF **Premium VCE + VCE Simulator**

QUESTION 161 You are developing a Windows Communication Foundation (WCF) service. You must record all available information for the first 1,000 messages processed, even if they are malformed. You need to configure the message logging section of the configuration file. Which configuration segment should you use?

- A. `<messageLogging logMessagesAtServiceLevel="true" logMessagesAtTransportLevel="true" maxMessagesToLog="1000"/>`
- B. `<messageLogging logMalformedMessages="true" logMessagesAtServiceLevel="true" logMessagesAtTransportLevel="false" maxMessagesToLog="1000"/>`
- C. `<messageLogging logEntireMessage="true" logMessagesAtTransportLevel="false" maxMessagesToLog="1000"/>`
- D. `<messageLogging logEntireMessage="true" logMalformedMessages="true" logMessagesAtServiceLevel="true" logMessagesAtTransportLevel="true" maxMessagesToLog="1000"/>`

A. Option A. B. Option B. C. Option C. D. Option D Answer: D QUESTION 162 You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)
01 <ServiceContract()>
02 <ServiceBehavior(IncludeExceptionDetailInFaults: Time)>
03 Public Class OrderService
04 Implements IOrderService
05 {
06 Public Sub SubmitOrder(ByVal anOrder As Order)
07 Try
08 Catch ex As DivideByZeroException
09 End Try
10 End Sub
11 End Class
You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?
A. Replace line 11 with the following line. `Throw New FaultException(C Order)(anOrder, ex.ToString())`
B. Replace line 11 with the following line. `Throw New FaultException(C Order)(anOrder, ex.ToString())`
C. After line 05, add the following line. `<FaultContract(GetType(FaultException(Of Order)))>`
D. After line 05, add the following line. `<FaultContract(GetType(FaultException(CX Order)))>`
Replace line 11 with the following line. `Throw New FaultException(CX Order)(anOrder, "Divide by zero exception")`
Answer: D QUESTION 163 You are modifying a Windows Communication Foundation (WCF) service that allows customers to update financial data. The service currently requires a transaction from the client application and is working correctly. The service contract is defined as follows. (Line numbers are

included for reference only.)The service must be modified so that client applications do not need to initiate a transaction when calling the operation. The service must use the client application's transaction if one is available. Otherwise it must use its own transaction.You need to ensure that the service operation is always executed within a transaction.What should you do?

```
01 <ServiceContract()>
02 Public Interface IDataUpdate
03
04 <OperationContract()>
05 <TransactionFlow(TransactionFlowOption.Mandatory)>
06 Sub Update(ByVal accountNumber As String, ByVal amount As Double)
07
08 End Interface
09
10 Class UpdateService
11 Implements IDataUpdate
12
13 <OperationBehavior(TransactionScopeRequired:=True, TransactionAutoComplete:=True)>
14 Public Sub Update(ByVal accountNumber As String,
15 ByVal amount As Double) Implements IDataUpdate.Update
16 Try
17 ...
18 Catch ex As Exception
19 WriteErrorLog(ex)
20 ...
21 End Try
22 End Sub
23
24 End Class
```

A. Replace line 05 with the following code. [TransactionFlow(TransactionFlowOption.NotAllowed)]B. Replace line 13 with the following code. [OperationBehavior(TransactionScopeRequired=false, TransactionAutoComplete=true)]C. Replace line 05 with the following code. [TransactionFlow(TransactionFlowOption.Allowed)]D. Replace line 13 with the following code. [OperationBehavior(TransactionScopeRequired=false, TransactionAutoComplete=false)] Answer: B QUESTION 164

You are developing a Windows Communication Foundation (WCF) service that allows customers to update financial data. The client applications call the service in a transaction. The service contract is defined as follows. (Line numbers are included for reference only.)

```
01 <ServiceContract()>
02 Public Interface IDataUpdate
03
04 <OperationContract()>
05 <TransactionFlow(TransactionFlowOption.Mandatory)>
06 Sub Update (ByVal accountNumber As String, ByVal amount As Double)
07
08 End Interface
09
10 Class UpdateService
11 Implements IDataUpdate
12
13 <OperationBehavior(
14 TransactionScopeRequired:=True, TransactionAutoComplete:=True)>
15 Public Sub Update(ByVal accountNumber As String,
16 ByVal amount As Double) Implements IDataUpdate.Update
17 Try
18 Catch ex As Exception
19 WriteErrorLog(ex)
20
21 End Try
22 End Sub
23 End Class
```

Customers report that the transaction completes successfully even if the Update method throws an exception. You need to ensure that the transaction is aborted if the Update method is not successful. What should you do? A. insert the following line at line 20. ThrowB. Replace line 13 with the following line. <OperationBehavior(

TransactionScopeRequired:=True, TransactionAutoComplete:=False)>C. Insert the following line at line 09. <ServiceBehavior(TransactionAutoCompleteOnSessionClose:=False) >D. Insert the following line at line 09. <ServiceBehavior(TransacCionAucoCompleteOnSesslonClose:=True) > Answer: A QUESTION 165

A Windows Communication Foundation (WCF) service has a callback contract. You are developing a client application that will call this service. You must ensure that the client application can interact with the WCF service. What should you do? A. On the OperationContractAttribute, set the AsyncPattern property value to True.B. On the OperationContractAttribute, set the ReplyAction property value to the endpoint address of the client.C. On the client, create a proxy derived from DuplexClientBase(Of TChannel).D. On the client, use GetCallbackChannel (Of T). Answer: C QUESTION 166

You are maintaining a Windows Communication Foundation (WCF) service that uses a custom username password class to authenticate clients with. The service certificate is hosted in the deployment server store for trusted root certificate authorities and has a Subject value of TaxServiceKey. Other service certificates hosted on the same server also use TaxServiceKey as a Subject value. You need to ensure that the service identifies itself with a certificate whose subject name and distinguished names are TaxServiceKey. Which code segment should you use? A. HostInstance.Credentials.ServiceCertificate.SetCertificate(StoreLocation.LocalMachine, StoreName.My, x509FindType.FindBySubjectName, "CN=TaxServiceKey");B. HostInstance.Credentials.ServiceCertificate.SetCertificate(StoreLocation.LocalMachine, StoreName.AuthRoot, x509FindType.FindBySubjectName, "CN=TaxServiceKey");C. HostInstance.Credentials.ServiceCertificate.SetCertificate(StoreLocation.LocalMachine, StoreName.My, x509FindType.FindByDistinguishedName, "CN=TaxServiceKey");D. HostInstance.Credentials.ServiceCertificate.SetCertificate(StoreLocation.LocalMachine, StoreName.Root, x509FindType.FindByDistinguishedName, "CN=TaxServiceKey"); Answer: D QUESTION 167

You develop a Windows Communication Foundation (WCF) service that employees use to access bonus information. You define the following service

contract. (Line numbers are included for reference only.)01 <ServiceContract(SessionMode:=SessionMode.Required)>02 Public Interface IFinancialService04 <OperationContract()>05 Function Login(ByVal employeeID As Integer,ByVal passwordHash As String)As String07 <OperationContract()>08 Function GetBonus(ByVal month As Integer) As Double 10 <OperationContract(IsTerminating:=True)>11 Sub Logout()13 End Interface client applications can invoke methods without logging in. You need to ensure that the client applications invoke Login before invoking any other method. You also need to ensure that client applications cannot consume the service after invoking Logout. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Replace line 04 with the following code.<OperationContract(IsInitiating:=False)>B. Replace line 04 with the following code.<OperationContract(IsInitiating:=True, IsTerminating:=True)>C. Replace line 07 with the following code.<OperationContract(IsInitiating:=False)>D. Replace line 10 with the following code.<OperationContract(IsInitiating:=False, IsTerminating:=True)>

Answer: CD QUESTION 168 You are creating a Windows Communication Foundation (WCF) service application. The application needs to service many clients and requests simultaneously. The application also needs to ensure subsequent individual client requests provide a stateful conversation. You need to configure the service to support these requirements. Which attribute should you add to the class that is implementing the service? A.

[ServiceBehavior(InstanceContextMode = InstanceContextMode.PerSession, ConcurrencyMode = ConcurrencyMode.Single)]B. [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall, ConcurrencyMode = ConcurrencyMode.Reentrant)]C. [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerSession, ConcurrencyMode = ConcurrencyMode.Multiple)]D. [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall, ConcurrencyMode = ConcurrencyMode.Multiple)]


Answer: C QUESTION 169 A class named TestService implements the following interface. TestService is hosted in an ASP.NET applicator. You need to modify the application to allow the GetServiceTime method to return the data formatted as JSON. It must do this only when the request URL ends in /ServiceTime. What should you do?

```
<ServiceContract()>
Public Interface ITestService
    Function GetServiceTime() As DateTime
End Interface
```

A. Add this attribute to the GetServiceTime method <webInvoke(Method "POST")> In the bconfig file, add this element to system.serviceModel/behaviors/endpointBehaviors.<behaviorNames"Json">e<enableWebScriptc/behavior> In the web.config file, configure TestService in the system.serviceModel/services collection as follows.<service name"TestService">s<endpoint address/ServiceTime"contract-"TestSerAce""behaviorConflgurationz'Jsonbinding"webHttpBinding"!> <!servicesB. Add this attribute to the GetServiceTime method <WebInvoke(Method PGETw,UrTemplate:eiSeneiceTim&, ResponseFormat: WebMessageFormatJson)> In the bconfig file, configure TestService in the system.arviceModel/services collection as follows.<service namee"TestService"> <endpoint ad&esse"ISer,iceTime"r contracte"TestSence' bindingewebHttpBindngw />c/service>C. Add this attribute to the GetServiceTime method <webGet(ResponseFormat WebMessageFormatJson, UnTemplate:eJServiceTime")>? Create a new svc file named Jsonversion svc with the following contract <%@ ServiceHost Servicee" TessService" iFactory="System ServiceModelktivation WebServiceHosFactory" %sD. Add this attribute to the GetServiceTime method <WebGet(UriTempbte: z" {Json}/ServiceTime")> Create a new svc file named Jsonversionsvc with the following contert <%@ ServiceHost Service="TestService" Factoryz' System Se viceMode[ktivationWebServiceHodFactory" %>

Answer: C QUESTION 170 A Windows Communication Foundation (WCF) service is responsible for transmitting XML documents between systems. The service has the following requirements:- It must minimize the transmission size by attaching the XML document as is without using escape characters or base64 encoding.- It must interoperate with systems that use SOAP but are not built on the .NET plattform. You need to configure the service to support these requirements. Which message encoding should you use? A. Binary message encodingB. MTOM (Message Transmission Optimization Mechanism) message encodingC. Text message encoding with message version set to noneD. Text message encoding with message version set to SOAP 1.2 Answer: B Braindump2go Latest 70-513 Exam Dumps Released! 100% Real Questions - Dumps Qulification is the secret of Success! Prepare yourself to Face the 70-513 Exam with Real Exam Questions from Microsoft Official Exam Center, walk into the Testing Centre with confidence.

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513



Product Description Exam Number/Code: 70-513

Exam Number/Code: 70-513

"TS: Windows Communication Foundation Development with Microsoft .NET Framework 4", also known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

Questions and Answers : 341
Q&As
Updated: Nov 13, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Printable PDF **Premium VCE + VCE Simulator**

FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-513.html> (341 Q&A)